

Editors

FREDERICK P. ZUSPAN, *Editor in Chief*

Donna L. Stroud, *Managing Editor*

E.J. QUILLIGAN, *Editor in Chief*

Sandra Perrine, *Managing Editor*

RICHARD C. BUMP, *Associate Editor*

STEVEN G. GABBE, *Associate Editor*

THOMAS J. GARITE, *Associate Editor*

JAY D. IAMS, *Associate Editor*

MOON H. KIM, *Associate Editor*

ALBERTO MANETTA, *Associate Editor*

LARRY SACHS, *Statistical Consultant*

Advisory committee on policy

Janice Bacon

Linda Brubaker

Ken Burry

Robert C. Cefalo

Bryan Cowan

Stephen Cruikshank

John DeLancey

W. Patrick Duff

James Ferguson

Murray Freedman

A. Jerome Freeland

Norman F. Gant

Melvin Gerbie

Ronald S. Gibbs

W. Glenn Hurt

Marilyn K. Laughead

Charles Lockwood

Robert S. Mannel

James N. Martin, Jr

Joseph Montella

Eberhard Mueller-Heubach

D. Michael Nelson

W. Gordon Peacock

Robert Schenken

Gerald Shefren

Robert Shull

Cheryl Smart

Thomas Stovall

William Conrad Sweeting

Paul Tomich

Gerson Weiss

Thomas K. Young

Board of corresponding editors

John Bonnar, *Dublin, Ireland*

Jacob Bornstein, *Haifa, Israel*

Gian Carlo Di Renzo, *Perugia, Italy*

Guillermo Focaccia, *Neuquén, Patagonia,
Argentina*

Mary Hannah, *Toronto, Ontario, Canada*

Ian R. Johnson, *Nottingham, England*

Marita Kuhnert, *Marburg, Germany*

Gunnar Lose, *Glostrup, Denmark*

Raaga Mansour, *Cairo, Egypt*

Enrique Oyarzun, *Lira, Chile*

Bernhard Schuessler, *Lucerne, Switzerland*

Chan Ho Song, *Seoul, Korea*

Don Wilson, *Dunedin, New Zealand*

Publisher

MOSBY, INC, 11830 Westline Industrial Dr,
St Louis, MO 63146-3318

Sue Schulz, *Senior Production Editor*

Volume 185

July-December, 2001

Mosby

St Louis

2001

*in addition to those listed on the front cover
the Journal is the official publication
of the following societies*

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST LOUIS GYNECOLOGICAL SOCIETY
GREATER NEW ORLEANS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
OBSTETRICAL SOCIETY OF BOSTON
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST GYNECOLOGICAL AND OBSTETRICAL ASSOCIATION
BUFFALO GYNECOLOGIC AND OBSTETRIC SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY
COLUMBUS OBSTETRIC AND GYNECOLOGIC SOCIETY
GREATER HARTFORD OBSTETRICAL AND GYNECOLOGICAL SOCIETY
CLEVELAND SOCIETY OF OBSTETRICIANS AND GYNECOLOGISTS

Volume 185

*Copyright © 2001 by Mosby, Inc
(All rights reserved)*

Printed in the United States of America

Index to volume 185

AUTHOR INDEX*

A

- Abdel-Fattah SA, Soothill PW, Carroll SG, Kyle PM. Noninvasive diagnosis of anemia in hydrops fetalis with the use of middle cerebral artery Doppler velocity. 2001;185:1411-5
- Abramowsky C (see Gray et al). 2001;185:1209-17
- Adachi Y (see Matsuda et al). 2001;185:1374-80
- Adelberg AM, Miller J, Doerzbacher M, Lambers DS. Correlation of quantitative protein measurements in 8-, 12-, and 24-hour urine samples for the diagnosis of preeclampsia. 2001;185:804-7
- Aghajafari F, Murphy K, Willan A, Ohlsson A, Amankwah K, Matthews S, Hannah M. Multiple courses of antenatal corticosteroids: a systematic review and meta-analysis. 2001;185:1073-80
- Ahner R (see Al-Kouatly et al). 2001;185:1039-43
- Albanese CT (see Harrison et al). 2001;185:730-3
- Alderman J (see Williams and Alderman). 2001;185:332-7
- Al-Kouatly HB, Chasen ST, Karam AK, Ahner R, Chervenak FA. Factors that are associated with fetal demise in fetal echogenic bowel. 2001;185:1039-43
- Al-Kouatly HB, Chasen ST, Streltsoff J, Chervenak FA. The clinical significance of fetal echogenic bowel. 2001;185:1035-8
- Allbert JR (see Jackson et al). 2001;185:873-7
- Allen MH (see Quintero et al). 2001;185:689-96
- Alling-Møller L (see Lose et al). 2001;185:514-21 (AJOG reviews)
- Alò P (see Di Iorio et al). 2001;185:697-702
- Althuisius SM, Dekker GA, Hummel P, Bekedam DJ, van Geijn HP. Final results of the Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): therapeutic cerclage with bed rest versus bed rest alone. 2001;185:1106-12
- ALTS Group (see Ferris et al). 2001;185:939-43
- Amankwah K (see Aghajafari et al). 2001;185:1073-80
- Amini S (see Rohl et al). 2001;185:1416-20
- Amon E (see Winn et al). 2001;185:1204-8
- Amortegui A (see Ness et al). 2001;185:121-7
- Amory JH, Hitti J, Lawler R, Eschenbach DA. Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation. 2001;185:1064-7
- Ananth CV (see Kosciak et al). 2001;185:1032-4
- Ananth CV (see Vintzileos et al). 2001;185:925-30
- Ancl P-Y (see Zeitlin et al). 2001;185:208-15
- Andracki ME (see Hunter et al). 2001;185:1174-9
- Andrews S (see Fanning and Andrews). 2001;185:1-4 (Clin. opinion)
- Andrews WW (see Lu et al). 2001;185:163-5
- Angus SR, Segel SY, Hsu C-D, Locksmith GJ, Clark P, Sammel MD, Macones GA, Strauss JF III, Parry S. Amniotic fluid matrix metalloproteinase-8 indicates intra-amniotic infection. 2001;185:1232-8
- Anumba DOC, Ford GA, Robson SC. Nitric oxide signaling mechanisms in the forearm vasculature of pregnant women. 2001;185:420
- Apgar BS (see Spitzer et al). 2001;185:507-13 (Education)
- Apodaca CC (see Pierce et al). 2001;185:1068-72
- Ariel I (see Goldman-Wohl et al). 2001;185:476-80
- Aroutcheva A, Gariti D, Simon M, Shott S, Faro J, Simoes JA, Gur-

- guis A, Faro S. Defense factors of vaginal lactobacilli. 2001;185:375-9
- Aroutcheva A (see Simoes et al). 2001;185:1186-90
- Artal R (see Winn et al). 2001;185:1204-8
- Arya LA, Jackson ND, Myers DL, Verma A. Risk of new-onset urinary incontinence after forceps and vacuum delivery in primiparous women. 2001;185:1318-24
- Ashton-Miller JA (see Reddy et al). 2001;185:65-70
- Åström M (see Bixo et al). 2001;185:396-402
- Atlas RO (see Rust et al). 2001;185:1098-105
- Aurora C (see Herrmann et al). 2001;185:403-12
- Auth J (see Porter et al). 2001;185:459-62
- Azulay M (see Borrell et al). 2001;185:204-7
- Azziz R (see Kahsar-Miller et al). 2001;185:1381-7

B

- Ba'aqel H (see Rouzi et al). 2001;185:569-71
- Baeten JM, Nyange PM, Richardson BA, Lavreys L, Chohan B, Martin HL Jr, Mandaliya K, Ndinya-Achola JO, Bwayo JJ, Kreiss JK. Hormonal contraception and risk of sexually transmitted disease acquisition: results from a prospective study. 2001;185:380-5
- Bahado-Singh RO (see Detti et al). 2001;185:1048-51
- Bahado-Singh RO (see Mari et al). 2001;185:708-15
- Bai G (see Xu et al). 2001;185:981-7
- Baird DD (see Regan et al). 2001;185:572-8
- Bajoria R, Sooranna SR, Ward S, D'Souza S, Hancock M. Placental transport rather than maternal concentration of amino acids regulates fetal growth in monochorionic twins: implications for fetal origin hypothesis. 2001;185:1239-46
- Baker K (see Harvey et al). 2001;185:56-61
- Baker RS (see Buchbinder et al). 2001;185:786-91
- Baker SP (see Young et al). 2001;185:32-40
- Bakkum RSLA (see van Kamp et al). 2001;185:668-73
- Bald R (see Bödenkamp et al). 2001;185:468-75
- Balducci J (see Rust et al). 2001;185:1098-105
- Ballard LA (see Weber et al). 2001;185:1299-1306
- Ballas SK (see Reddy et al). 2001;185:1090-3
- Barber MD. Infundibulopelvic colposcopy with partial resection of vagina for repair of posthysterectomy vault prolapse. 2001;185:1009 (Letter reply)
- Barber MD, Kuchibhatla MN, Pieper CF, Bump RC. Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders. 2001;185:1388-95
- Barbieri RL. The initial fertility consultation: recommendations concerning cigarette smoking, body mass index, and alcohol and caffeine consumption. 2001;185:1168-73 (Clin. opinion)
- Barbieri RL. PCOS and OCPs? 2001;185:777-8 (Letter reply)
- Baron J (see Elovitz et al). 2001;185:1059-63
- Barrett TJ (see Gebhart et al). 2001;185:1325-31
- Barrilleaux PS (see Chauhan et al). 2001;185:349-54
- Barton JR (see Livingston et al). 2001;185:153-7
- Barton JR (see O'Brien et al). 2001;185:1094-7
- Bass DC (see Ness et al). 2001;185:121-7
- Battaglia FC (see Józwick et al). 2001;185:487-95
- Battaglia FC (see Rigano et al). 2001;185:834-8
- Beck-Nielsen H (see Jensen et al). 2001;185:413-9
- Beierwaltes WH (see Shesely et al). 2001;185:1198-203
- Beinder E, Grancay T, Menéndez T, Singer H, Hoffbeck M. Fetal sinus bradycardia and the long QT syndrome. 2001;185:743-7

*July 1-260; August, 261-524, S1-S68; September, 525-780; October, 781-1010; November, 1011-1278; December, 1279-1478, S69-S288.

- Bekedam DJ (*see* Althuisius et al). 2001;185:1106-12
 Belfort MA (*see* Vedernikov et al). 2001;185:182-9
 Bell SC (*see* Konje et al). 2001;185:608-13
 Bellotti M (*see* Rigano et al). 2001;185:834-8
 Benedetti T (*see* Gardella et al). 2001;185:896-902
 Benn PA (*see* Egan et al). 2001;185:1028-31
 Bent AE (*see* Ellerkmann et al). 2001;185:1332-8
 Bentley M (*see* Steele et al). 2001;185:62-4
 Berger LA (*see* Singh et al). 2001;185:71-7
 Berkowitz RL (*see* Eddleman et al). 2001;185:773-4 (Letter reply)
 Berkowitz RL (*see* Gaddipati et al). 2001;185:976-80
 Berkowitz RL (*see* Singla et al). 2001;185:893-5
 Berman S (*see* Maymon et al). 2001;185:1143-8
 Berman S (*see* Maymon et al). 2001;185:1149-55
 Berman S (*see* Naccasha et al). 2001;185:1118-23
 Bernasconi MT (*see* Hebisch et al). 2001;185:1265-6
 Bernstein SJ, Sanchez-Ramos L, Nduhisi B. Liquid-based cervical cytologic smear study and conventional Papanicolaou smears: a metaanalysis of prospective studies comparing cytologic diagnosis and sample adequacy. 2001;185:308-17
 Bernstein SJ (*see* Broder et al). 2001;185:97-102
 Best RG (*see* Jarrett et al). 2001;185:198-203
 Bieber E (*see* Kim et al). 2001;185:1191-7
 Biggio JR Jr, Owen J, Wenstrom KD, Oakes WJ. Can prenatal ultrasound findings predict ambulatory status in fetuses with open spina bifida? 2001;185:1016-20
 Birnbach DJ (*see* Browne and Birnbach). 2001;185:1253-4
 Bixo M, Sundström-Poromaa I, Björn I, Åström M. Patients with psychiatric disorders in gynecologic practice. 2001;185:396-402
 Björn I (*see* Bixo et al). 2001;185:396-402
 Blackstone J (*see* Pinette et al). 2001;185:242-3
 Blackstone J (*see* Wax et al). 2001;185:1267-8
 Blackwell S (*see* Gervasi et al). 2001;185:1124-9
 Bland JM (*see* Chahla et al). 2001;185:427-32
 Bland ML (*see* Vermillion et al). 2001;185:1086-9
 Bödenkamp A, Dieterich C, Dressler F, Mühlhaus K, Gembruch U, Bald R, Kirschstein M. Fetal serum concentrations of cystatin C and β_2 -microglobulin as predictors of postnatal kidney function. 2001;185:468-75
 Bodnar LM, Scanlon KS, Freedman DS, Siega-Riz AM, Cogswell ME. High prevalence of postpartum anemia among low-income women in the United States. 2001;185:438-43
 Boggess KA (*see* Whitecar et al). 2001;185:812-8
 Bonati F (*see* Nicolini et al). 2001;185:703-7
 Bonidie MJ (*see* Gill et al). 2001;185:345-8
 Bony LG (*see* Young et al). 2001;185:1360-7
 Boots LR (*see* Kahsar-Miller et al). 2001;185:1381-7
 Boreham MK, Miller RT, Schaffer JL, Word RA. Smooth muscle myosin heavy chain and caldesmon expression in the anterior vaginal wall of women with and without pelvic organ prolapse. 2001;185:944-52
 Borgatta L, Chen AY, Reid SK, Stubblefield PG, Christensen DD, Rashbaum WK. Pelvic embolization for treatment of hemorrhage related to spontaneous and induced abortion. 2001;185:530-6 (Clin. opinion)
 Bornick PW (*see* Quintero et al). 2001;185:689-96
 Borrell A, Martinez JM, Farre MT, Azuly M, Cararach V, Fortuny A. Reversed end-diastolic flow in first-trimester umbilical artery: an ominous new sign for fetal outcome. 2001;185:204-7
 Boschetto C (*see* Nicolini et al). 2001;185:703-7
 Boulton ML (*see* Zhu et al). 2001;185:1403-10
 Bowers D, McKenzie D, Dutta D, Wheelless CR, Cohen WR. Growth hormone treatment after cesarean delivery in rats increases the strength of the uterine scar. 2001;185:614-7
 Bowyer L, Brown MA, Jones M. Vascular reactivity in men and women of reproductive age. 2001;185:88-96
 Bowyer L (*see* Brown et al). 2001;185:618-22
 Boyle RJ (*see* Finnerty et al). 2001;185:300-7
 Boyle RK (*see* Chuan et al). 2001;185:593-9
 Bozzo M (*see* Galan et al). 2001;185:839-44
 Bozzo M (*see* Rigano et al). 2001;185:834-8
 Brace RA (*see* Hull and Brace). 2001;185:501-6
 Branch DW (*see* Fausett et al). 2001;185:148-52
 Branch DW (*see* Lee et al). 2001;185:748-53
 Brand A (*see* Radder et al). 2001;185:683-8
 Brandenburg H (*see* van der Weiden and Brandenburg). 2001;185:522 (Letter)
 Brennen DE (*see* Porter et al). 2001;185:459-62
 Breuiller-Fouché M, Eude I, Ferré F. Functional divergences of PKC isoforms in the human myometrium? 2001;185:778 (Letter)
 Broder MS, Kanouse DE, Bernstein SJ. Assessing symptoms before hysterectomy: is the medical record accurate? 2001;185:97-102
 Brölmann HAM (*see* Oei et al). 2001;185:1255-6
 Brotzman GL (*see* Spitzer et al). 2001;185:507-13 (Education)
 Brown MA, Bowyer L, McHugh L, Davis GK, Mangos GJ, Jones M. Twenty-four-hour automated blood pressure monitoring as a predictor of preeclampsia. 2001;185:618-22
 Brown MA (*see* Bowyer et al). 2001;185:88-96
 Browne IM, Birnbach DJ. A pregnant woman with previous anaphylactic reaction to local anesthetics: a case report. 2001;185:1253-4
 Brubaker L (*see* FitzGerald et al). 2001;185:20-4. Correction 2001;185:1278
 Brubaker L (*see* Kenton et al). 2001;185:51-5
 Buchbinder A, Khoury J, Miodovnik M. Insulin lispro and the development of proliferative diabetic retinopathy during pregnancy. 2001;185:775 (Letter reply)
 Buchbinder A, Lang U, Baker RS, Khoury JC, Mershon J, Clark KE. Leptin in the ovine fetus correlates with fetal and placental size. 2001;185:786-91
 Buckley AR (*see* Lee et al). 2001;185:1269-72
 Bukowski R, Gahn D, Denning J, Saade G. Impairment of growth in fetuses destined to deliver preterm. 2001;185:463-7
 Bukowski R, McKay L, Shi S-Q, Saade GR, Garfield RE. The effects of cervical application of inhibitors of inducible nitric oxide synthase, cyclooxygenase-1, and cyclooxygenase-2 on delivery in rats. 2001;185:959-65
 Buller JL (*see* Leffler et al). 2001;185:41-3
 Bump RC (*see* Barber et al). 2001;185:1388-95
 Burgis J. Obstructive Müllerian anomalies: case report, diagnosis, and management. 2001;185:338-44
 Burke L, Segall-Blank M, Lorenzo C, Dynesius-Trentham R, Trentham D, Mortola JF. Altered immune response in adult women exposed to diethylstilbestrol in utero. 2001;185:78-81
 Burkman RT. The hormone continuum: accrual of women's health benefits—introduction. 2001;185:S1-3 (Symposium)
 Burkman RT, Collins JA, Greene RA. Current perspectives on benefits and risks of hormone replacement therapy. 2001;185:S13-23 (Symposium)
 Burkman RT, Collins JA, Shulman LP, Williams JK. Current perspectives on oral contraceptive use. 2001;185:S4-12 (Symposium)
 Burrows LJ (*see* Leffler et al). 2001;185:41-3
 Bussell JB (*see* Gaddipati et al). 2001;185:976-80
 Bwayo JJ (*see* Baeten et al). 2001;185:380-5

C

- Calhoun BC (*see* Hoeldtke and Calhoun). 2001;185:525-9 (Clin. opinion)
 Calhoun BC (*see* Pierce et al). 2001;185:1068-72
 Canadian Neonatal Network (*see* Chan et al). 2001;185:220-6
 Canterino JC (*see* Kosciak et al). 2001;185:1032-4
 Cao L (*see* Schmidt et al). 2001;185:173-7
 Capewell V (*see* Gofton et al). 2001;185:798-803
 Capewell V (*see* Lackman et al). 2001;185:674-82
 Cappagli B (*see* Gambacciani et al). 2001;185:1180-5
 Cararach V (*see* Borrell et al). 2001;185:204-7
 Carey JC (*see* Goldenberg et al). 2001;185:485-6
 Caritis SN (*see* Goldenberg et al). 2001;185:643-51
 Carr SR (*see* Luks et al). 2001;185:216-9
 Carreno CA (*see* Rebarber et al). 2001;185:1113-7
 Carretero CD (*see* Shesely et al). 2001;185:1198-203
 Carretero OA (*see* Shesely et al). 2001;185:1198-203
 Carroll CS (*see* Chauhan et al). 2001;185:349-54
 Carroll SG (*see* Abdel-Fattah et al). 2001;185:1411-5
 Cartin A (*see* Pinette et al). 2001;185:242-3

- Cartin A (see Wax et al). 2001;185:1267-8
- Cassell GH (see Lu et al). 2001;185:163-5
- Catalano P (see Rohl et al). 2001;185:1416-20
- Catalano PM (see Cohen et al). 2001;185:660-7
- Caughey AB, Lyell DJ, Filly RA, Washington AE, Norton ME. The impact of the use of the isolated echogenic intracardiac focus as a screen for Down syndrome in women under the age of 35 years. 2001;185:1021-7
- Cefalo RC (see Lyerly et al). 2001;185:1052-8
- Ceres R, Modroño A, Ruiz S. Doppler velocimetry: is it useful in preeclampsia? 2001;185:522 (Letter)
- Cetin I (see Galan et al). 2001;185:839-44
- Chaiworapongsa T (see Gervasi et al). 2001;185:792-7
- Chaiworapongsa T (see Gervasi et al). 2001;185:1124-9
- Chaiworapongsa T (see Maymon et al). 2001;185:1143-8
- Chaiworapongsa T (see Maymon et al). 2001;185:1149-55
- Chaiworapongsa T (see Naccasha et al). 2001;185:1118-23
- Chalilha C, Sultan AH, Bland JM, Monga AK, Stanton SL. Anal function: effect of pregnancy and delivery. 2001;185:427-32
- Chamley LW (see Pattison and Chamley). 2001;185:524 (Letter reply)
- Chan K, Ohlsson A, Synnes A, Lee DSC, Chien L-Y, Lee SK, Canadian Neonatal Network. Survival, morbidity, and resource use of infants at 25 weeks' gestational age or less. 2001;185:220-6
- Chan KPM (see Lee et al). 2001;185:953-8
- Chang C-L, Wang S-Y, Wu C-C, Su T-H, Wang K-L, Chen H-S, Yang Y-C. Microsatellite alterations in exfoliated cervical epithelia deoxyribonucleic acid as a marker for high-grade dysplasia. 2001;185:108-15
- Chang C-Y, Chang S-Y, Changchien C-C, Lui C-C, Huang H-W. Hematomata of the rudimentary horn of a unicornuate uterus resulting from cesarean section. 2001;185:1263-4
- Chang PL (see Sauer and Chang). 2001;185:252-3
- Chang S-Y (see Chang et al). 2001;185:1263-4
- Changchien C-C (see Chang et al). 2001;185:1263-4
- Chao CR (see El-Haddad et al). 2001;185:828-33
- Charles BG (see Chuan et al). 2001;185:593-9
- Chasen ST, Chervenak FA, McCullough LB. The role of cephalocentesis in modern obstetrics. 2001;185:734-6
- Chasen ST (see Al-Kouatly et al). 2001;185:1035-8
- Chasen ST (see Al-Kouatly et al). 2001;185:1039-43
- Chauhan SP, Magann EF, Carroll CS, Barrilleaux PS, Scardo JA, Martin JN Jr. Mode of delivery for the morbidly obese with prior cesarean delivery: vaginal versus repeat cesarean section. 2001;185:349-54
- Chauhan SP, Scardo JA, Magann E. Fetal pulse oximetry in intra-partum management of nonreassuring fetal heart rate patterns. 2001;185:771 (Letter)
- Chen AY (see Borgatta et al). 2001;185:530-6 (Clin. opinion)
- Chen H-S (see Chang et al). 2001;185:108-15
- Chen J (see Reddy et al). 2001;185:1090-3
- Chen KT, Tuomala RE, Cohen AP, Eichenwald EC, Lieberman E. No increase in rates of early-onset neonatal sepsis by non-group B *Streptococcus* or ampicillin-resistant organisms. 2001;185:854-8
- Chen KT (see Ecker et al). 2001;185:883-7
- Chervenak FA (see Al-Kouatly et al). 2001;185:1035-8
- Chervenak FA (see Al-Kouatly et al). 2001;185:1039-43
- Chervenak FA (see Chasen et al). 2001;185:734-6
- Cheung LP (see Lee et al). 2001;185:953-8
- Chez RA, Droegemueller W, Gant NF Jr, O'Sullivan MJ. Clinical experience reported by candidates for the American Board of Obstetrics and Gynecology 1995 and 1997 oral examinations. 2001;185:1429-32
- Chez RA, Jonas WB, Crawford C. A survey of medical students' opinions about complementary and alternative medicine. 2001;185:754-7 (Education)
- Chi JG (see Kim et al). 2001;185:496-500
- Chien L-Y (see Chan et al). 2001;185:220-6
- Cho E (see Johnson et al). 2001;185:850-3
- Chohan B (see Baeten et al). 2001;185:380-5
- Choi BCK (see Xu et al). 2001;185:981-7
- Chou MM, Tseng JJ, Ho ESC, Hwang JJ. Three-dimensional color power Doppler imaging in the assessment of uteroplacental neovascularization in placenta previa increta/percreta. 2001;185:1257-60
- Chou Q, DeLancey JOL. A structured system to evaluate urethral support anatomy in magnetic resonance images. 2001;185:44-50
- Christensen DD (see Borgatta et al). 2001;185:530-6 (Clin. opinion)
- Chuan FS, Charles BG, Boyle RK, Rasiyah RL. Population pharmacokinetics of magnesium in preeclampsia. 2001;185:593-9
- Chung M (see Józwick et al). 2001;185:487-95
- Chung TKH (see Lee et al). 2001;185:953-8
- Chyu J (see Galan et al). 2001;185:839-44
- Claponi M (see Gambacciani et al). 2001;185:1180-5
- Cimino J (see Winn et al). 2001;185:1204-8
- Claman P. Platelet activating factor does not improve intrauterine insemination outcome. 2001;185:1277-8 (Letter)
- Clark KE (see Buchbinder et al). 2001;185:786-91
- Clark P (see Angus et al). 2001;185:1232-8
- Clark RH (see Farkouh et al). 2001;185:869-72
- Clark RH (see Thorp et al). 2001;185:859-62
- Clausen T, Slott M, Solvoll K, Drevon CA, Vollset SE, Henriksen T. High intake of energy, sucrose, and polyunsaturated fatty acids is associated with increased risk of preeclampsia. 2001;185:451-8
- Clover S (see Lu et al). 2001;185:845-9
- Clokey D (see Cohen et al). 2001;185:660-7
- Cogswell ME (see Bodnar et al). 2001;185:438-43
- Cohen A (see Maxwell et al). 2001;185:819-21
- Cohen A (see Zelop et al). 2001;185:903-5
- Cohen AP (see Chen et al). 2001;185:854-8
- Cohen AP (see Ecker et al). 2001;185:883-7
- Cohen GR, Curet LB, Levine RJ, Ewell MG, Morris CD, Catalano PM, Clokey D, Klebanoff MA. Ethnicity, nutrition, and birth outcomes in nulliparous women. 2001;185:660-7
- Cohen WR (see Bowers et al). 2001;185:614-7
- Collaborative Group for Doppler Assessment of the Blood Velocity in Anemic Fetuses (see Detti et al). 2001;185:1048-51
- Collins JA (see Burkman et al). 2001;185:54-12 (Symposium)
- Collins JA (see Burkman et al). 2001;185:513-23 (Symposium)
- Colombo DF (see Johnson et al). 2001;185:850-3
- Conoscenti G (see Maymon et al). 2001;185:1149-55
- Contant T (see Smith-McCune et al). 2001;185:551-6
- Conway-Myers BA (see Kahsar-Miller et al). 2001;185:1381-7
- Cooperstock M. Twin birth weight discordance and the risk of preterm birth. 2001;185:256 (Letter reply)
- Coppens M, Vindla S, James DK, Sahota DS. Computerized analysis of acute and chronic changes in fetal heart rate variation and fetal activity in association with maternal smoking. 2001;185:421-6
- Cornella JL (see Walter et al). 2001;185:1354-9
- Cosmi EV (see Di Iorio et al). 2001;185:697-702
- Cotigian KA (see DiPietro et al). 2001;185:1421-8
- Cotter AM, Molloy AM, Scott JM, Daly SF. Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia. 2001;185:781-5
- Coustan DR, Schwartz RM, Gagnon DE, VanDorsten JP. Society for Maternal-Fetal Medicine. The distribution, practice, and attitudes of maternal-fetal medicine specialists. 2001;185:1218-25
- Crawford C (see Chez et al). 2001;185:754-7 (Education)
- Creinin MD, Meyn L, Klimashko T. Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation. 2001;185:966-9
- Critchlow C (see Gardella et al). 2001;185:896-902
- Culligan PJ (see Goldberg et al). 2001;185:1307-13
- Cundiff GW (see Ellerkmann et al). 2001;185:1332-8
- Cundiff GW (see Leffler et al). 2001;185:41-3
- Cunningham FG (see Lucas et al). 2001;185:970-5
- Curet LB (see Cohen et al). 2001;185:660-7
- Cu-Uvin S (see Nahvi et al). 2001;185:1433-4 (Letter reply)
- Czeizel AE, Rockenbauer M, Sørensen HT, Olsen J. A population-based case-control teratologic study of ampicillin treatment during pregnancy. 2001;185:140-7

D

- Dalaya T (see Kosciak et al). 2001;185:1032-4
- Daly SF (see Cotter et al). 2001;185:781-5
- Daman JJ (see Young et al). 2001;185:1360-7
- Damm P (see Jensen et al). 2001;185:413-9

- Dan M. Severe vulvovaginitis associated with intravaginal nystatin therapy. 2001;185:254-5
- Danilenko-Dixon D (see Ogburn et al). 2001;185:238-9
- Danzer E (see Surbek et al). 2001;185:725-9
- Daoud Y (see Schwartz and Daoud). 2001;185:1276 (Letter reply)
- Das A (see Goldenberg et al). 2001;185:643-51
- Dashe JS, Fernandez CO, Twickler DM. Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence. 2001;185:135-9
- Davies GAL (see Fisher et al). 2001;185:906-10
- Davis GK (see Brown et al). 2001;185:618-22
- Dekker GA (see Althuisius et al). 2001;185:1106-12
- DeLancey JOL (see Chou and DeLancey). 2001;185:44-50
- DeLancey JOL (see Reddy et al). 2001;185:65-70
- Dennehy CE (see Tsui et al). 2001;185:433-7
- Denning J (see Bukowski et al). 2001;185:463-7
- de Renty P (see Forestier et al). 2001;185:178-81
- de Souza Filho CBA (see Piotin et al). 2001;185:1261-2
- Deter RL (see Mari et al). 2001;185:708-15
- Detli L, Oz U, Guney I, Ferguson JE, Bahado-Singh RO, Mari G, Collaborative Group for Doppler Assessment of the Blood Velocity in Anemic Fetuses. Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization. 2001;185:1048-51
- Detli L (see Mari et al). 2001;185:708-15
- Diedrich F, Renner A, Rath W, Kuhn W, Wieland E. Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation. 2001;185:166-72
- Dieterich C (see Bödenkamp et al). 2001;185:468-75
- Di Iorio R, Marinoni E, Letizia C, Alò P, Villaccio B, Poverini R, Cosmi EV. Influence of labor on fetoplasental adrenomedullin concentrations. 2001;185:697-702
- DiPietro JA, Irizarry RA, Hawkins M, Costigan KA, Pressman EK. Cross-correlation of fetal cardiac and somatic activity as an indicator of antenatal neural development. 2001;185:1421-8
- Doctor BA, O'Riordan MA, Kirchner HL, Shah D, Hack M. Perinatal correlates and neonatal outcomes of small for gestational age infants born at term gestation. 2001;185:652-9
- Doerzbacher M (see Adelberg et al). 2001;185:804-7
- Dohin E (see Forestier et al). 2001;185:178-81
- Dombrowski MP (see Goldenberg et al). 2001;185:643-51
- Donnenfeld AE, Lockwood D, Lamb AN. Prenatal diagnosis from cystic hygroma fluid: the value of fluorescence in situ hybridization. 2001;185:1004-8
- Donovan EF (see How et al). 2001;185:1081-5
- Dressler F (see Bödenkamp et al). 2001;185:468-75
- Drevon CA (see Clausen et al). 2001;185:451-8
- Droegemueller W (see Chez et al). 2001;185:1429-32
- Drouin M (see Pinette et al). 2001;185:242-3
- Drutz HP (see Jabs and Drutz). 2001;185:1368-73
- D'Souza S (see Bajoria et al). 2001;185:1239-46
- DuBard M (see Lu et al). 2001;185:845-9
- Duddalwar VA (see Lee et al). 2001;185:1269-72
- Duerr A (see Jamieson et al). 2001;185:1433 (Letter)
- Duffy LB (see Lu et al). 2001;185:163-5
- Dunkel-Schetter C (see Hermann et al). 2001;185:403-12
- Dutta D (see Bowers et al). 2001;185:614-7
- Dynesius-Trentham R (see Burke et al). 2001;185:78-81
- E**
- Ecker JL, Chen KT, Cohen AP, Riley LE, Lieberman ES. Increased risk of cesarean delivery with advancing maternal age: indications and associated factors in nulliparous women. 2001;185:883-7
- Eddleman KA, Stone JL, Berkowitz RL. Multifetal pregnancy reduction. 2001;185:773-4 (Letter reply)
- Edwards RK (see Stallings et al). 2001;185:268-74
- Edwin S (see Maymon et al). 2001;185:1143-8
- Edwin S (see Maymon et al). 2001;185:1149-55
- Egan JFX, Malakh L, Turner GW, Markenson G, Wax JR, Benn PA. Role of ultrasound for Down syndrome screening in advanced maternal age. 2001;185:1028-31
- Egeland GM, Irgens LM. Is a multiple birth pregnancy a risk factor for gestational diabetes? 2001;185:1275-6 (Letter)
- Eichenwald EC (see Chen et al). 2001;185:854-8
- El-Haddad H (see El-Haddad et al). 2001;185:828-33
- El-Haddad MA, Chao CR, Sayed AA, El-Haddad H, Ross MG. Effects of central angiotensin II receptor antagonism on fetal swallowing and cardiovascular activity. 2001;185:828-33
- Ellerkmann RM, Cundiff GW, Melick CF, Nihira MA, Leffler K, Bent AE. Correlation of symptoms with location and severity of pelvic organ prolapse. 2001;185:1332-8
- Elliot M (see Jackson et al). 2001;185:873-7
- Elliott JP (see Mourad and Elliott). 2001;185:260 (Letter reply)
- Elovitz MA, Baron J, Phillippe M. The role of thrombin in preterm parturition. 2001;185:1059-63
- Elser DM (see Gill et al). 2001;185:345-8
- Ernst E (see Stevinson and Ernst). 2001;185:227-35 (AJOG reviews)
- Ervin MG (see Newnham et al). 2001;185:190-7
- Eschenbach DA (see Amory et al). 2001;185:1064-7
- Esplin MS (see Fausett et al). 2001;185:148-52
- Eude I (see Breuiller-Fouché et al). 2001;185:778 (Letter)
- Ewell MG (see Cohen et al). 2001;185:660-7
- Ewell MG (see Regan et al). 2001;185:572-8
- F**
- Fagan M (see Goldberg et al). 2001;185:1273-4
- Fairbanks VF (see Ogburn et al). 2001;185:238-9
- Fan-Havard P (see Johnson et al). 2001;185:850-3
- Fanning J, Andrews S. Early postoperative feeding after major gynecologic surgery: evidence-based scientific medicine. 2001;185:1-4 (Clin. opinion)
- Farinotti R (see Forestier et al). 2001;185:178-81
- Farkouh LJ, Thorp JA, Jones PG, Clark RH, Knox GE. Antenatal magnesium exposure and neonatal demise. 2001;185:869-72
- Farmer DL (see Harrison et al). 2001;185:730-3
- Faro J (see Aroutcheva et al). 2001;185:375-9
- Faro S (see Aroutcheva et al). 2001;185:375-9
- Faro S (see Simoes et al). 2001;185:1186-90
- Farre MT (see Borrell et al). 2001;185:204-7
- Farrell JA (see Harrison et al). 2001;185:730-3
- Fassett MJ (see Incerpi et al). 2001;185:916-9
- Fausett MB, Voglander M, Lee RM, Esplin MS, Branch DW, Rodgers GM, Silver RM. Heparin-induced thrombocytopenia is rare in pregnancy. 2001;185:148-52
- Ferguson JE (see Detti et al). 2001;185:1048-51
- Fernandez CO (see Dashe et al). 2001;185:135-9
- Ferrazzi E (see Galan et al). 2001;185:839-44
- Ferrazzi E (see Rigano et al). 2001;185:834-8
- Ferré F (see Breuiller-Fouché et al). 2001;185:778 (Letter)
- Ferris DG, Schiffman M, Litaker MS, ALTS Group. Cervicography for triage of women with mildly abnormal cervical cytology results. 2001;185:939-43
- Fielding JR (see Hoyte et al). 2001;185:11-9
- Filly RA (see Caughey et al). 2001;185:1021-7
- Filly RA (see Harrison et al). 2001;185:730-3
- Finch H (see Horger et al). 2001;185:279-88
- Finnerty JJ, Thomas TS, Boyle RJ, Howards SS, Kams LB. Gamete retrieval in terminal conditions. 2001;185:300-7
- Fisher SA, Mackenzie VP, Davies GAL. Oral versus vaginal misoprostol for induction of labor: a double-blind randomized controlled trial. 2001;185:906-10
- Fisk NM (see Mari et al). 2001;185:708-15
- FitzGerald GA (see Regan et al). 2001;185:572-8
- FitzGerald MP, Kenton K, Shott S, Brubaker L. Responsiveness of quality of life measurements to change after reconstructive pelvic surgery. 2001;185:20-4. Correction 2001;185:1278
- FitzGerald MP (see Kenton et al). 2001;185:51-5
- Flanigan TP (see Nahvi et al). 2001;185:1433-4 (Letter reply)
- Flesh G (see Hoyte et al). 2001;185:11-9
- Fogarty L (see Lyerly et al). 2001;185:1052-8
- Fomin VM (see Hurd et al). 2001;185:778-9 (Letter reply)

- Ford GA (*see* Anumba et al). 2001;185:420
Forestier F, de Renty P, Peytavin G, Dohin E, Farinotti R, Mandelbrot L. Maternal-fetal transfer of saquinavir studied in the ex vivo placental perfusion model. 2001;185:178-81
Fortuny A (*see* Borrell et al). 2001;185:204-7
Fraer L (*see* Hogge et al). 2001;185:289-93
Freedman DS (*see* Bodnar et al). 2001;185:438-43
Friedman EH. Neurobiology of decreased sensitivity to stress as pregnancy advances. 2001;185:779 (Letter)
Friedman EH. Neurobiology of maternal asthma and pregnancy outcomes. 2001;185:523 (Letter)
Frishman GN, Hackett RJ, McGrath M, Metheny WP. Evaluation of the prognosis of in vitro fertilization pregnancies with initially low serum human chorionic gonadotropin levels. 2001;185:392-5
Fulep E, Vedernikov Y, Saade GR, Garfield RE. Contractility of late pregnant rat myometrium is refractory to activation of soluble but not particulate guanylate cyclase. 2001;185:158-62
Fulep EE, Vedernikov YP, Saade GR, Garfield RE. The role of endothelium-derived hyperpolarizing factor in the regulation of the uterine circulation in pregnant rats. 2001;185:638-42
Funai EF (*see* Rebarber et al). 2001;185:1113-7

G

- Gaddipati S, Berkowitz RL, Lumbet AA, Lapinski R, McFarland JG, Bussell JB. Initial fetal platelet counts predict the response to intravenous gammaglobulin therapy in fetuses that are affected by PLAI incompatibility. 2001;185:976-80
Gagnon DE (*see* Coustan et al). 2001;185:1218-25
Gagnon R (*see* Lackman et al). 2001;185:674-82
Gahn D (*see* Bukowski et al). 2001;185:463-7
Galan HL, Rigano S, Radaelli T, Cetin I, Bozzo M, Chyu J, Hobbins JC, Ferrazzi E. Reduction of subcutaneous mass, but not lean mass, in normal fetuses in Denver, Colorado. 2001;185:839-44
Galan HL (*see* Rigano et al). 2001;185:834-8
Gambacciani M, Ciaponi M, Cappagli B, Genazzani AR. Effects of low-dose continuous combined conjugated estrogens and medroxyprogesterone acetate on menopausal symptoms, body weight, bone density, and metabolism in postmenopausal women. 2001;185:1180-5
Gant NF Jr (*see* Chez et al). 2001;185:1429-32
Ganz T (*see* Hein et al). 2001;185:586-92
Gardella C, Taylor M, Benedetti T, Hitti J, Critchlow C. The effect of sequential use of vacuum and forceps for assisted vaginal delivery on neonatal and maternal outcomes. 2001;185:896-902
Gardner D (*see* Johnson et al). 2001;185:850-3
Garfield RE (*see* Bukowski et al). 2001;185:959-65
Garfield RE (*see* Fulep et al). 2001;185:158-62
Garfield RE (*see* Fulep et al). 2001;185:638-42
Garfield RE (*see* Vedernikov et al). 2001;185:182-9
Garite TJ. Fetal pulse oximetry in intrapartum management of nonreassuring fetal heart rate patterns. 2001;185:771-2 (Letter reply)
Gariti D (*see* Aroutcheva et al). 2001;185:375-9
Gass MLS, Taylor MB. Alternatives for women through menopause. 2001;185:S47-56 (Symposium)
Gavin NI (*see* Thorp et al). 2001;185:318-26
Gebhart JB, Rickard DJ, Barrett TJ, Lesnick TG, Webb MJ, Podratz KC, Spelsberg TC. Expression of estrogen receptor isoforms α and β messenger RNA in vaginal tissue of premenopausal and postmenopausal women. 2001;185:1325-31
Gembruch U (*see* Bödenkamp et al). 2001;185:468-75
Genazzani AR (*see* Gambacciani et al). 2001;185:1180-5
Gerstenfeld TS, Wing DA. Rectal misoprostol versus intravenous oxytocin for the prevention of postpartum hemorrhage after vaginal delivery. 2001;185:878-82
Gervasi M-T, Chaiworapongsa T, Naccasha N, Blackwell S, Yoon BH, Maymon E, Romero R. Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes. 2001;185:1124-9
Gervasi M-T, Chaiworapongsa T, Pacora P, Naccasha N, Yoon BH, Maymon E, Romero R. Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia. 2001;185:792-7
Gervasi M-T (*see* Naccasha et al). 2001;185:1118-23
Gessner BD, Muth PT. Perinatal care regionalization and low birth weight infant mortality rates in Alaska. 2001;185:623-8
Ghidini A, Spong CY. Severe meconium aspiration syndrome is not caused by aspiration of meconium. 2001;185:931-8 (Clin. opinion)
Ghidini A (*see* Porter et al). 2001;185:459-62
Ghurani GB, Penalver MA. An update on vulvar cancer. 2001;185:294-9
Gilbert C (*see* Shesely et al). 2001;185:1198-203
Gill EJ, Elser DM, Bonidie MJ, Roberts KM, Hurt WG. The routine use of cystoscopy with the Burch procedure. 2001;185:345-8
Glynn LM, Sandman CA, Wadhwa PD. Neurobiology of decreased sensitivity to stress as pregnancy advances. 2001;185:779-80 (Letter reply)
Gmuier J (*see* Hebisch et al). 2001;185:1265-6
Gofton EN, Capewell V, Natale R, Gratton RJ. Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational hypertension. 2001;185:798-803
Goldberg J, Weinstein M, Fagan M, Nagy M, Nyirjesy P. Gluteal necrotizing myofascitis: an unusual delayed complication of abdominal sacrocolpexy. 2001;185:1273-4
Goldberg RP, Koduri S, Lobel RW, Culligan PJ, Tomezsko JE, Winkler HA, Sand PK. Protective effect of suburethral slings on postoperative cystocele recurrence after reconstructive pelvic operation. 2001;185:1307-13
Goldenberg RL, Iams JD, Mercer BM, Meis PJ, Moawad A, Das A, Miodovnik M, VanDorsten PJ, Caritis SN, Thurnau G, Dombrowski MP, Maternal-Fetal Medicine Units Network. The Preterm Prediction Study: toward a multiple-marker test for spontaneous preterm birth. 2001;185:643-51
Goldenberg RL, Klebanoff M, Carey JC, MacPherson C, National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. Metronidazole treatment of women with a positive fetal fibronectin test result. 2001;185:485-6
Goldenberg RL (*see* Lu et al). 2001;185:163-5
Goldman-Wohl D, Ariel I, Greenfield C, Hochner-Celnikier D, Lavy Y, Yagel S. A study of human leukocyte antigen G expression in hydatidiform moles. 2001;185:476-80
Goldwasser S (*see* Karraam et al). 2001;185:1339-43
Gomez R (*see* Maymon et al). 2001;185:1143-8
Gomez R (*see* Maymon et al). 2001;185:1149-55
Goodlin RC. Is it time to move on? 2001;185:1275 (Letter)
Graham CA, Mallett VT. Race as a predictor of urinary incontinence and pelvic organ prolapse. 2001;185:116-20
Granberg S (*see* Gull et al). 2001;185:386-91
Grancay T (*see* Beinder et al). 2001;185:743-7
Granderson G (*see* Shesely et al). 2001;185:1198-203
Gratton RJ (*see* Gofton et al). 2001;185:798-803
Gray RH, Wabwire-Mangen F, Kigozi G, Sewankambo NK, Serwadda D, Moulton LH, Quinn TC, O'Brien KL, Meehan M, Abramowsky C, Robb M, Wawer MJ. Randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda. 2001;185:1209-17
Greene RA (*see* Burkman et al). 2001;185:S13-23 (Symposium)
Greenfield C (*see* Goldman-Wohl et al). 2001;185:476-80
Griffith D (*see* Harvey et al). 2001;185:25-31
Grobman WA, Milad MP, Stout J, Klock SC. Patient perceptions of multiple gestations: an assessment of knowledge and risk aversion. 2001;185:920-4
Grundy WN (*see* Muhle et al). 2001;185:716-24
Guimares O (*see* Rodriguez et al). 2001;185:370-4
Gull B, Karlsson B, Milsom I, Granberg S. Factors associated with endometrial thickness and uterine size in a random sample of postmenopausal women. 2001;185:386-91
Guney I (*see* Detti et al). 2001;185:1048-51
Gurguis A (*see* Aroutcheva et al). 2001;185:375-9

H

- Haber MJ (*see* Roberts et al). 2001;185:1349-53
Hack M (*see* Doctor et al). 2001;185:652-9
Hackett RJ (*see* Frishman et al). 2001;185:392-5

- Hadar A, Sheiner E, Hallak M, Katz M, Mazor M, Shoham-Vardi I. Abnormal fetal heart rate tracing patterns during the first stage of labor: effect on perinatal outcome. 2001;185:863-8
- Haddad B (see Livingston et al). 2001;185:153-7
- Hague WM (see Khong and Hague). 2001;185:244-5
- Hahn S (see Surbek et al). 2001;185:725-9
- Haines CJ (see Lee et al). 2001;185:953-8
- Haines KM (see Zhu et al). 2001;185:1403-10
- Hallak M (see Hadar et al). 2001;185:863-8
- Hammond GL, Rabe T, Wagner JD. Preclinical profiles of progestins used in formulations of oral contraceptives and hormone replacement therapy. 2001;185:S24-S31 (Symposium)
- Han SY (see Park et al). 2001;185:1156-61
- Han SY (see Yoon et al). 2001;185:1137-42
- Han SY (see Yoon et al). 2001;185:1162-7
- Hancock M (see Bajoria et al). 2001;185:1239-46
- Hannah M (see Aghajafari et al). 2001;185:1073-80
- Harger J (see Lanasa et al). 2001;185:563-8
- Harlow BL, Wise LA, Stewart EG. Prevalence and predictors of chronic lower genital tract discomfort. 2001;185:545-50
- Harrigan JT (see Kosciak et al). 2001;185:1032-4
- Harrison MR, Albanese CT, Hawgood SB, Farmer DL, Farrell JA, Sandberg PL, Filly RA. Fetoscopic temporary tracheal occlusion by means of detachable balloon for congenital diaphragmatic hernia. 2001;185:730-3
- Harvey M-A, Baker K, Wells GA. Tolterodine versus oxybutynin in the treatment of urge urinary incontinence: a meta-analysis. 2001;185:56-61
- Harvey M-A, Kristjansson B, Griffith D, Versi E. The Incontinence Impact Questionnaire and the Urogenital Distress Inventory: a revisit of their validity in women without a urodynamic diagnosis. 2001;185:25-31
- Hattersley AT (see Spyer et al). 2001;185:240-1
- Hauth JC (see Lu et al). 2001;185:163-5
- Hauth JC (see Lu et al). 2001;185:845-9
- Hawgood SB (see Harrison et al). 2001;185:730-3
- Hawkins M (see DiPietro et al). 2001;185:1421-8
- Hebisch G, Bernasconi MT, Gmuer J, Huch A, Stallmach T. Pregnancy-associated recurrent hemolytic uremic syndrome with fetal thrombotic vasculopathy in the placenta. 2001;185:1265-6
- Hee P (see Viktrup and Hee). 2001;185:259-60 (Letter)
- Heerschap A (see Kok et al). 2001;185:1011-5
- Heimler I (see Simoes et al). 2001;185:1186-90
- Hein M, Helmig RB, Schönhayder HC, Ganz T, Uldbjerg N. An in vitro study of antibacterial properties of the cervical mucus plug in pregnancy. 2001;185:586-92
- Heine MW (see Sobel et al). 2001;185:363-9
- Heinonen ST (see Heiskanen et al). 2001;185:600-3
- Heiskanen JTM, Pirskanen MM, Hiltunen MJ, Mannerman AJ, Punnonen KRA, Heinonen ST. Insertion-deletion polymorphism in the gene for angiotensin-converting enzyme is associated with obstetric cholestasis but not with preeclampsia. 2001;185:600-3
- Helliwell JP (see Nager and Helliwell). 2001;185:444-50
- Helmig RB (see Hein et al). 2001;185:586-92
- Henderson D, Wilson T. Reduced binding of progesterone receptor to its nuclear response element after human labor onset. 2001;185:579-85
- Hendrix SL (see Ness et al). 2001;185:121-7
- Henriksen T (see Clausen et al). 2001;185:451-8
- Hentz JG (see Walter et al). 2001;185:1354-9
- Herman A (see Maymon and Herman). 2001;185:772-3 (Letter)
- Herrmann TS, Siega-Riz AM, Hobel CJ, Aurora C, Dunkel-Schetter C. Prolonged periods without food intake during pregnancy increase risk for elevated maternal corticotropin-releasing hormone concentrations. 2001;185:403-12
- Hershkovitz R (see Sheiner et al). 2001;185:888-92
- Hiltunen MJ (see Heiskanen et al). 2001;185:600-3
- Hines TM. The G-spot: a modern gynecologic myth. 2001;185:359-62 (Clin. opinion)
- Hirsch E (see Muhle et al). 2001;185:716-24
- Hitti J (see Amory et al). 2001;185:1064-7
- Hitti J (see Gardella et al). 2001;185:896-902
- Ho ESC (see Chou et al). 2001;185:1257-60
- Hobbins JC (see Galan et al). 2001;185:839-44
- Hobbins JC (see Wass et al). 2001;185:737-42
- Hobel CJ (see Herrmann et al). 2001;185:403-12
- Hochner-Celnikier D (see Goldman-Wohl et al). 2001;185:476-80
- Hoeldtke NJ. Dubious validity of novel maternal-fetal outcome model. 2001;185:256-7 (Letter)
- Hoeldtke NJ, Calhoun BC. Perinatal hospice. 2001;185:525-9 (Clin. opinion)
- Hofbeck M (see Beinder et al). 2001;185:743-7
- Hoffman EP (see Lanasa et al). 2001;185:563-8
- Hogge WA, Fraer L, Melegari T. Maternal serum screening for fetal trisomy 18: benefits of patient-specific risk protocol. 2001;185:289-93
- Hogge WA (see Lanasa et al). 2001;185:563-8
- Holcomb W (see Winn et al). 2001;185:1204-8
- Holemans K (see Poston and Holemans). 2001;185:772 (Letter reply)
- Holley RL (see Ness et al). 2001;185:121-7
- Holzgreve W (see Surbek et al). 2001;185:725-9
- Homko CJ (see Sivan et al). 2001;185:604-7
- Honjo S, Mizunuma H. Changes in biochemical parameters of bone turnover and bone mineral density in post-pregnancy osteoporosis. 2001;185:246-7
- Hooton T (see Sobel et al). 2001;185:363-9
- Horger EO III, Finch H, Vincent VA. A single physician's experience with four thousand six hundred genetic amniocenteses. 2001;185:279-88
- How HY, Leaseburge L, Khoury JC, Siddiqi TA, Spinnato JA, Sibai BM. A comparison of various routes and dosages of misoprostol for cervical ripening and the induction of labor. 2001;185:911-5
- How HY, Sutler D, Khoury JC, Donovan EF, Siddiqi TA, Spinnato JA. Does the combined antenatal use of corticosteroids and antibiotics increase late-onset neonatal sepsis in the very low birth weight infant? 2001;185:1081-5
- Howard AE (see Young et al). 2001;185:32-40
- Howards SS (see Finnerty et al). 2001;185:300-7
- Hoyte L, Ratiu P. Linear measurements in 2-dimensional pelvic floor imaging: the impact of slice tilt angles on measurement reproducibility. 2001;185:537-44
- Hoyte L, Schierlitz L, Zou K, Flesch G, Fielding JR. Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse. 2001;185:11-9
- Hsu C-D (see Angus et al). 2001;185:1232-8
- Huang H-W (see Chang et al). 2001;185:1263-4
- Huch A (see Hebisch et al). 2001;185:1265-6
- Huddleston HT. Computed tomography and locating ureters in relation to the uterine cervix. 2001;185:1009-10 (Letter)
- Hull AD, Brace RA. Erythrocyte and erythropoietin responses to hemorrhage in the immature and near term ovine fetus. 2001;185:501-6
- Hume RF Jr (see Pierce et al). 2001;185:1068-72
- Hummel P (see Althuisius et al). 2001;185:1106-12
- Humphrey A (see Jackson et al). 2001;185:873-7
- Hunter SK, Andracki ME, Krieg AM. Biodegradable microspheres containing group B *Streptococcus* vaccine: immune response in mice. 2001;185:1174-9
- Hurd WW, Fomin VM, Natarajan V. Functional divergences of PKC isoforms in the human myometrium? 2001;185:778-9 (Letter reply)
- Hurd WW, Hurteau JA, Ohl DA. Computed tomography and locating ureters in relation to the uterine cervix. 2001;185:1010 (Letter reply)
- Hurd WW (see Smidt et al). 2001;185:1314-17
- Hurt WC (see Gill et al). 2001;185:345-8
- Hurteau JA (see Hurd et al). 2001;185:1010 (Letter reply)
- Hurteau JA (see Smidt et al). 2001;185:1314-17
- Huston-Presley L (see Rohl et al). 2001;185:1416-20
- Hwang JI (see Chou et al). 2001;185:1257-60
- Hyslop T (see Reddy et al). 2001;185:1090-3

I

- Iams JD (*see* Goldenberg et al). 2001;185:643-51
Ikegami M (*see* Newnham et al). 2001;185:190-7
Incerpi MH, Fassett MJ, Kjos SL, Tran SH, Wing DA. Vaginally administered misoprostol for outpatient cervical ripening in pregnancies complicated by diabetes mellitus. 2001;185:916-9
Irgens LM (*see* Egeland and Irgens). 2001;185:1275-6 (Letter)
Irizarry RA (*see* DiPietro et al). 2001;185:1421-8
Iyer V (*see* Ross et al). 2001;185:776-7 (Letter reply)

J

- Jabs CFI, Drutz HP. The role of intraoperative cystoscopy in prolapse and incontinence surgery. 2001;185:1368-73
Jackson KW Jr, Albert JR, Schemmer GK, Elliot M, Humphrey A, Taylor J. A randomized controlled trial comparing oxytocin administration before and after placental delivery in the prevention of postpartum hemorrhage. 2001;185:873-7
Jackson ND (*see* Arya et al). 2001;185:1318-24
Jackson R (*see* Smith-McCune et al). 2001;185:551-6
Jakobovits SYMBOL AA. Twin birth weight discordance and the risk of preterm birth. 2001;185:256 (Letter)
James DK (*see* Coppens et al). 2001;185:421-6
Jamieson DJ, Schieve L, Duerr A. Semen processing for HIV-discordant couples. 2001;185:1433 (Letter)
Jarrett KL, Michaelis RC, Phelan MC, Vincent VA, Best RG. Microsatellite analysis reveals a high incidence of maternal cell contamination in 46,XX products of conception consisting of villi or a combination of villi and membranous material. 2001;185:198-203
Jennett RJ, Tarby TJ. Disuse osteoporosis as evidence of brachial plexus palsy due to intrauterine fetal maladaptation. 2001;185:236-7
Jennum P (*see* Lose et al). 2001;185:514-21 (AJOG reviews)
Jensen DM, Damm P, Sørensen B, Mølsted-Pedersen L, Westergaard JG, Klebe J, Beck-Nielsen H. Clinical impact of mild carbohydrate intolerance in pregnancy: a study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus. 2001;185:413-9
Jobe A (*see* Newnham et al). 2001;185:190-7
Johnson JR, Colombo DF, Gardner D, Cho E, Fan-Havard P, Shellhaas CS. Optimal dosing of penicillin G in the third trimester of pregnancy for prophylaxis against group B *Streptococcus*. 2001;185:850-3
Johnson JR, Rossi KQ, O'Shaughnessy RW. Amnioreduction versus septostomy in twin-twin transfusion syndrome. 2001;185:1044-7
Johnson JWC. The millennial mark. 2001;185:261-7 (Pres. address)
Johnson JWC (*see* Stallings et al). 2001;185:268-74
Jonas WB (*see* Chez et al). 2001;185:754-7 (Education)
Jones M (*see* Bowyer et al). 2001;185:88-96
Jones M (*see* Brown et al). 2001;185:618-22
Jones PG (*see* Farkouh et al). 2001;185:869-72
Jones PG (*see* Thorp et al). 2001;185:859-62
Jongsma HW (*see* Nijland et al). 2001;185:776 (Letter)
Józwik M, Teng C, Wilkening RB, Meschia G, Toozé J, Chung M, Battaglia FC. Effects of branched-chain amino acids on placental amino acid transfer and insulin and glucagon release in the ovine fetus. 2001;185:487-95
Jun JK (*see* Yoon et al). 2001;185:1130-6
Jun JK (*see* Yoon et al). 2001;185:1162-7
Jurema MW, Polaneczky M, Ledger WJ. Hepatitis B immunization in postpartum women. 2001;185:355-8 (Clin. opinion)

K

- Kahsar-Miller MD, Conway-Myers BA, Boots LR, Azziz R. Steroidogenic acute regulatory protein (StAR) in the ovaries of healthy women and those with polycystic ovary syndrome. 2001;185:1381-7
Kainz C (*see* Stutterecker et al). 2001;185:248-9
Kallichanda N (*see* Wang et al). 2001;185:1226-31

- Kalter H. Dysmorphogenesis and oxidative stress in diabetic rats. 2001;185:772 (Letter)
Kammerer-Doak DN, Rogers RG, Maybach JJ, Mickelson MT. Vasopressin as an etiologic factor for infection in gynecologic surgery: a randomized double-blind placebo-controlled trial. 2001;185:1344-8
Kanhai HHH (*see* Radder et al). 2001;185:683-8
Kanhai HHH (*see* van Kamp et al). 2001;185:668-73
Kanouse DE (*see* Broder et al). 2001;185:97-102
Kapernick PS (*see* Sobel et al). 2001;185:363-9
Karam AK (*see* Al-Kouaty et al). 2001;185:1039-43
Karlsson B (*see* Gull et al). 2001;185:386-91
Karns LB (*see* Finnerty et al). 2001;185:300-7
Karram M, Goldwasser S, Kleeman S, Steele A, Vassallo B, Walsh P. High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse. 2001;185:1339-43
Karram M (*see* Steele et al). 2001;185:62-4
Kastratovic-Kotlica B (*see* Sills et al). 2001;185:1396-1402
Katz M (*see* Hadar et al). 2001;185:863-8
Katz M (*see* Sheiner et al). 2001;185:888-92
Katz W (*see* Pinette et al). 2001;185:242-3
Kaufmann P (*see* Konje et al). 2001;185:608-13
Kaunitz AM. Oral contraceptive use in perimenopause. 2001;185:S32-7 (Symposium)
Kelsey SF (*see* Ness et al). 2001;185:121-7
Kendziorra H (*see* Schmidt et al). 2001;185:173-7
Kenemans P (*see* Post et al). 2001;185:557-62
Kenton K, FitzGerald MP, Shott S, Brubaker L. Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy. 2001;185:51-5
Kenton K (*see* FitzGerald et al). 2001;185:20-4. Correction 2001;185:1278
Khamashta MA (*see* Ruiz-Irastorza et al). 2001;185:523-4 (Letter)
Kho SN (*see* Oei et al). 2001;185:1255-6
Khong TY, Hague WM. Biparental contribution to fetal thrombophilia in discordant twin intrauterine growth restriction. 2001;185:244-5
Khouri J (*see* Buchbinder et al). 2001;185:775 (Letter reply)
Khouri JC (*see* Buchbinder et al). 2001;185:786-91
Khouri JC (*see* How et al). 2001;185:911-5
Khouri JC (*see* How et al). 2001;185:1081-5
Kigozi G (*see* Gray et al). 2001;185:1209-17
Kilgo PD (*see* Veille et al). 2001;185:822-7
Kim CJ, Yoon BH, Romero R, Moon JB, Kim M, Park SS, Chi JG. Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response. 2001;185:496-500
Kim G (*see* Yoon et al). 2001;185:1130-6
Kim JC (*see* Maymon et al). 2001;185:1143-8
Kim JC (*see* Yoon et al). 2001;185:1137-42
Kim M (*see* Kim et al). 2001;185:496-500
Kim M (*see* Yoon et al). 2001;185:1130-6
Kim TT, Saunders T, Bieber E, Phillippe M. Protein expression of phospholipase C in pregnant and nonpregnant rat uterine tissue. 2001;185:1191-7
Kimberlin D (*see* Lu et al). 2001;185:845-9
Kimura Y (*see* Suzuki et al). 2001;185:1247-52
Kirchner HL (*see* Doctor et al). 2001;185:652-9
Kirschstein M (*see* Bödenkamp et al). 2001;185:468-75
Kitzman DW (*see* Veille et al). 2001;185:822-7
Kitzmiller JL. Insulin lispro and the development of proliferative diabetic retinopathy during pregnancy. 2001;185:774 (Letter)
Kjos SL (*see* Incerpi et al). 2001;185:916-9
Klebanoff M (*see* Goldenberg et al). 2001;185:485-6
Klebanoff MA (*see* Cohen et al). 2001;185:660-7
Klebanoff MA (*see* Zhang et al). 2001;185:128-34
Klebe J (*see* Jensen et al). 2001;185:413-9
Kleeman S (*see* Karram et al). 2001;185:1339-43
Klein J, Sauer MV. Assessing fertility in women of advanced reproductive age. 2001;185:758-70 (AJOG reviews)
Klimashko T (*see* Creinin et al). 2001;185:966-9
Klingel K (*see* Schmidt et al). 2001;185:173-7
Klock SC (*see* Grobman et al). 2001;185:920-4

- Klumper FJCM (see van Kamp et al). 2001;185:668-73
 Knox E (see Thorp et al). 2001;185:859-62
 Knox GE (see Farkouh et al). 2001;185:869-72
 Knuppel RA (see Vintzileos et al). 2001;185:925-30
 Ko EM (see Park et al). 2001;185:1156-61
 Koduri S (see Goldberg et al). 2001;185:1307-13
 Koelbl H (see Koelle et al). 2001;185:250-1
 Koelle D, Stenzl A, Koelbl H, Marth C. Treatment of postoperative urinary retention by elongation of tension-free vaginal tape. 2001;185:250-1
 Kok RD, van den Bergh AJ, Heerschap A, Nijland R, van den Berg PP. Metabolic information from the human fetal brain obtained with proton magnetic resonance spectroscopy. 2001;185:1011-5
 Konje JC, Kaufmann P, Bell SC, Taylor DJ. A longitudinal study of quantitative uterine blood flow with the use of color power angiography in appropriate for gestational age pregnancies. 2001;185:608-13
 Kosciak KL, Canterino JC, Harrigan JT, Dalaya T, Ananth CV, Vintzileos AM. Assessing genetic risk: comparison between the referring obstetrician and genetic counselor. 2001;185:1032-4
 Kothimbakam R (see Pliotou et al). 2001;185:1261-2
 Kovanci E (see Mari et al). 2001;185:708-15
 Kreiss JK (see Baeten et al). 2001;185:380-5
 Krieg AM (see Hunter et al). 2001;185:1174-9
 Kristjansson B (see Harvey et al). 2001;185:25-31
 Krumholz BA (see Spitzer et al). 2001;185:507-13 (Education)
 Kubik CJ (see Lanasa et al). 2001;185:563-8
 Kuchibhatla MN (see Barber et al). 2001;185:1388-95
 Kuczyński E (see Rebarber et al). 2001;185:1113-7
 Kuhn W (see Diedrich et al). 2001;185:166-72
 Kyle PM (see Abdel-Fattah et al). 2001;185:1411-5
- ## L
- Lackman F, Capewell V, Gagnon R, Richardson B. Fetal umbilical cord oxygen values and birth to placental weight ratio in relation to size at birth. 2001;185:674-82
 Lamb AN (see Donnenfeld et al). 2001;185:1004-8
 Lambers DS (see Adelberg et al). 2001;185:804-7
 Lanasa MC, Hogge WA, Kubik CJ, Ness RB, Harger J, Nagel T, Prosen T, Markovic N, Hoffman EP. A novel X chromosome-linked genetic cause of recurrent spontaneous abortion. 2001;185:563-8
 Lang U (see Buchbinder et al). 2001;185:786-91
 Lapinski R (see Gaddipati et al). 2001;185:976-80
 Lapinski RH (see Singla et al). 2001;185:893-5
 La Valleur J, Wysocki S. Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues. 2001;185:S57-64 (Symposium)
 Lavreys L (see Baeten et al). 2001;185:380-5
 Lavy Y (see Goldman-Wohl et al). 2001;185:476-80
 Lawler R (see Amory et al). 2001;185:1064-7
 Lawson JA (see Regan et al). 2001;185:572-8
 Le T (see Zhu et al). 2001;185:1403-10
 Leaseburge L (see How et al). 2001;185:911-5
 Ledger WJ (see Jurema et al). 2001;185:355-8 (Clin. opinion)
 Lee DSC (see Chan et al). 2001;185:220-6
 Lee DTS, Cheung LP, Haines CJ, Chan KPM, Chung TKH. A comparison of the psychologic impact and client satisfaction of surgical treatment with medical treatment of spontaneous abortion: a randomized controlled trial. 2001;185:953-8
 Lee RM, Branch DW, Silver RM. Immunoglobulin A anti- β_2 -glycoprotein antibodies in women who experience unexplained recurrent spontaneous abortion and unexplained fetal death. 2001;185:748-53
 Lee RM (see Fausett et al). 2001;185:148-52
 Lee SK (see Chan et al). 2001;185:220-6
 Lee WK, Roche CJ, Duddalwar VA, Buckley AR, Morris DC. Pseudoaneurysm of the uterine artery after abdominal hysterectomy: radiologic diagnosis and management. 2001;185:1269-72
 Lee-Parritz A (see Maxwell et al). 2001;185:819-21
 Leffler K (see Ellerkmann et al). 2001;185:1332-8
 Leffler KS, Thompson JR, Cundiff GW, Buller JL, Burrows LJ, Ybarra MAS. Attachment of the rectovaginal septum to the pelvic sidewall. 2001;185:41-3
 Lembet AA (see Gaddipati et al). 2001;185:976-80
 Lesnick TG (see Gebhart et al). 2001;185:1325-31
 Letizia C (see Di Iorio et al). 2001;185:697-702
 Leveno KJ (see Lucas et al). 2001;185:970-5
 Levine RJ (see Cohen et al). 2001;185:660-7
 Levine RJ (see Regan et al). 2001;185:572-8
 Lieberman E (see Chen et al). 2001;185:854-8
 Lieberman E (see Maxwell et al). 2001;185:819-21
 Lieberman E (see Zelop et al). 2001;185:903-5
 Lieberman ES (see Ecker et al). 2001;185:883-7
 Lieberman ES (see Rodriguez-Thompson and Lieberman). 2001;185:808-11
 Lindheimer MD, Sibai B. Doppler velocimetry: is it useful in pre-eclampsia? 2001;185:522-3 (Letter reply)
 Lipkind H (see Rebarber et al). 2001;185:1113-7
 Litaker MS (see Ferris et al). 2001;185:939-43
 Liu P (see Xu et al). 2001;185:981-7
 Livingston JC, Barton JR, Park V, Haddad B, Phillips O, Sibai BM. Maternal and fetal inherited thrombophilias are not related to the development of severe preeclampsia. 2001;185:153-7
 Lobel RW (see Goldberg et al). 2001;185:1307-13
 Locksmith CJ (see Angus et al). 2001;185:1232-8
 Lockwood C (see Rebarber et al). 2001;185:1113-7
 Lockwood D (see Donnenfeld et al). 2001;185:1004-8
 Lorenzo C (see Burke et al). 2001;185:78-81
 Lose G, Alling-Møller L, Jennum P. Nocturia in women. 2001;185:514-21 (AJOG reviews)
 Lose G (see Viktrup and Lose). 2001;185:82-7
 Low JA. Is it time to move on? 2001;185:1275 (Letter reply)
 Lu GC, Rouse DJ, DuBard M, Cliver S, Kimberlin D, Hauth JC. The effect of the increasing prevalence of maternal obesity on perinatal morbidity. 2001;185:845-9
 Lu GC, Schwabke JR, Duffy LB, Cassell GH, Hauth JC, Andrews WW, Goldenberg RL. Midtrimester vaginal *Mycoplasma genitalium* in women with subsequent spontaneous preterm birth. 2001;185:163-5
 Lucas MJ, Sharma SK, McIntire DD, Wiley J, Sidawi JE, Ramin SM, Leveno KJ, Cunningham FG. A randomized trial of labor analgesia in women with pregnancy-induced hypertension. 2001;185:970-5
 Lui C-C (see Chang et al). 2001;185:1263-4
 Luks FI, Carr SR, Ponte B, Rogg JM, Tracy TF Jr. Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome. 2001;185:216-9
 Lyell DJ (see Caughey et al). 2001;185:1021-7
 Lyster AD, Cefalo RC, Socol M, Fogarty L, Sugarman J. Attitudes of maternal-fetal specialists concerning maternal-fetal surgery. 2001;185:1052-8
- ## M
- Mackensen-Haen S (see Schmidt et al). 2001;185:173-7
 Mackenzie VP (see Fisher et al). 2001;185:906-10
 MacLeod KM (see Spyer et al). 2001;185:240-1
 Macones GA (see Angus et al). 2001;185:1232-8
 MacPherson C (see Goldenberg et al). 2001;185:485-6
 Magann E (see Chauhan et al). 2001;185:771 (Letter)
 Magann EF (see Chauhan et al). 2001;185:349-54
 Magrina JF (see Walter et al). 2001;185:1354-9
 Main DM, Main EK. Maternal age and uterine dysfunction. 2001;185:259 (Letter reply)
 Main EK (see Main and Main). 2001;185:259 (Letter reply)
 Malakh L (see Egan et al). 2001;185:1028-31
 Mallett VT (see Graham and Mallett). 2001;185:116-20
 Mancuso V (see Smith-McCune et al). 2001;185:551-6
 Mandalia K (see Baeten et al). 2001;185:380-5
 Mandelbrot L (see Forestier et al). 2001;185:178-81
 Mangos GJ (see Brown et al). 2001;185:618-22
 Mannermaa AJ (see Heiskanen et al). 2001;185:600-3
 Mari G, Roberts A, Detti L, Kovanci E, Stefos T, Bahado-Singh RO,

- Deter RL, Fisk NM. Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry. 2001;185:708-15
- Mari G (see Detti et al). 2001;185:1048-51
- Marinoni E (see Di Iorio et al). 2001;185:697-702
- Markenson G (see Egan et al). 2001;185:1028-31
- Markovic N (see Lanasa et al). 2001;185:563-8
- Marth C (see Koelle et al). 2001;185:250-1
- Martin HL Jr (see Baeten et al). 2001;185:380-5
- Martin JN Jr (see Chauhan et al). 2001;185:349-54
- Martinez JM (see Borrell et al). 2001;185:204-7
- Martz KL (see Regan et al). 2001;185:572-8
- Maternal-Fetal Medicine Units Network (see Goldenberg et al). 2001;185:643-51
- Matsuda M, Sasabe H, Adachi Y, Suzuki T, Mori T. Increased invasion activity of endometrial stromal cells and elevated expression of matrix metalloproteinase messenger RNA in the uterine tissues of mice with experimentally induced adenomyosis. 2001;185:1374-80
- Matthews S (see Aghajafari et al). 2001;185:1073-80
- Mattox JH, Shulman LP. Combined oral hormone replacement therapy formulations. 2001;185:538-46 (Symposium)
- Maturi J (see Rebarber et al). 2001;185:1113-7
- Maxwell CV, Lieberman E, Norton M, Cohen A, Seely EW, Lee-Parritz A. Relationship of twin zygosity and risk of preeclampsia. 2001;185:819-21
- Maybach JJ (see Kammerer-Doak et al). 2001;185:1344-8
- Mayfield JA (see Ramus et al). 2001;185:629-32
- Maymon E, Romero R, Chaiworapongsa T, Berman S, Conoscenti G, Gomez R, Edwin S. Amniotic fluid matrix metalloproteinase-8 in preterm labor with intact membranes. 2001;185:1149-55
- Maymon E, Romero R, Chaiworapongsa T, Kim JC, Berman S, Gomez R, Edwin S. Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes. 2001;185:1143-8
- Maymon E (see Gervasi et al). 2001;185:792-7
- Maymon E (see Gervasi et al). 2001;185:1124-9
- Maymon E (see Naccasha et al). 2001;185:1118-23
- Maymon R, Herman A. Multifetal pregnancy reduction. 2001;185:772-3 (Letter)
- Mazor M (see Hadar et al). 2001;185:863-8
- Mazor M (see Sheiner et al). 2001;185:888-92
- McCowan LME (see Rowan et al). 2001;185:633-7
- McCullough LB (see Chasen et al). 2001;185:734-6
- McFarland JG (see Gaddipati et al). 2001;185:976-80
- McGrath M (see Frishman et al). 2001;185:392-5
- McGrath-Miller K (see Zhu et al). 2001;185:1403-10
- McHugh L (see Brown et al). 2001;185:618-22
- McIntire DD (see Lucas et al). 2001;185:970-5
- McKay L (see Bukowski et al). 2001;185:959-65
- McKenzie D (see Bowers et al). 2001;185:614-7
- McMahon MJ (see Whitecar et al). 2001;185:812-8
- Meehan M (see Gray et al). 2001;185:1209-17
- Meerman RH (see van Kamp et al). 2001;185:668-73
- Meis PJ (see Goldenberg et al). 2001;185:643-51
- Melegari T (see Hogge et al). 2001;185:289-93
- Melick CF (see Ellerkmann et al). 2001;185:1332-8
- Menéndez T (see Beinder et al). 2001;185:743-7
- Mercer BM (see Goldenberg et al). 2001;185:643-51
- Mercer BM (see O'Brien et al). 2001;185:1094-7
- Mershon J (see Buchbinder et al). 2001;185:786-91
- Meschia G (see Józwik et al). 2001;185:487-95
- Metheny WP (see Frishman et al). 2001;185:392-5
- Meyn L (see Creinin et al). 2001;185:966-9
- Michaelis RC (see Jarrett et al). 2001;185:198-203
- Mickelson MT (see Kammerer-Doak et al). 2001;185:1344-8
- Milad MP (see Grobman et al). 2001;185:920-4
- Miller J (see Adelberg et al). 2001;185:804-7
- Miller RK (see Woods et al). 2001;185:5-10 (Clin. opinion)
- Miller RT (see Boreham et al). 2001;185:944-52
- Milligan DA (see O'Brien et al). 2001;185:1094-7
- Millsaps PD (see Veille et al). 2001;185:822-7

- Milsom I (see Gull et al). 2001;185:386-91
- Miodovnik M (see Buchbinder et al). 2001;185:775 (Letter reply)
- Miodovnik M (see Goldenberg et al). 2001;185:643-51
- Mizunuma H (see Honjo and Mizunuma). 2001;185:246-7
- Moawad A (see Goldenberg et al). 2001;185:643-51
- Modroño A (see Ceres et al). 2001;185:522 (Letter)
- Molloy Am (see Cotter et al). 2001;185:781-5
- Mølsted-Pedersen L (see Jensen et al). 2001;185:413-9
- Monga AK (see Chaliha et al). 2001;185:427-32
- Moon JB (see Kim et al). 2001;185:496-500
- Moon JB (see Park et al). 2001;185:1156-61
- Moon JB (see Yoon et al). 2001;185:1130-6
- Moon JB (see Yoon et al). 2001;185:1137-42
- Morales WJ (see Quintero et al). 2001;185:689-96
- Moret J (see Plotin et al). 2001;185:1261-2
- Mori T (see Matsuda et al). 2001;185:1374-80
- Morris CD (see Cohen et al). 2001;185:660-7
- Morris DC (see Lee et al). 2001;185:1269-72
- Mortola JF (see Burke et al). 2001;185:78-81
- Moss TJ (see Newnham et al). 2001;185:190-7
- Moulton LH (see Gray et al). 2001;185:1209-17
- Mourad J, Elliott JP. Appendicitis during pregnancy. 2001;185:260 (Letter reply)
- Muhle RA, Pavlidis P, Grundy WN, Hirsch E. A high-throughput study of gene expression in preterm labor with a subtractive microarray approach. 2001;185:716-24
- Mühlhaus K (see Bödenkamp et al). 2001;185:468-75
- Murakami T (see Suzuki et al). 2001;185:1247-52
- Murotsuki J (see Suzuki et al). 2001;185:1247-52
- Murphy K (see Aghajafari et al). 2001;185:1073-80
- Muth PT (see Gessner and Muth). 2001;185:623-8
- Myers DL (see Arya et al). 2001;185:1318-24

N

- Naccasha N, Gervasi M-T, Chaiworapongsa T, Berman S, Yoon BH, Maymon E, Romero R. Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection. 2001;185:1118-23
- Naccasha N (see Gervasi et al). 2001;185:792-7
- Naccasha N (see Gervasi et al). 2001;185:1124-9
- Nagel T (see Lanasa et al). 2001;185:563-8
- Nager CW, Helliwell JP. Episiotomy increases perineal laceration length in primiparous women. 2001;185:444-50
- Nagy M (see Goldberg et al). 2001;185:1273-4
- Nahvi S, Flanigan TP, Cu-Uvin S. Semen processing for HIV-discordant couples. 2001;185:1433-4 (Letter reply)
- Napolitano PG (see Pierce et al). 2001;185:1068-72
- Natale R (see Gofton et al). 2001;185:798-803
- Natarajan V (see Hurd et al). 2001;185:778-9 (Letter reply)
- National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (see Goldenberg et al). 2001;185:485-6
- Ndinya-Achola JO (see Baeten et al). 2001;185:380-5
- Ndubisi B (see Bernstein et al). 2001;185:308-17
- Neele SJM (see Post et al). 2001;185:557-62
- Neff J (see Steele et al). 2001;185:62-4
- Nelson-Piercy C (see Ruiz-Irastorza et al). 2001;185:523-4 (Letter)
- Nemiroff RL (see Reddy et al). 2001;185:1090-3
- Ness RB, Soper DE, Holley RL, Peipert J, Randall H, Sweet RL, Sondheimer SJ, Hendrix SL, Amortegui A, Trucco G, Bass DC, Kelsey SF. PID Evaluation and Clinical Health (PEACH) Study Investigators. Hormonal and barrier contraception and risk of upper genital tract disease in the PID Evaluation and Clinical Health (PEACH) study. 2001;185:121-7
- Ness RB (see Lanasa et al). 2001;185:563-8
- Netelenbos JC (see Post et al). 2001;185:557-62
- Newnham JP, Moss TJ, Padbury JF, Willet KE, Ikegami M, Ervin MG, Sly P, Jobe A. The interactive effects of endotoxin with prenatal glucocorticoids on short-term lung function in sheep. 2001;185:190-7
- Nicholls T, Nitsos I, Smythe G, Walker DW. Kynurenine production and catabolism in fetal sheep with embolized or nonem-

- bolized placentas. 2001;185:988-95
- Nicolini U, Poblete A, Boschetto C, Bonati F, Roberts A. Complicated monochorionic twin pregnancies: experience with bipolar cord coagulation. 2001;185:703-7
- Nielsen PE (see Yancey and Nielsen). 2001;185:257 (Letter)
- Nihira MA (see Ellerkmann et al). 2001;185:1332-8
- Nijland MJM (see Ross et al). 2001;185:776-7 (Letter reply)
- Nijland R, van den Berg PP, Jongsma HW. Fetal transmission pulse oximetry: is it accurate? 2001;185:776 (Letter)
- Nijland R (see Kok et al). 2001;185:1011-5
- Nitsos I (see Nicholls et al). 2001;185:988-95
- North RA (see Rowan et al). 2001;185:633-7
- Norton M (see Maxwell et al). 2001;185:819-21
- Norton ME (see Caughey et al). 2001;185:1021-7
- Novicoff WM. Disappointment with maternal-fetal outcome model. 2001;185:258 (Letter reply)
- Novicoff WM. Dubious validity of novel maternal-fetal outcome model. 2001;185:258 (Letter reply)
- Novy MJ. Adverse effects of repeated administration of antenatal corticosteroids in nonhuman primates. 2001;185:1276-7 (Letter)
- Nyange PM (see Baeten et al). 2001;185:380-5
- Nyirjesy P (see Goldberg et al). 2001;185:1273-4
- Nyirjesy P (see Sobel et al). 2001;185:363-9

O

- Oakes WJ (see Biggio et al). 2001;185:1016-20
- O'Brien JM, Mercer BM, Barton JR, Milligan DA. An in vitro model and case report that used gelatin sponge to restore amniotic fluid volume after spontaneous premature rupture of the membranes. 2001;185:1094-7
- O'Brien KL (see Gray et al). 2001;185:1209-17
- Ocellli B (see Querleu and Ocellli). 2001;185:776 (Letter reply)
- Oei SG, Kho SN, ten Broeke EDM, Brölmann HAM. Arterial balloon occlusion of the hypogastric arteries: a life-saving procedure for severe obstetric hemorrhage. 2001;185:1255-6
- Oepkes D (see van Kamp et al). 2001;185:668-73
- Ogburn PL Jr, Ramin KD, Damiolenko-Dixon D, Fairbanks VF, Ramsey PS. In utero erythrocyte transfusion for fetal xerocytosis associated with severe anemia and non-immune hydrops fetalis. 2001;185:238-9
- Oh SY (see Park et al). 2001;185:1156-61
- Oh SY (see Yoon et al). 2001;185:1137-42
- Oh SY (see Yoon et al). 2001;185:1162-7
- Ohl DA (see Hurd et al). 2001;185:1010 (Letter reply)
- Ohlsson A (see Aghajafari et al). 2001;185:1073-80
- Ohlsson A (see Chan et al). 2001;185:220-6
- Ohlsfeldt RL (see Thorp et al). 2001;185:318-26
- Okamura K (see Suzuki et al). 2001;185:1247-52
- Olsen J (see Czeizel et al). 2001;185:140-7
- O'Riordan MA (see Doctor et al). 2001;185:652-9
- O'Shaughnessy RW (see Johnson et al). 2001;185:1044-7
- O'Sullivan MJ (see Chez et al). 2001;185:1429-32
- Ott D (see Turner and Ott). 2001;185:775-6 (Letter)
- Owen J (see Biggio et al). 2001;185:1016-20
- Oz U (see Detti et al). 2001;185:1048-51

P

- Pacora P (see Gervasi et al). 2001;185:792-7
- Padbury JF (see Newnham et al). 2001;185:190-7
- Panzer H (see Sobel et al). 2001;185:363-9
- Papiernik E (see Zeitlin et al). 2001;185:208-15
- Papp Z. Infundibulopelvic colpopexy with partial resection of vagina for repair of posthysterectomy vault prolapse. 2001;185:1009 (Letter)
- Park JS, Romero R, Yoon BH, Moon JB, Oh SY, Han SY, Ko EM. The relationship between amniotic fluid matrix metalloproteinase-8 and funitis. 2001;185:1156-61
- Park JS (see Yoon et al). 2001;185:1162-7
- Park S-S (see Kim et al). 2001;185:496-500
- Park V (see Livingston et al). 2001;185:153-7
- Parry S (see Angus et al). 2001;185:1232-8

- Pattison NS, Chamley LW. Aspirin to treat obstetric manifestations of the antiphospholipid syndrome. 2001;185:524 (Letter reply)
- Pavlidis P (see Muhle et al). 2001;185:716-24
- Peabody JL (see Thorp et al). 2001;185:859-62
- Peipert J (see Ness et al). 2001;185:121-7
- Penalver MA (see Ghurani and Penalver). 2001;185:294-9
- Persutte WH (see Wass et al). 2001;185:737-42
- Peytavin G (see Forestier et al). 2001;185:178-81
- Phelan MC (see Jarrett et al). 2001;185:198-203
- Phillippe M (see Elovitz et al). 2001;185:1059-63
- Phillippe M (see Kim et al). 2001;185:1191-7
- Phillips O (see Livingston et al). 2001;185:153-7
- PID Evaluation and Clinical Health (PEACH) Study Investigators (see Ness et al). 2001;185:121-7
- Piedmonte MR (see Weber et al). 2001;185:1299-1306
- Pieper CF (see Barber et al). 2001;185:1388-95
- Pierce BT, Napolitano PG, Pierce LM, Apodaca CC, Hume RF Jr, Calhoun BC. The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production. 2001;185:1068-72
- Pierce LM (see Pierce et al). 2001;185:1068-72
- Pinette M, Katz W, Drouin M, Blackstone J, Cartin A. Successful planned pregnancy following endometrial ablation with the YAG laser. 2001;185:242-3
- Pinette MG (see Wax et al). 2001;185:1267-8
- Piotin M, de Souza Filho CBA, Kothimbakam R, Moret J. Endovascular treatment of acutely ruptured intracranial aneurysms in pregnancy. 2001;185:1261-2
- Pirskanen MM (see Heiskanen et al). 2001;185:600-3
- Plessinger MA (see Woods et al). 2001;185:5-10 (Clin. opinion)
- Poblete A (see Nicolini et al). 2001;185:703-7
- Podratz KC (see Gebhart et al). 2001;185:1325-31
- Polaneczky M (see Jurema et al). 2001;185:355-8 (Clin. opinion)
- Ponte B (see Luks et al). 2001;185:216-9
- Porter AE, Auth J, Prince M, Ghidini A, Brennenman DE, Spong CY. Optimization of cytokine stability in stored amniotic fluid. 2001;185:459-62
- Porter AE (see Spong et al). 2001;185:481-4
- Post MS, van der Mooren MJ, van Baal WM, Neelel-SJM, Netelembos JC, Kenemans P. Raloxifene reduces impedance to flow within the uterine artery in early postmenopausal women: a 2-year randomized, placebo-controlled, comparative study. 2001;185:557-62
- Poston L, Horemans K. Dismorphogenesis and oxidative stress in diabetic rats. 2001;185:772 (Letter reply)
- Poverini R (see Di Iorio et al). 2001;185:697-702
- Powers J (see Winn et al). 2001;185:1204-8
- Pressman EK (see DiPietro et al). 2001;185:1421-8
- Prince M (see Porter et al). 2001;185:459-62
- Prosen T (see Lanasa et al). 2001;185:563-8
- Punnonen KRA (see Heiskanen et al). 2001;185:600-3

Q

- Queenan JT (see Spong et al). 2001;185:481-4
- Querleu D, Ocellli B. De novo adhesions due to dry laparoscopy gas. 2001;185:776 (Letter reply)
- Quinn MJ (see Sherwin and Quinn). 2001;185:777 (Letter)
- Quinn TC (see Gray et al). 2001;185:1209-17
- Quintero RA, Bornick PW, Morales WJ, Allen MH. Selective photocoagulation of communicating vessels in the treatment of monochorionic twins with selective growth retardation. 2001;185:689-96

R

- Rabe T (see Hammond et al). 2001;185:S24-31 (Symposium)
- Radaelli T (see Galan et al). 2001;185:839-44
- Radder CM, Brand A, Kanhai HHH. A less invasive treatment strategy to prevent intracranial hemorrhage in fetal and neonatal alloimmune thrombocytopenia. 2001;185:683-8
- Radham B (see Rouzi et al). 2001;185:569-71
- Ramin KD (see Ogburn et al). 2001;185:238-9

- Ramin SM (see Lucas et al). 2001;185:970-5
Ramirez BA (see Wang et al). 2001;185:1226-31
Ramsey PS (see Ogburn et al). 2001;185:238-9
Ramus RM, Sheffield JS, Mayfield JA, Wendel GD Jr. A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy. 2001;185:629-32
Randall H (see Ness et al). 2001;185:121-7
Rashbaum WK (see Borgatta et al). 2001;185:530-6 (Clin. opinion)
Rasiah RL (see Chuan et al). 2001;185:593-9
Rath W (see Diedrich et al). 2001;185:166-72
Ratiu P (see Hoyte and Ratiu). 2001;185:537-44
Raudkivi PJ (see Rowan et al). 2001;185:633-7
Rawling MJ, Wiebe ER. A randomized controlled trial of fentanyl for abortion pain. 2001;185:103-7
Rebarber A, Carreno CA, Lipkind H, Funai EF, Maturi J, Kuczynski E, Lockwood C. Cervical length after multifetal pregnancy reduction in remaining twin gestations. 2001;185:1113-7
Reddy AP, DeLancey JOL, Zwica LM, Ashton-Miller JA. On-screen vector-based ultrasound assessment of vesical neck movement. 2001;185:65-70
Reddy UM, Shah SS, Nemiroff RL, Ballas SK, Hyslop T, Chen J, Wapner RJ, Sciscione AC. In vitro sealing of punctured fetal membranes: potential treatment for midtrimester premature rupture of membranes. 2001;185:1090-3
Reece EA (see Sivan et al). 2001;185:604-7
Reed BD (see Sobel et al). 2001;185:363-9
Reed J (see Rust et al). 2001;185:1098-105
Regan CL, Levine RJ, Baird DD, Ewell MG, Martz KL, Sibai BM, Rokach J, Lawson JA, FitzGerald GA. No evidence for lipid peroxidation in severe preeclampsia. 2001;185:572-8
Reid SK (see Borgatta et al). 2001;185:530-6 (Clin. opinion)
Reid WMN (see Singh et al). 2001;185:71-7
Renner A (see Diedrich et al). 2001;185:166-72
Repke JT (see Zelop et al). 2001;185:903-5
Richardson B (see Lackman et al). 2001;185:674-82
Richardson BA (see Baeten et al). 2001;185:380-5
Rickard DJ (see Gebhart et al). 2001;185:1325-31
Rigano S, Bozzo M, Ferrazzi E, Bellotti M, Battaglia FC, Galan HL. Early and persistent reduction in umbilical vein blood flow in the growth-restricted fetus: a longitudinal study. 2001;185:834-8
Rigano S (see Galan et al). 2001;185:839-44
Riley LE (see Ecker et al). 2001;185:883-7
Robb M (see Gray et al). 2001;185:1209-17
Roberts A (see Mari et al). 2001;185:708-15
Roberts A (see Nicolini et al). 2001;185:703-7
Roberts CP, Haber MJ, Rock JA. Vaginal creation for müllerian agenesis. 2001;185:1349-53
Roberts KM (see Gill et al). 2001;185:345-8
Roberts M (see Winn et al). 2001;185:1204-8
Robson SC (see Anumba et al). 2001;185:420
Roche CJ (see Lee et al). 2001;185:1269-72
Rock JA (see Roberts et al). 2001;185:1349-53
Rockenbauer M (see Czeizel et al). 2001;185:140-7
Rodgers GM (see Fausett et al). 2001;185:148-52
Rodriguez M, Guimares O, Rose PG. Radical abdominal trachelectomy and pelvic lymphadenectomy with uterine conservation and subsequent pregnancy in the treatment of early invasive cervical cancer. 2001;185:370-4
Rodriguez-Thompson D, Lieberman ES. Use of a random urinary protein-to-creatinine ratio for the diagnosis of significant proteinuria during pregnancy. 2001;185:898-11
Rogers RG (see Kammerer-Doak et al). 2001;185:1344-8
Rogg JM (see Luks et al). 2001;185:216-9
Rohi J, Huston-Presley L, Amini S, Stepanchak B, Catalano P. Factors associated with fetal growth and body composition as measured by ultrasound. 2001;185:1416-20
Rokach J (see Regan et al). 2001;185:572-8
Romero R (see Gervasi et al). 2001;185:792-7
Romero R (see Gervasi et al). 2001;185:1124-9
Romero R (see Kim et al). 2001;185:496-500
Romero R (see Maymon et al). 2001;185:1143-8
Romero R (see Maymon et al). 2001;185:1149-55

- Romero R (see Naccasha et al). 2001;185:1118-23
Romero R (see Park et al). 2001;185:1156-61
Romero R (see Yoon et al). 2001;185:1130-6
Romero R (see Yoon et al). 2001;185:1137-42
Romero R (see Yoon et al). 2001;185:1162-7
Rose PG (see Rodriguez et al). 2001;185:370-4
Rosenthal A. Maternal age and uterine dysfunction. 2001;185:258-9 (Letter)
Ross MG, Nijland MJM, Iyer V. Fetal transmission pulse oximetry: is it accurate? 2001;185:776-7 (Letter reply)
Ross MG (see El-Haddad et al). 2001;185:828-33
Ross MG (see Umur et al). 2001;185:996-1003
Ross MG (see Wang et al). 2001;185:1226-31
Rossi KQ (see Johnson et al). 2001;185:1044-7
Roudebush WE. Platelet activating factor does not improve intrauterine insemination outcome. 2001;185:1278 (Letter reply)
Rouse DJ (see Lu et al). 2001;185:845-9
Rouzi AA, Sindi O, Radham B, Ba'agel H. Epidermal clitoral inclusion cyst after type I female genital mutilation. 2001;185:569-71
Rowan JA, McCowan LME, Raudkivi PJ, North RA. Enoxaparin treatment in women with mechanical heart valves during pregnancy. 2001;185:633-7
Rowland BL, Vermillion ST, Soper DE. Scheduled cesarean delivery and the prevention of human immunodeficiency virus transmission: a survey of practicing obstetricians. 2001;185:327-31
Ruiz S (see Ceres et al). 2001;185:522 (Letter)
Ruiz-Irastorza G, Nelson-Piercy C, Khamashta MA. Aspirin to treat obstetric manifestations of the antiphospholipid syndrome. 2001;185:523-4 (Letter)
Rust OA, Atlas RO, Reed J, van Gaalen J, Balducci J. Revisiting the short cervix detected by transvaginal ultrasound in the second trimester: why cerclage therapy may not help. 2001;185:1098-105

S

- Saade G (see Bukowski et al). 2001;185:463-7
Saade GR (see Bukowski et al). 2001;185:959-65
Saade GR (see Fulep et al). 2001;185:158-62
Saade GR (see Fulep et al). 2001;185:638-42
Saade GR (see Vedernikov et al). 2001;185:182-9
Sahota DS (see Coppens et al). 2001;185:421-6
Sammel MD (see Angus et al). 2001;185:1232-8
Sanchez-Ramos L (see Bernstein et al). 2001;185:308-17
Sand PK (see Goldberg et al). 2001;185:1307-13
Sandberg PL (see Harrison et al). 2001;185:730-3
Sandman CA (see Glynn et al). 2001;185:779-80 (Letter reply)
Saphier CJ (see Singla et al). 2001;185:893-5
Sasabe H (see Matsuda et al). 2001;185:1374-80
Sauer MV, Chang PL. Posthumous reproduction in a human immunodeficiency virus-discordant couple. 2001;185:252-3
Sauer MV (see Klein and Sauer). 2001;185:758-70 (AJOG reviews)
Saunders T (see Kim et al). 2001;185:1191-7
Saurel-Cubizolles M-J (see Zeidlin et al). 2001;185:208-15
Sayed AA (see El-Haddad et al). 2001;185:828-33
Scanlon KS (see Bodnar et al). 2001;185:438-43
Scardo JA (see Chauhan et al). 2001;185:349-54
Scardo JA (see Chauhan et al). 2001;185:771 (Letter)
Schaffer JI (see Borcham et al). 2001;185:944-52
Schemmer GK (see Jackson et al). 2001;185:873-7
Scherjon SA (see van Kamp et al). 2001;185:668-73
Schierlitz L (see Hoyte et al). 2001;185:11-9
Schieve L (see Jamieson et al). 2001;185:1433 (Letter)
Schiff E (see Sivan et al). 2001;185:604-7
Schiffman M (see Ferris et al). 2001;185:939-43
Schmidt B, Cao L, Mackensen-Haen S, Kendziorra H, Klingel K, Speer CP. Chorioamnionitis and inflammation of the fetal lung. 2001;185:173-7
Schönheyder HC (see Hein et al). 2001;185:586-92
Schwartz DB, Daoud Y. Is a multiple birth pregnancy a risk factor for gestational diabetes? 2001;185:1276 (Letter reply)
Schwartz RM (see Coustan et al). 2001;185:1218-25
Schwarz J (see Zhang et al). 2001;185:128-34
Schwebke JR (see Lu et al). 2001;185:163-5

- Schweitzer D (see Zhang et al). 2001;185:128-34
- Sciscione AC (see Reddy et al). 2001;185:1090-3
- Scorza WE (see Vintzileos et al). 2001;185:925-30
- Scott JM (see Cotter et al). 2001;185:781-5
- Seely EW (see Maxwell et al). 2001;185:819-21
- Segall-Blank M (see Burke et al). 2001;185:78-81
- Segel SY (see Angus et al). 2001;185:1232-8
- Servwadda D (see Gray et al). 2001;185:1209-17
- Sewankambo NK (see Gray et al). 2001;185:1209-17
- Shah D (see Doctor et al). 2001;185:652-9
- Shah SS (see Reddy et al). 2001;185:1090-3
- Sharma SK (see Lucas et al). 2001;185:970-5
- Sheffield JS (see Ramus et al). 2001;185:629-32
- Sheiner E, Shoham-Vardi I, HersHKovitz R, Katz M, Mazor M. Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above. 2001;185:888-92
- Sheiner E (see Hadar et al). 2001;185:863-8
- Shellhaas CS (see Johnson et al). 2001;185:850-3
- Sherwin R, Quinn MJ. PCOS and OCPs? 2001;185:777 (Letter)
- Shesely EG, Gilbert C, Granderson G, Carretero CD, Carretero OA, Beierwaltes WH. Nitric oxide synthase gene knockout mice do not become hypertensive during pregnancy. 2001;185:1198-203
- Shi M (see Xu et al). 2001;185:981-7
- Shi S-Q (see Bukowski et al). 2001;185:959-65
- Shim S-S (see Yoon et al). 2001;185:1130-6
- Shim S-S (see Yoon et al). 2001;185:1137-42
- Shim S-S (see Yoon et al). 2001;185:1162-7
- Shipp TD (see Zelop et al). 2001;185:903-5
- Shoham-Vardi I (see Hadar et al). 2001;185:863-8
- Shoham-Vardi I (see Sheiner et al). 2001;185:888-92
- Shott S (see Aroutcheva et al). 2001;185:375-9
- Shott S (see FitzGerald et al). 2001;185:20-4. Correction 2001;185:1278
- Shott S (see Kenton et al). 2001;185:51-5
- Shott S (see Simoes et al). 2001;185:1186-90
- Shulman LP (see Burkman et al). 2001;185:54-12 (Symposium)
- Shulman LP (see Mattox and Shulman). 2001;185:S38-46 (Symposium)
- Sibai B (see Lindheimer and Sibai). 2001;185:522-3 (Letter reply)
- Sibai BM (see How et al). 2001;185:911-5
- Sibai BM (see Livingston et al). 2001;185:153-7
- Sibai BM (see Regan et al). 2001;185:572-8
- Sidawi JE (see Lucas et al). 2001;185:970-5
- Siddiqi TA (see How et al). 2001;185:911-5
- Siddiqi TA (see How et al). 2001;185:1081-5
- Siege-Riz AM (see Bodnar et al). 2001;185:438-43
- Siege-Riz AM (see Herrmann et al). 2001;185:403-12
- Sills ES, Vrbikova J, Kastratovic-Kotlica B. Conjoined twins, conception, pregnancy, and delivery: a reproductive history of the pygopagus Blazek sisters (1878-1922). 2001;185:1396-1402
- Silver RM (see Fausett et al). 2001;185:148-52
- Silver RM (see Lee et al). 2001;185:748-53
- Simoes JA, Aroutcheva A, Heimler I, Shott S, Faro S. Bacteriocin susceptibility of *Gardnerella vaginalis* and its relationship to biotype, genotype, and metronidazole susceptibility. 2001;185:1186-90
- Simoes JA (see Aroutcheva et al). 2001;185:375-9
- Simon M (see Aroutcheva et al). 2001;185:375-9
- Sindi O (see Rouzi et al). 2001;185:569-71
- Singer H (see Beinder et al). 2001;185:743-7
- Singh DM (see Smidt et al). 2001;185:1314-17
- Singh K, Reid WMN, Berger LA. Assessment and grading of pelvic organ prolapse by use of dynamic magnetic resonance imaging. 2001;185:71-7
- Singla AK, Lapinski RH, Berkowitz RL, Saphier CJ. Are women who are Jehovah's Witnesses at risk of maternal death? 2001;185:893-5
- Sivan E, Weisz B, Homko CJ, Reece EA, Schiff E. One or two hours postprandial glucose measurements: are they the same? 2001;185:604-7
- Slott M (see Clausen et al). 2001;185:451-8
- Sly P (see Newnham et al). 2001;185:190-7
- Smidt VJ, Singh DM, Hurteau JA, Hurd WW. Effect of carbon dioxide on human ovarian carcinoma cell growth. 2001;185:1314-17
- Smith-McCune K, Mancuso V, Contant T, Jackson R. Management of women with atypical Papanicolaou tests of undetermined significance by board-certified gynecologists: discrepancies with published guidelines. 2001;185:551-6
- Smulian JC (see Vintzileos et al). 2001;185:925-30
- Smythe G (see Nicholls et al). 2001;185:988-95
- Sobel JD, Kapernick PS, Zervos M, Reed BD, Hooton T, Soper D, Nyirjesy P, Heine MW, Willems J, Panzer H, Wittes H. Treatment of complicated *Candida* vaginitis: comparison of single and sequential doses of fluconazole. 2001;185:363-9
- Society for Maternal-Fetal Medicine (see Coustan et al). 2001;185:1218-25
- Socol M (see Lysterly et al). 2001;185:1052-8
- Solvoll K (see Clausen et al). 2001;185:451-8
- Sondheimer SJ (see Ness et al). 2001;185:121-7
- Song W (see Wang et al). 2001;185:1226-31
- Sooranna SR (see Bajoria et al). 2001;185:1239-46
- Soothill PW (see Abdel-Fattah et al). 2001;185:1411-5
- Soper D (see Sobel et al). 2001;185:363-9
- Soper DE (see Ness et al). 2001;185:121-7
- Soper DE (see Rowland et al). 2001;185:327-31
- Soper DE (see Vermillion et al). 2001;185:1086-9
- Sørensen B (see Jensen et al). 2001;185:413-9
- Sørensen HT (see Czeizel et al). 2001;185:140-7
- Speer CP (see Schmidt et al). 2001;185:173-7
- Spelsberg TC (see Gebhart et al). 2001;185:1325-31
- Spinnato JA (see How et al). 2001;185:911-5
- Spinnato JA (see How et al). 2001;185:1081-5
- Spitzer M, Apgar BS, Brotzman GL, Krumholz BA. Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice. 2001;185:507-13 (Education)
- Spong CY, Porter AE, Queenan JT. Management of isoimmunization in the presence of multiple maternal antibodies. 2001;185:481-4
- Spong CY (see Ghidini and Spong). 2001;185:931-8 (Clin. opinion)
- Spong CY (see Porter et al). 2001;185:459-62
- Spyer G, Hattersley AT, Sykes JE, Sturley RH, MacLeod KM. Influence of maternal and fetal glucokinase mutations in gestational diabetes. 2001;185:240-1
- Stallings SP, Edwards RK, Johnson JWC. Correlation of head-to-body delivery intervals in shoulder dystocia and umbilical artery acidosis. 2001;185:268-74
- Stallmach T (see Hebisch et al). 2001;185:1265-6
- Stanton SL (see Chaliha et al). 2001;185:427-32
- Steele A (see Karraam et al). 2001;185:1339-43
- Steele AC, Walsh P, Bentley M, Neff J, Karraam M. A randomized, double-blind placebo-controlled trial of the effects of the 5-hydroxytryptamine(4) agonist cisapride on the female urinary bladder. 2001;185:62-4
- Stefos T (see Mari et al). 2001;185:708-15
- Steinmann C (see Surbek et al). 2001;185:725-9
- Stenzl A (see Koelle et al). 2001;185:250-1
- Stepanchak B (see Rohl et al). 2001;185:1416-20
- Stevenson C, Ernst E. Complementary/alternative therapies for premenstrual syndrome: a systematic review of randomized controlled trials. 2001;185:227-35 (AJOG reviews)
- Stewart EG (see Harlow et al). 2001;185:545-50
- Stone JL (see Eddleman et al). 2001;185:773-4 (Letter reply)
- Stout J (see Grobman et al). 2001;185:920-4
- Strauss JF III (see Angus et al). 2001;185:1232-8
- Streltsoff J (see Al-Kouaty et al). 2001;185:1035-8
- Stubblefield PG (see Borgatta et al). 2001;185:530-6 (Clin. opinion)
- Sturley RH (see Spyer et al). 2001;185:240-1
- Stuttmeyer D, Umek W, Tunn R, Sulzbacher I, Kainz C. Leiomyoma in the Space of Retzius: a report of 2 cases. 2001;185:248-9
- Su T-H (see Chang et al). 2001;185:108-15
- Sugarman J (see Lysterly et al). 2001;185:1052-8
- Sultan AH (see Chaliha et al). 2001;185:427-32

- Sulzbacher I (*see* Stutterecker et al). 2001;185:248-9
Sundström-Poromaa I (*see* Bixo et al). 2001;185:396-402
Surbek DV, Danzer E, Steinmann C, Tichelli A, Wodnar-Filipowicz A, Hahn S, Holzgreve W. Effect of preeclampsia on umbilical cord blood hematopoietic progenitor-stem cells. 2001;185:725-9
Sutler D (*see* How et al). 2001;185:1081-5
Suzuki T, Kimura Y, Murotsuki J, Murakami T, Uehara S, Okamura K. Detection of a biorhythm of human fetal autonomic nervous activity by a power spectral analysis. 2001;185:1247-52
Suzuki T (*see* Matsuda et al). 2001;185:1374-80
Sweet RL (*see* Ness et al). 2001;185:121-7
Sykes JE (*see* Spyer et al). 2001;185:240-1
Synnes A (*see* Chan et al). 2001;185:220-6

T

- Tarby TJ (*see* Jennett and Tarby). 2001;185:236-7
Taylor DD (*see* Whitecar et al). 2001;185:812-8
Taylor DJ (*see* Konje et al). 2001;185:608-13
Taylor J (*see* Jackson et al). 2001;185:873-7
Taylor M (*see* Gardella et al). 2001;185:896-902
Taylor MB (*see* Gass and Taylor). 2001;185:S47-56 (Symposium)
ten Broeke EDM (*see* Oei et al). 2001;185:1255-6
Teng C (*see* Józwik et al). 2001;185:487-95
Thomas TS (*see* Finnerty et al). 2001;185:300-7
Thompson JR (*see* Leffler et al). 2001;185:41-3
Thorp JA, Jones PG, Clark RH, Knox E, Peabody JL. Perinatal factors associated with severe intracranial hemorrhage. 2001;185:859-62
Thorp JA (*see* Farkouh et al). 2001;185:869-72
Thorp JM Jr, Gavin NI, Ohsfeldt RL. Hormone replacement therapy in postmenopausal women: utilization of health care resources by new users. 2001;185:318-26
Thorp JM Jr (*see* Whitecar et al). 2001;185:812-8
Thurnau G (*see* Goldenberg et al). 2001;185:643-51
Tichelli A (*see* Surbek et al). 2001;185:725-9
Tomezsko JE (*see* Goldberg et al). 2001;185:1307-13
Tooze J (*see* Józwik et al). 2001;185:487-95
Tracy TF Jr (*see* Luks et al). 2001;185:216-9
Tran SH (*see* Incerpi et al). 2001;185:916-9
Trentham D (*see* Burke et al). 2001;185:78-81
Trucco G (*see* Ness et al). 2001;185:121-7
Tseng JJ (*see* Chou et al). 2001;185:1257-60
Tsourounis C (*see* Tsui et al). 2001;185:433-7
Tsui B, Dennehy CE, Tsourounis C. A survey of dietary supplement use during pregnancy at an academic medical center. 2001;185:433-7
Tunn R (*see* Stutterecker et al). 2001;185:248-9
Tuomala RE (*see* Chen et al). 2001;185:854-8
Turner GW (*see* Egan et al). 2001;185:1028-31
Turner R, Ott D. De novo adhesions due to dry laparoscopy gas. 2001;185:775-6 (Letter)
Twickler DM (*see* Dashe et al). 2001;185:135-9

U

- Uehara S (*see* Suzuki et al). 2001;185:1247-52
Uldbjerg N (*see* Hein et al). 2001;185:586-92
Umek W (*see* Stutterecker et al). 2001;185:248-9
Umur A, van Gemert MJC, Ross MG. Fetal urine and amniotic fluid in monochorionic twins with twin-twin transfusion syndrome: simulations of therapy. 2001;185:996-1003

V

- van Baal WM (*see* Post et al). 2001;185:557-62
van den Berg PP (*see* Kok et al). 2001;185:1011-5
van den Berg PP (*see* Nijland et al). 2001;185:776 (Letter)
van den Bergh AJ (*see* Kok et al). 2001;185:1011-5
van der Moeren MJ (*see* Post et al). 2001;185:557-62
van der Weiden RMF, Brandenburg H. Cornual heterotopic pregnancy: contemporary management options. 2001;185:522 (Letter)
Van Dorsten JP (*see* Coustan et al). 2001;185:1218-25

- Van Dorsten PJ (*see* Goldenberg et al). 2001;185:643-51
van Gaalen J (*see* Rust et al). 2001;185:1098-105
van Geijn HP (*see* Althuisius et al). 2001;185:1106-12
van Gemert MJC (*see* Umur et al). 2001;185:996-1003
van Kamp IL, Klumper FJCM, Bakkum RSLA, Oepkes D, Meerman RH, Scherjon SA, Kanhai HHH. The severity of immune fetal hydrops is predictive of fetal outcome after intrauterine treatment. 2001;185:668-73
Vassallo B (*see* Karraam et al). 2001;185:1339-43
Vedernikov Y (*see* Fulep et al). 2001;185:158-62
Vedernikov YP, Belfort MA, Saade GR, Garfield RE. Inhibition of cyclooxygenase but not nitric oxide synthase influences effects on the human omental artery of the thromboxane A₂ mimetic U46619 and 17 β -estradiol. 2001;185:182-9
Vedernikov YP (*see* Fulep et al). 2001;185:638-42
Veille J-C, Kitzman DW, Millsaps PD, Kilgo PD. Left ventricular diastolic filling response to stationary bicycle exercise during pregnancy and the postpartum period. 2001;185:822-7
Verma A (*see* Arya et al). 2001;185:1318-24
Vermillion ST, Bland ML, Soper DE. Effectiveness of a rescue dose of antenatal betamethasone after an initial single course. 2001;185:1086-9
Vermillion ST (*see* Rowland et al). 2001;185:327-31
Versi E (*see* Harvey et al). 2001;185:25-31
Viktrup L, Hee P. Appendicitis during pregnancy. 2001;185:259-60 (Letter)
Viktrup L, Lose G. The risk of stress incontinence 5 years after first delivery. 2001;185:82-7
Villaccio B (*see* Di Iorio et al). 2001;185:697-702
Vincent VA (*see* Horger et al). 2001;185:279-88
Vincent VA (*see* Jarrett et al). 2001;185:198-203
Vindla S (*see* Coppens et al). 2001;185:421-6
Vintzileos AM, Ananth CV, Smulian JC, Scorza WE, Knuppel RA. Defining the relationship between obstetricians and maternal-fetal medicine specialists. 2001;185:925-30
Vintzileos AM (*see* Kosciak et al). 2001;185:1032-4
Vogtlander M (*see* Fausett et al). 2001;185:148-52
Vollset SE (*see* Clausen et al). 2001;185:451-8
Vrbikova J (*see* Sills et al). 2001;185:1396-1402

W

- Wabwire-Mangen F (*see* Gray et al). 2001;185:1209-17
Wadhwa PD (*see* Glynn et al). 2001;185:779-80 (Letter reply)
Wagner JD (*see* Hammond et al). 2001;185:S24-31 (Symposium)
Walker DW (*see* Nicholls et al). 2001;185:988-95
Walsh P (*see* Karraam et al). 2001;185:1339-43
Walsh P (*see* Steele et al). 2001;185:62-4
Walter AJ, Hentz JG, Magrina JF, Cornella JL. Harvesting autologous fascia lata for pelvic reconstructive surgery: techniques and morbidity. 2001;185:1354-9
Walters MD (*see* Weber et al). 2001;185:1299-1306
Wang K-L (*see* Chang et al). 2001;185:108-15
Wang S, Kallichanda N, Song W, Ramirez BA, Ross MG. Expression of aquaporin-8 in human placenta and chorioamniotic membranes: evidence of molecular mechanism for intramembranous amniotic fluid resorption. 2001;185:1226-31
Wang S (*see* Xu et al). 2001;185:981-7
Wang S-Y (*see* Chang et al). 2001;185:108-15
Wang X (*see* Xu et al). 2001;185:981-7
Wapner RJ (*see* Reddy et al). 2001;185:1090-3
Ward S (*see* Bajoria et al). 2001;185:1239-46
Washington AE (*see* Caughey et al). 2001;185:1021-7
Wass TS, Persutte WH, Hobbs JC. The impact of prenatal alcohol exposure on frontal cortex development in utero. 2001;185:737-42
Wawer MJ (*see* Gray et al). 2001;185:1209-17
Wax JR, Blackstone J, Pinette MG, Cartin A. Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis. 2001;185:1267-8
Wax JR (*see* Egan et al). 2001;185:1028-31
Webb MJ (*see* Gebhart et al). 2001;185:1325-31
Weber AM, Walters MD, Piedmonte MR, Ballard LA. Anterior col-

porrhaphy: a randomized trial of three surgical techniques. 2001;185:1299-1306

- Weinstein M (see Goldberg et al). 2001;185:1273-4
Weinstein SA. A mentoring society. 2001;185:1294-8 (Pres. address)
Weisz B (see Sivan et al). 2001;185:604-7
Wells GA (see Harvey et al). 2001;185:56-61
Wendel GD Jr (see Ramus et al). 2001;185:629-32
Wenstrom KD (see Biggio et al). 2001;185:1016-20
Westergaard JG (see Jensen et al). 2001;185:413-9
Wheless CR (see Bowers et al). 2001;185:614-7
Whitcar PW, Boggess KA, McMahon MJ, Thorp JM Jr, Taylor DD. Altered expression of TCR-CD3 ζ induced by sera from women with preeclampsia. 2001;185:812-8
Wiebe ER (see Rawling and Wiebe). 2001;185:103-7
Wieland E (see Diedrich et al). 2001;185:166-72
Wiley J (see Lucas et al). 2001;185:970-5
Wilkening RB (see Józwiak et al). 2001;185:487-95
Willan A (see Aghajafari et al). 2001;185:1073-80
Willems J (see Sobel et al). 2001;185:363-9
Willet KE (see Newnham et al). 2001;185:190-7
Williams JK. Understanding evidence-based medicine: a primer. 2001;185:275-8
Williams JK (see Burkman et al). 2001;185:S4-12 (Symposium)
Williams RS, Alderman J. Predictors of success with the use of donor sperm. 2001;185:332-7
Wilson T (see Henderson and Wilson). 2001;185:579-85
Wing DA (see Gerstenfeld and Wing). 2001;185:878-82
Wing DA (see Incerpi et al). 2001;185:916-9
Winkler HA (see Goldberg et al). 2001;185:1307-13
Winn HN, Cimino J, Powers J, Roberts M, Holcomb W, Artal R, Amon E. Intrapartum management of nonvertex second-born twins: a critical analysis. 2001;185:1204-8
Wise LA (see Harlow et al). 2001;185:545-50
Wittes H (see Sobel et al). 2001;185:363-9
Wodnar-Filipowicz A (see Surbek et al). 2001;185:725-9
Woods JR Jr, Plessinger MA, Miller RK. Vitamins C and E: missing links in preventing preterm premature rupture of membranes? 2001;185:5-10 (Clin. opinion)
Word RA (see Boreham et al). 2001;185:944-52
Wu C-C (see Chang et al). 2001;185:108-15
Wysocki S (see La Valle and Wysocki). 2001;185:S57-64 (Symposium)

X

- Xu D-Z, Yan Y-P, Zou S, Choi BCK, Wang S, Liu P, Bai G, Wang X, Shi M, Wang X. Role of placental tissues in the intrauterine transmission of hepatitis B virus. 2001;185:981-7

Y

- Yagel S (see Goldman-Wohl et al). 2001;185:476-80
Yan Y-P (see Xu et al). 2001;185:981-7
Yancey MK, Nielsen PE. Disappointment with maternal-fetal outcome model. 2001;185:257 (Letter)
Yancey MK (see Zhang et al). 2001;185:128-34
Yang Y-C (see Chang et al). 2001;185:108-15
Ybarra MAS (see Leffler et al). 2001;185:41-3
Yoon BH, Oh SY, Romero R, Shim S-S, Han S-Y, Park JS, Jun JK. An elevated amniotic fluid matrix metalloproteinase-8 level at the time of mid-trimester genetic amniocentesis identifies patients at risk for spontaneous preterm delivery. 2001;185:1162-7
Yoon BH, Romero R, Moon JB, Oh SY, Han S-Y, Kim JC, Shim S-S. The frequency and clinical significance of intra-amniotic inflammation in patients with a positive cervical fibronectin. 2001;185:1137-42
Yoon BH, Romero R, Moon JB, Shim S-S, Kim M, Kim G, Jun JK. Clinical significance of intra-amniotic inflammation in patients with preterm labor and intact membranes. 2001;185:1130-6
Yoon BH (see Gervasi et al). 2001;185:792-7
Yoon BH (see Gervasi et al). 2001;185:1124-9
Yoon BH (see Kim et al). 2001;185:496-500
Yoon BH (see Naccasha et al). 2001;185:1118-23
Yoon BH (see Park et al). 2001;185:1156-61
Young SB, Daman JJ, Bony LC. Vaginal paravaginal repair: one-year outcomes. 2001;185:1360-7
Young SB, Howard AE, Baker SP. Mersilene mesh sling: short- and long-term clinical and urodynamic outcomes. 2001;185:32-40

Z

- Zeitlin JA, Ancel PY, Saurel-Cubizolles M-J, Papiernik E. Are risk factors the same for small for gestational age versus other preterm births? 2001;185:208-15
Zelop CM, Shipp TD, Repke JT, Cohen A, Lieberman E. Outcomes of trial of labor following previous cesarean delivery among women with fetuses weighing >4000 g. 2001;185:903-5
Zervos M (see Sobel et al). 2001;185:363-9
Zhang J, Yancey MK, Klebanoff MA, Schwarz J, Schweitzer D. Does epidural analgesia prolong labor and increase risk of cesarean delivery? A natural experiment. 2001;185:128-34
Zhu B-P, Haines KM, Le T, McGrath-Miller K, Boulton ML. Effect of the interval between pregnancies on perinatal outcomes among white and black women. 2001;185:1403-10
Zou K (see Hoyte et al). 2001;185:11-9
Zou S (see Xu et al). 2001;185:981-7
Zwica LM (see Reddy et al). 2001;185:65-70

SUBJECT INDEX*

A

Abdomen

Radical abdominal trachelectomy and pelvic lymphadenectomy with uterine conservation and subsequent pregnancy in the treatment of early invasive cervical cancer (Rodríguez et al). 2001;185:370-4

Abdominal hysterectomy; see Hysterectomy

Abnormalities

Assessing genetic risk: comparison between the referring obstetrician and genetic counselor (Koscica et al). 2001;185:1032-4

The clinical significance of fetal echogenic bowel (Al-Kouatly et al). 2001;185:1035-8

Maternal serum screening for fetal trisomy 18: benefits of patient-specific risk protocol (Hogge et al). 2001;185:289-93

Multifetal pregnancy reduction (Maymon and Herman) (Letter); (Eddleman et al) (Reply). 2001; 185:772-4

A novel X chromosome-linked genetic cause of recurrent spontaneous abortion (Lanasa et al). 2001; 185:563-8

Perinatal hospice (Hoeldtke and Calhoun). 2001;185:525-9 (Clin. opinion)

A population-based case-control teratologic study of ampicillin treatment during pregnancy (Czeizel et al). 2001;185:140-7

Prenatal diagnosis from cystic hygroma fluid: the value of fluorescence in situ hybridization (Donnenfeld et al). 2001; 185:1004-8

Abortion

Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation (Creinin et al). 2001; 185:966-9

Cervical length after multifetal pregnancy reduction in remaining twin gestations (Rebarber et al). 2001; 185:1113-7

Cornual heterotopic pregnancy: contemporary management options (van der Weiden and Brandenburg). 2001;185:522 (Letter)

Multifetal pregnancy reduction (Maymon and Herman) (Letter); (Eddleman et al) (Reply). 2001;185:772-4

Pelvic embolization for treatment of hemorrhage related to spontaneous and induced abortion (Borgatta et al). 2001;185:530-6 (Clin. opinion)

A randomized controlled trial of fentanyl for abortion pain (Rawling and Wiebe). 2001;185:103-7

Abortion, spontaneous

A comparison of the psychologic impact and client satisfaction of surgical treatment with medical treatment of spontaneous abortion: a randomized controlled trial (Lee et al). 2001;185:953-8

Immunoglobulin A anti- β_2 -glycoprotein antibodies in women who experience unexplained recurrent spontaneous abortion and unexplained fetal death (Lee et al). 2001;185:748-53

Microsatellite analysis reveals a high incidence of maternal cell contamination in 46,XX products of conception consisting of villi or a combination of villi and membranous material (Jarrett et al). 2001;185:198-203

A novel X chromosome-linked genetic cause of recurrent spontaneous abortion (Lanasa et al). 2001; 185:563-8

Pelvic embolization for treatment of hemorrhage related to spontaneous and induced abortion (Borgatta et al). 2001; 185:530-6 (Clin. opinion)

Academic medical centers

A survey of dietary supplement use during pregnancy at an academic medical center (Tsui et al). 2001;185:433-7

Acid-base equilibrium

Is it time to move on? (Goodlin) (Letter); (Low) (Reply). 2001;185:1275

Acidosis

Correlation of head-to-body delivery intervals in shoulder dystocia and umbilical artery acidosis (Stallings et al). 2001; 185:268-74

Adenomyosis; see Endometriosis

Adhesions

De novo adhesions due to dry laparoscopy gas (Turner and Ott) (Letter); (Querleu and Ocelli) (Reply). 2001;185:775-6

Administration, intravaginal

Oral versus vaginal misoprostol for induction of labor: a double-blind randomized controlled trial (Fisher et al). 2001; 185:906-10

Severe vulvovaginitis associated with intravaginal nystatin therapy (Dan). 2001;185:254-5

Vaginally administered misoprostol for outpatient cervical ripening in pregnancies complicated by diabetes mellitus (Incerpi et al). 2001;185:916-9

Administration, oral

Oral versus vaginal misoprostol for induction of labor: a double-blind randomized controlled trial (Fisher et al). 2001; 185:906-10

A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy (Ramus et al). 2001;185:629-32

Administration, rectal

Rectal misoprostol versus intravenous oxytocin for the prevention of postpartum hemorrhage after vaginal delivery (Gerstenfeld and Wing). 2001;185:878-82

Adnexitis

Hormonal and barrier contraception and risk of upper genital tract disease in the PID Evaluation and Clinical Health (PEACH) study (Ness et al). 2001;185:121-7

Adrenal cortex hormones

Adverse effects of repeated administration of antenatal corticosteroids in nonhuman primates (Novy). 2001; 185:1276-7 (Letter)

Does the combined antenatal use of corticosteroids and antibiotics increase late-onset neonatal sepsis in the very low birth weight infant? (How et al). 2001; 185:1081-5

Multiple courses of antenatal corticosteroids: a systematic review and meta-analysis (Aghajafari et al). 2001; 185:1073-80

Perinatal factors associated with severe intracranial hemorrhage (Thorp et al). 2001;185:859-62

Adrenomedullin

Influence of labor on fetoplacental adrenomedullin concentrations (Di Iorio et al). 2001;185:697-702

Advanced reproductive age; see Maternal age 35 and over

African Americans

Effect of the interval between pregnancies on perinatal outcomes among white and black women (Zhu et al). 2001; 185:1403-10

*July 1-260; August, 261-524, S1-S68; September, 525-780; October, 781-1010; November, 1011-1278; December, 1279-1478, S69-S288.

Age, maternal; see Maternal age**Age factors**

Vascular reactivity in men and women of reproductive age (Bowyer et al). 2001;185:88-96

AJOG reviews

AJOG reviews. 2001;185:227-35, 514-21, 758-70

Alcohols

The initial fertility consultation: recommendations concerning cigarette smoking, body mass index, and alcohol and caffeine consumption (Barbieri). 2001;185:1168-73 (Clin. opinion)

Alloimmune thrombocytopenia; see Thrombocytopenia**Alloimmunization**

Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization (Detti et al). 2001;185:1048-51

Alternative medicine

Alternatives for women through menopause (Gass and Taylor). 2001;185:S47-56 (Symposium)

Complementary/alternative therapies for premenstrual syndrome: a systematic review of randomized controlled trials (Stevenson and Ernst). 2001;185:227-35 (AJOG reviews)

A survey of medical students' opinions about complementary and alternative medicine (Chez et al). 2001;185:754-7 (Education)

Altitude

Reduction of subcutaneous mass, but not lean mass, in normal fetuses in Denver, Colorado (Galan et al). 2001;185:839-44

American Board of Obstetrics and Gynecology

Clinical experience reported by candidates for the American Board of Obstetrics and Gynecology 1995 and 1997 oral examinations (Chez et al). 2001;185:1429-32

Amino acids

Placental transport rather than maternal concentration of amino acids regulates fetal growth in monochorionic twins: implications for fetal origin hypothesis (Bajoria et al). 2001;185:1239-46

Amino acids, branched-chain

Effects of branched-chain amino acids on placental amino acid transfer and insulin and glucagon release in the ovine fetus (Józwik et al). 2001;185:487-95

Amniocentesis

An elevated amniotic fluid matrix metalloproteinase-8 level at the time of mid-trimester genetic amniocentesis identifies patients at risk for spontaneous preterm delivery (Yoon et al). 2001;185:1162-7

The impact of the use of the isolated echogenic intracardiac focus as a screen for Down syndrome in women under the age of 35 years (Caughey et al). 2001;185:1021-7

A single physician's experience with four thousand six hundred genetic amniocenteses (Horger et al). 2001;185:279-88

Amniotic fluid

Amnioreduction versus septostomy in twin-twin transfusion syndrome (Johnson et al). 2001;185:1044-7

Amniotic fluid matrix metalloproteinase-8 indicates intra-amniotic infection (Angus et al). 2001;185:1232-8

Amniotic fluid matrix metalloproteinase-8 in preterm labor with intact membranes (Maymon et al). 2001;185:1149-55

Clinical significance of intra-amniotic inflammation in patients with preterm labor and intact membranes (Yoon et al). 2001;185:1130-6

An elevated amniotic fluid matrix metalloproteinase-8 level at the time of mid-trimester genetic amniocentesis identifies patients at risk for spontaneous preterm delivery (Yoon et al). 2001;185:1162-7

Expression of aquaporin-8 in human placenta and chorioamniotic membranes: evidence of molecular mechanism for intramembranous amniotic fluid resorption (Wang et al). 2001;185:1226-31

Fetal urine and amniotic fluid in monochorionic twins with twin-twin transfusion syndrome: simulations of therapy (Umur et al). 2001;185:996-1003

The frequency and clinical significance of intra-amniotic inflammation in patients with a positive cervical fibronectin (Yoon et al). 2001;185:1137-42

An in vitro model and case report that used gelatin sponge to restore amniotic fluid volume after spontaneous premature rupture of the membranes (O'Brien et al). 2001;185:1094-7

Optimization of cytokine stability in stored amniotic fluid (Porter et al). 2001;185:459-62

Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry (Mari et al). 2001;185:708-15

The relationship between amniotic fluid matrix metalloproteinase-8 and funisitis (Park et al). 2001;185:1156-61

Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes (Maymon et al). 2001;185:1143-8

Ampicillin

A population-based case-control teratologic study of ampicillin treatment during pregnancy (Czeizel et al). 2001;185:140-7

Ampicillin resistance

No increase in rates of early-onset neonatal sepsis by non-group B *Streptococcus* or ampicillin-resistant organisms (Chen et al). 2001;185:854-8

Analgesia

A randomized trial of labor analgesia in women with pregnancy-induced hypertension (Lucas et al). 2001;185:970-5

Analgesia, epidural

Does epidural analgesia prolong labor and increase risk of cesarean delivery? A natural experiment (Zhang et al). 2001;185:128-34

A randomized trial of labor analgesia in women with pregnancy-induced hypertension (Lucas et al). 2001;185:970-5

Anaphylaxis

A pregnant woman with previous anaphylactic reaction to local anesthetics: a case report (Browne and Birnbach). 2001;185:1253-4

Anemia

Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization (Detti et al). 2001;185:1048-51

High prevalence of postpartum anemia among low-income women in the United States (Bodnar et al). 2001;185:438-43

Noninvasive diagnosis of anemia in hydrops fetalis with the use of middle cerebral artery Doppler velocity (Abdel-Fattah et al). 2001;185:1411-5

In utero erythrocyte transfusion for fetal xerocytosis associated with severe anemia and non-immune hydrops fetalis (Ogburn et al). 2001;185:238-9

Anesthesia, local

A pregnant woman with previous anaphylactic reaction to local anesthetics: a case report (Browne and Birnbach). 2001;185:1253-4

Aneuploidy

The clinical significance of fetal echogenic bowel (Al-Kouatly et al). 2001;185:1035-8

Multifetal pregnancy reduction (Maymon and Herman) (Letter); (Eddleman et al) (Reply). 2001;185:772-4

Aneurysm

Pseudoaneurysm of the uterine artery after abdominal hysterectomy: radiologic diagnosis and management (Lee et al). 2001;185:1269-72

Angiography

Arterial balloon occlusion of the hypogastric arteries: a life-saving procedure for severe obstetric hemorrhage (Oei et al). 2001;185:1255-6

A longitudinal study of quantitative uterine blood flow with the use of color power angiography in appropriate for gestational age pregnancies (Konje et al). 2001;185:608-13

Angiotensin converting enzyme; see Kininase II**Angiotensin receptors; see Receptors, angiotensin****Anoxia**

The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production (Pierce et al). 2001;185:1068-72

Antibacterial properties; see Infection

Antibiotics

Does the combined antenatal use of corticosteroids and antibiotics increase late-onset neonatal sepsis in the very low birth weight infant? (How et al). 2001; 185: 1081-5

Antibodies

Immunoglobulin A anti- β_2 -glycoprotein antibodies in women who experience unexplained recurrent spontaneous abortion and unexplained fetal death (Lee et al). 2001; 185: 748-53
Management of isoimmunization in the presence of multiple maternal antibodies (Spong et al). 2001; 185: 481-4

Antigens, human platelet

Initial fetal platelet counts predict the response to intravenous gammaglobulin therapy in fetuses that are affected by PLAI incompatibility (Gaddipati et al). 2001; 185: 976-80

Antioxidants

No evidence for lipid peroxidation in severe preeclampsia (Regan et al). 2001; 185: 572-8

Antiphospholipid syndrome

Aspirin to treat obstetric manifestations of the antiphospholipid syndrome (Ruiz-Irastorza et al) (Letter); (Pattison and Chamley) (Reply). 2001; 185: 523-4

Anus

Anal function: effect of pregnancy and delivery (Chaliha et al). 2001; 185: 427-32
Episiotomy increases perineal laceration length in primiparous women (Nager and Helliwell). 2001; 185: 444-50

Anxiety

Patients with psychiatric disorders in gynecologic practice (Bixo et al). 2001; 185: 396-402

Appendicitis

Appendicitis during pregnancy (Viktrup and Hee) (Letter); (Mourad and Elliott) (Reply). 2001; 185: 259-60

Aquaporins

Expression of aquaporin-8 in human placenta and chorioamniotic membranes: evidence of molecular mechanism for intramembranous amniotic fluid resorption (Wang et al). 2001; 185: 1226-31

Arteries

Arterial balloon occlusion of the hypogastric arteries: a life-saving procedure for severe obstetric hemorrhage (Oei et al). 2001; 185: 1255-6
Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001; 185: 1267-8
Inhibition of cyclooxygenase but not nitric oxide synthase influences effects on the human omental artery of the thromboxane A_2 mimetic U46619 and 17 β -estradiol (Vedernikov et al). 2001; 185: 182-9
Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001; 185: 135-9

Ascorbic acid

Vitamins C and E: missing links in preventing preterm premature rupture of membranes? (Woods et al). 2001; 185: 5-10 (Clin. opinion)

Asphyxia neonatorum

Is it time to move on? (Goodlin) (Letter); (Low) (Reply). 2001; 185: 1275

Aspirin

Aspirin to treat obstetric manifestations of the antiphospholipid syndrome (Ruiz-Irastorza et al) (Letter); (Pattison and Chamley) (Reply). 2001; 185: 523-4

Asthma

Neurobiology of maternal asthma and pregnancy outcomes (Friedman). 2001; 185: 523 (Letter)

Atrial natriuretic factor

Contractility of late pregnant rat myometrium is refractory to activation of soluble but not particulate guanylate cyclase (Fulep et al). 2001; 185: 158-62

Attitude of health personnel

Attitudes of maternal-fetal specialists concerning maternal-fetal surgery (Lylerly et al). 2001; 185: 1052-8

The distribution, practice, and attitudes of maternal-fetal medicine specialists (Coustan et al). 2001; 185: 1218-25

Autoimmune diseases

Altered immune response in adult women exposed to diethylstilbestrol in utero (Burke et al). 2001; 185: 78-81

Autologous transplantation; see Transplantation, autologous

Automation

Twenty-four-hour automated blood pressure monitoring as a predictor of preeclampsia (Brown et al). 2001; 185: 618-22

Autonomic nervous system

Detection of a biorhythm of human fetal autonomic nervous activity by a power spectral analysis (Suzuki et al). 2001; 185: 1247-52

B

Bacteria

An in vitro study of antibacterial properties of the cervical mucus plug in pregnancy (Hein et al). 2001; 185: 586-92

Bacteriocins

Bacteriocin susceptibility of *Gardnerella vaginalis* and its relationship to biotype, genotype, and metronidazole susceptibility (Simoes et al). 2001; 185: 1186-90

Balloon, surgical; see Surgical equipment

Balloon dilatation

Arterial balloon occlusion of the hypogastric arteries: a life-saving procedure for severe obstetric hemorrhage (Oei et al). 2001; 185: 1255-6

Barrier contraception; see Contraception

Bed rest

Final results of the Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): therapeutic cerclage with bed rest versus bed rest alone (Althuisius et al). 2001; 185: 1106-12

Betamethasone

Adverse effects of repeated administration of antenatal corticosteroids in nonhuman primates (Novy). 2001; 185: 1276-7 (Letter)

Effectiveness of a rescue dose of antenatal betamethasone after an initial single course (Vermillion et al). 2001; 185: 1086-9

Biorhythms; see Periodicity

Biotype

Bacteriocin susceptibility of *Gardnerella vaginalis* and its relationship to biotype, genotype, and metronidazole susceptibility (Simoes et al). 2001; 185: 1186-90

Bipolar diathermy; see Diathermy

Birth; see Labor

Birth intervals

Effect of the interval between pregnancies on perinatal outcomes among white and black women (Zhu et al). 2001; 185: 1403-10

Birth outcome; see Pregnancy outcome

Birth weight

Ethnicity, nutrition, and birth outcomes in nulliparous women (Cohen et al). 2001; 185: 660-7

Fetal umbilical cord oxygen values and birth to placental weight ratio in relation to size at birth (Lackman et al). 2001; 185: 674-82

Influence of maternal and fetal glucokinase mutations in gestational diabetes (Spyer et al). 2001; 185: 240-1

Perinatal factors associated with severe intracranial hemorrhage (Thorp et al). 2001; 185: 859-62

Reduction of subcutaneous mass, but not lean mass, in normal fetuses in Denver, Colorado (Galan et al). 2001; 185: 839-44

Twin birth weight discordance and the risk of preterm birth (Jakobovits) (Letter); (Cooperstock) (Reply). 2001; 185: 256

Black women; see African Americans

Bladder

On-screen vector-based ultrasound assessment of vesical neck movement (Reddy et al). 2001; 185: 65-70

A randomized, double-blind placebo-controlled trial of the effects of the 5-hydroxytryptamine(4) agonist cisapride on the female urinary bladder (Steele et al). 2001;185:62-4

Bladder diseases

Anterior colporrhaphy: a randomized trial of three surgical techniques (Weber et al). 2001;185:1299-1306

Protective effect of suburethral slings on postoperative cystocele recurrence after reconstructive pelvic operation (Goldberg et al). 2001;185:1307-13

Vaginal paravaginal repair: one-year outcomes (Young et al). 2001;185:1360-7

Bladder neoplasms

Leiomyoma in the Space of Retzius: a report of 2 cases (Stuterecker et al). 2001;185:248-9

Blood

Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation (Amory et al). 2001;185:1064-7

Blood, fetal; see Fetal blood

Blood coagulation

Complicated monochorionic twin pregnancies: experience with bipolar cord coagulation (Nicolini et al). 2001;185:703-7

Blood component transfusion

In utero erythrocyte transfusion for fetal xerocytosis associated with severe anemia and non-immune hydrops fetalis (Ogburn et al). 2001;185:238-9

Blood flow velocity

Early and persistent reduction in umbilical vein blood flow in the growth-restricted fetus: a longitudinal study (Rigano et al). 2001;185:834-8

A longitudinal study of quantitative uterine blood flow with the use of color power angiography in appropriate for gestational age pregnancies (Konje et al). 2001;185:608-13

Noninvasive diagnosis of anemia in hydrops fetalis with the use of middle cerebral artery Doppler velocity (Abdel-Fattah et al). 2001;185:1411-5

Raloxifene reduces impedance to flow within the uterine artery in early postmenopausal women: a 2-year randomized, placebo-controlled, comparative study (Post et al). 2001;185:557-62

Reversed end-diastolic flow in first-trimester umbilical artery: an ominous new sign for fetal outcome (Borrell et al). 2001;185:204-7

Blood group incompatibility

Initial fetal platelet counts predict the response to intravenous gammaglobulin therapy in fetuses that are affected by PLAI incompatibility (Caddipati et al). 2001;185:976-80

Blood pressure monitors

Twenty-four-hour automated blood pressure monitoring as a predictor of preeclampsia (Brown et al). 2001;185:618-22

Blood transfusion, intrauterine

Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization (Detti et al). 2001;185:1048-51

The severity of immune fetal hydrops is predictive of fetal outcome after intrauterine treatment (van Kamp et al). 2001;185:668-73

Blood vessels

The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production (Pierce et al). 2001;185:1068-72

Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8

Pregnancy-associated recurrent hemolytic uremic syndrome with fetal thrombotic vasculopathy in the placenta (Hebisch et al). 2001;185:1265-6

Body composition

Factors associated with fetal growth and body composition as measured by ultrasound (Rohl et al). 2001;185:1416-20

Reduction of subcutaneous mass, but not lean mass, in normal fetuses in Denver, Colorado (Galan et al). 2001;185:839-44

Body mass index

The initial fertility consultation: recommendations concerning cigarette smoking, body mass index, and alcohol and caffeine consumption (Barbieri). 2001;185:1168-73 (Clin. opinion)

Body weight

Effects of low-dose continuous combined conjugated estrogens and medroxyprogesterone acetate on menopause symptoms, body weight, bone density, and metabolism in postmenopausal women (Gambacciani et al). 2001;185:1180-5

Bone and bones

Changes in biochemical parameters of bone turnover and bone mineral density in post-pregnancy osteoporosis (Honjo and Mizunuma). 2001;185:246-7

Bone density

Changes in biochemical parameters of bone turnover and bone mineral density in post-pregnancy osteoporosis (Honjo and Mizunuma). 2001;185:246-7

Effects of low-dose continuous combined conjugated estrogens and medroxyprogesterone acetate on menopause symptoms, body weight, bone density, and metabolism in postmenopausal women (Gambacciani et al). 2001;185:1180-5

Brachial plexus

Disuse osteoporosis as evidence of brachial plexus palsy due to intrauterine fetal maladaptation (Jennett and Tarby). 2001;185:236-7

Bradycardia

Fetal sinus bradycardia and the long QT syndrome (Beinder et al). 2001;185:743-7

Brain

The impact of prenatal alcohol exposure on frontal cortex development in utero (Wass et al). 2001;185:737-42

Metabolic information from the human fetal brain obtained with proton magnetic resonance spectroscopy (Kok et al). 2001;185:1011-5

Branched-chain amino acids; see Amino acids, branched-chain

Breast neoplasms

The millennial mark (Johnson). 2001;185:261-7 (Pres. address)

Breech presentation

Intrapartum management of nonvertex second-born twins: a critical analysis (Winn et al). 2001;185:1204-8

Burch retropubic urethropexy; see Urethra, surgery

Buttocks

Gluteal necrotizing myofascitis: an unusual delayed complication of abdominal sacrocolpopexy (Goldberg et al). 2001;185:1273-4

C

Caffeine

The initial fertility consultation: recommendations concerning cigarette smoking, body mass index, and alcohol and caffeine consumption (Barbieri). 2001;185:1168-73 (Clin. opinion)

Calcinosis

Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8

Calcium for Preeclampsia Prevention

No evidence for lipid peroxidation in severe preeclampsia (Regan et al). 2001;185:572-8

Calmodulin-binding proteins

Smooth muscle myosin heavy chain and caldesmon expression in the anterior vaginal wall of women with and without pelvic organ prolapse (Boreham et al). 2001;185:944-52

Candida

Treatment of complicated *Candida* vaginitis: comparison of single and sequential doses of fluconazole (Sobel et al). 2001;185:363-9

Candida glabrata

Severe vulvovaginitis associated with intravaginal nystatin therapy (Dan). 2001;185:254-5

Carbohydrates

Clinical impact of mild carbohydrate intolerance in pregnancy: a study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus (Jensen et al). 2001; 185:413-9

Carbon dioxide

Effect of carbon dioxide on human ovarian carcinoma cell growth (Smidt et al). 2001;185:1314-17

Carcinoma

Effect of carbon dioxide on human ovarian carcinoma cell growth (Smidt et al). 2001;185:1314-17

The millennial mark (Johnson). 2001;185:261-7 (Pres. address)

Carcinoma, squamous cell

An update on vulvar cancer (Ghurani and Penhalver). 2001; 185:294-9

Cardiovascular system

Effects of central angiotensin II receptor antagonism on fetal swallowing and cardiovascular activity (El-Haddad et al). 2001;185:828-33

Catabolism

Kynurenine production and catabolism in fetal sheep with embolized or nonembolized placentas (Nicholls et al). 2001;185:988-95

Cefixime

A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy (Ramus et al). 2001;185:629-32

Ceftriaxone

A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy (Ramus et al). 2001;185:629-32

Cell division

Effect of carbon dioxide on human ovarian carcinoma cell growth (Smidt et al). 2001;185:1314-17

Cells

Microsatellite analysis reveals a high incidence of maternal cell contamination in 46,XX products of conception consisting of villi or a combination of villi and membranous material (Jarett et al). 2001;185:198-203

Centers for Disease Control

Semen processing for HIV-discordant couples (Jamieson et al) (Letter); (Nahvi et al) (Reply). 2001; 185:1433-4

Cephalocentesis; see Hydrocephalus

Cerebral aneurysm

Endovascular treatment of acutely ruptured intracranial aneurysms in pregnancy (Piotin et al). 2001; 185:1261-2

Cerebral arteries

Noninvasive diagnosis of anemia in hydrops fetalis with the use of middle cerebral artery Doppler velocity (Abdel-Fattah et al). 2001;185:1411-5

Certification

Clinical experience reported by candidates for the American Board of Obstetrics and Gynecology 1995 and 1997 oral examinations (Chez et al). 2001; 185: 1429-32

Cervical Incompetence Prevention Randomized Cerclage Trial

Final results of the Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): therapeutic cerclage with bed rest versus bed rest alone (Althuisius et al). 2001; 185:1106-12

Cervix

Cervical length after multifetal pregnancy reduction in remaining twin gestations (Rebarber et al). 2001; 185: 1113-7
Computed tomography and locating ureters in relation to the uterine cervix (Huddleston) (Letter); (Hurd et al) (Reply). 2001;185:1009-10

The effects of cervical application of inhibitors of inducible nitric oxide synthase, cyclooxygenase-1, and cyclooxygenase-2 on delivery in rats (Bukowski et al). 2001;185:959-65

The frequency and clinical significance of intra-amniotic inflammation in patients with a positive cervical fibronectin (Yoon et al). 2001;185:1137-42

An in vitro study of antibacterial properties of the cervical mucus plug in pregnancy (Hein et al). 2001; 185:586-92

Cervix dysplasia

Microsatellite alterations in exfoliated cervical epithelia deoxyribonucleic acid as a marker for high-grade dysplasia (Chang et al). 2001;185:108-15

Cervix incompetence

Final results of the Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): therapeutic cerclage with bed rest versus bed rest alone (Althuisius et al). 2001; 185:1106-12

Revisiting the short cervix detected by transvaginal ultrasound in the second trimester: why cerclage therapy may not help (Rust et al). 2001;185:1098-105

Cervix neoplasms

Cervicography for triage of women with mildly abnormal cervical cytology results (Ferris et al). 2001; 185:939-43

Radical abdominal trachelectomy and pelvic lymphadenectomy with uterine conservation and subsequent pregnancy in the treatment of early invasive cervical cancer (Rodriguez et al). 2001;185:370-4

Cervix ripening; see Labor stage, first

Cesarean section

Does epidural analgesia prolong labor and increase risk of cesarean delivery? A natural experiment (Zhang et al). 2001; 185:128-34

Growth hormone treatment after cesarean delivery in rats increases the strength of the uterine scar (Bowers et al). 2001;185:614-7

Hematometra of the rudimentary horn of a unicornuate uterus resulting from cesarean section (Chang et al). 2001; 185:1263-4

Increased risk of cesarean delivery with advancing maternal age: indications and associated factors in nulliparous women (Ecker et al). 2001;185:883-7

Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above (Sheiner et al). 2001;185:888-92

Maternal age and uterine dysfunction (Rosenthal) (Letter); (Main and Main) (Reply). 2001;185:258-9

Mode of delivery for the morbidly obese with prior cesarean delivery: vaginal versus repeat cesarean section (Chauhan et al). 2001;185:349-54

Outcomes of trial of labor following previous cesarean delivery among women with fetuses weighing >4000 g (Zelop et al). 2001;185:903-5

Scheduled cesarean delivery and the prevention of human immunodeficiency virus transmission: a survey of practicing obstetricians (Rowland et al). 2001; 185:327-31

Cholestasis

Insertion-deletion polymorphism in the gene for angiotensin-converting enzyme is associated with obstetric cholestasis but not with preeclampsia (Heiskanen et al). 2001;185:600-3

Chorioamnionitis

Chorioamnionitis and inflammation of the fetal lung (Schmidt et al). 2001;185:173-7

Expression of aquaporin-8 in human placenta and chorioamnion membranes: evidence of molecular mechanism for intramembranous amniotic fluid resorption (Wang et al). 2001;185:1226-31

The relationship between amniotic fluid matrix metalloproteinase-8 and funisitis (Park et al). 2001; 185: 1156-61

Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response (Kim et al). 2001; 185:496-500

Chorionic villi

Microsatellite analysis reveals a high incidence of maternal cell contamination in 46,XX products of conception consisting of villi or a combination of villi and membranous material (Jarett et al). 2001;185:198-203

Chorionic villi sampling

Multifetal pregnancy reduction (Maymon and Herman) (Letter); (Eddleman et al) (Reply). 2001;185:772-4

Christianity

Are women who are Jehovah's Witnesses at risk of maternal death? (Singla et al). 2001;185:893-5

Cicatrix

Growth hormone treatment after cesarean delivery in rats increases the strength of the uterine scar (Bowers et al). 2001;185:614-7

Cigarette smoking; see Smoking**Cisapride**

A randomized, double-blind placebo-controlled trial of the effects of the 5-hydroxytryptamine(4) agonist cisapride on the female urinary bladder (Steele et al). 2001;185:62-4

Cleft palate

A population-based case-control teratologic study of ampicillin treatment during pregnancy (Czeizel et al). 2001;185:140-7

Client satisfaction; see Patient satisfaction**Clinical opinion**

Clinical opinion. 2001;185:1-10, 355-62, 525-36, 931-8, 1168-73

Clinical protocols

Maternal serum screening for fetal trisomy 18: benefits of patient-specific risk protocol (Hogge et al). 2001;185:289-93

Clitoris

Epidermal clitoral inclusion cyst after type I female genital mutilation (Rouzi et al). 2001;185:569-71

Coagulation; see Blood coagulation**Collagenases**

Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes (Maymon et al). 2001;185:1143-8

Colonic diseases

The clinical significance of fetal echogenic bowel (Al-Kouatly et al). 2001;185:1035-8

Factors that are associated with fetal demise in fetal echogenic bowel (Al-Kouatly et al). 2001;185:1039-43

Colporrhaphy; see Vagina, surgery**Colposcopy**

Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice (Spitzer et al). 2001;185:507-13 (Education)

Communication

Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues (La Valleur and Wysocki). 2001;185:S57-64 (Symposium)

Complementary/alternative medicine; see Alternative medicine**Computed tomography; see Tomography, x-ray computed****Computers**

Computerized analysis of acute and chronic changes in fetal heart rate variation and fetal activity in association with maternal smoking (Coppens et al). 2001;185:421-6

Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome (Luks et al). 2001;185:216-9

Conception; see Fertilization**Conjoined twins; see Twins, conjoined****Consultants**

Consultants for the American Journal of Obstetrics and Gynecology, July 1, 2000-June 30, 2001. 2001;185:1279-93

Contraception

Hormonal and barrier contraception and risk of upper genital tract disease in the PID Evaluation and Clinical Health (PEACH) study (Ness et al). 2001;185:121-7

Contraceptives, oral

Current perspectives on oral contraceptive use (Burkman et al). 2001;185:S4-12 (Symposium)

Hormonal contraception and risk of sexually transmitted disease acquisition: results from a prospective study (Baeten et al). 2001;185:380-5

The hormone continuum: accrual of women's health benefits—introduction (Burkman). 2001;185:S1-3 (Symposium)

Oral contraceptive use in perimenopause (Kaunitz). 2001;185:S32-7 (Symposium)

PCOS and OCPs? (Sherwin and Quinn) (Letter); (Barbieri) (Reply). 2001;185:777-8

Preclinical profiles of progestins used in formulations of oral contraceptives and hormone replacement therapy (Hammond et al). 2001;185:S24-31 (Symposium)

Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues (La Valleur and Wysocki). 2001;185:S57-64 (Symposium)

Vascular reactivity in men and women of reproductive age (Bowyer et al). 2001;185:88-96

Contraction, uterine; see Uterine contraction**Cord, umbilical; see Umbilical cord****Cornual heterotopic pregnancy; see Pregnancy, ectopic****Corrections**

Responsiveness of quality of life measurements to change after reconstructive pelvic surgery (Fitzgerald et al) (2001;185:20-4). 2001;185:1278

The risks of spontaneous preterm delivery and perinatal mortality in relation to size at birth according to fetal versus neonatal growth standards (Lackman et al) (2001;184:946-53). 2001;185:24

Subtotal hysterectomy in modern gynecology: a decision analysis (Scott et al) (1997;176:1186-92). 2001;185:31

Correspondence; see Letters to the editors**Corticosteroids; see Adrenal cortex hormones****Corticotropin-releasing hormone**

Prolonged periods without food intake during pregnancy increase risk for elevated maternal corticotropin-releasing hormone concentrations (Herrmann et al). 2001;185:403-12

Counseling

Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues (La Valleur and Wysocki). 2001;185:S57-64 (Symposium)

Creatinine

Use of a random urinary protein-to-creatinine ratio for the diagnosis of significant proteinuria during pregnancy (Rodriguez-Thompson and Lieberman). 2001;185:808-11

Cyclooxygenase; see Prostaglandin-endoperoxide synthase**Cyclooxygenase inhibitors**

The effects of cervical application of inhibitors of inducible nitric oxide synthase, cyclooxygenase-1, and cyclooxygenase-2 on delivery in rats (Bukowski et al). 2001;185:959-65

Cystatins

Fetal serum concentrations of cystatin C and β_2 -microglobulin as predictors of postnatal kidney function (Bödenkamp et al). 2001;185:468-75

Cystic fibrosis

The clinical significance of fetal echogenic bowel (Al-Kouatly et al). 2001;185:1035-8

Cystocele; see Bladder diseases**Cystoscopy**

The role of intraoperative cystoscopy in prolapse and incontinence surgery (Jabs and Druz). 2001;185:1368-73

The routine use of cystoscopy with the Burch procedure (Gill et al). 2001;185:345-8

Cysts

Epidermal clitoral inclusion cyst after type I female genital mutilation (Rouzi et al). 2001;185:569-71

Prenatal diagnosis from cystic hygroma fluid: the value of fluorescence in situ hybridization (Donnenfeld et al). 2001;185:1004-8

Cytokines

The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production (Pierce et al). 2001;185:1068-72

Optimization of cytokine stability in stored amniotic fluid (Porter et al). 2001;185:459-62

Cytology

- Cervicography for triage of women with mildly abnormal cervical cytology results (Ferris et al). 2001; 185:939-43
Liquid-based cervical cytologic smear study and conventional Papanicolaou smears: a metaanalysis of prospective studies comparing cytologic diagnosis and sample adequacy (Bernstein et al). 2001;185:308-17

Cytomegaloviruses

- The clinical significance of fetal echogenic bowel (Al-Kouatly et al). 2001;185:1035-8

D

De-glutition

- Effects of central angiotensin II receptor antagonism on fetal swallowing and cardiovascular activity (El-Haddad et al). 2001;185:828-33

Delivery

- Anal function: effect of pregnancy and delivery (Chaliha et al). 2001;185:427-32
Conjoined twins, conception, pregnancy, and delivery: a reproductive history of the pygopagus Blažek sisters (1878-1922). 2001;185:1396-1402
Correlation of head-to-body delivery intervals in shoulder dystocia and umbilical artery acidosis (Stallings et al). 2001; 185:268-74
The effect of sequential use of vacuum and forceps for assisted vaginal delivery on neonatal and maternal outcomes (Gardella et al). 2001;185:896-902
The effects of cervical application of inhibitors of inducible nitric oxide synthase, cyclooxygenase-1, and cyclooxygenase-2 on delivery in rats (Bukowski et al). 2001;185:959-65
Intrapartum management of nonvertex second-born twins: a critical analysis (Winn et al). 2001;185:1204-8
Mode of delivery for the morbidly obese with prior cesarean delivery: vaginal versus repeat cesarean section (Chauhan et al). 2001;185:349-54
A randomized controlled trial comparing oxytocin administration before and after placental delivery in the prevention of postpartum hemorrhage (Jackson et al). 2001;185:873-7
Rectal misoprostol versus intravenous oxytocin for the prevention of postpartum hemorrhage after vaginal delivery (Gersztenfeld and Wing). 2001;185:878-82
The risk of stress incontinence 5 years after first delivery (Viktrup and Lose). 2001;185:82-7

Denmark

- Clinical impact of mild carbohydrate intolerance in pregnancy: a study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus (Jensen et al). 2001; 185:413-9

Depression

- Patients with psychiatric disorders in gynecologic practice (Bixo et al). 2001;185:396-402

Diabetes, gestational

- Clinical impact of mild carbohydrate intolerance in pregnancy: a study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus (Jensen et al). 2001; 185:413-9
Influence of maternal and fetal glucokinase mutations in gestational diabetes (Spyer et al). 2001;185:240-1
Is a multiple birth pregnancy a risk factor for gestational diabetes? (Egeland and Irgens) (Letter); (Schwartz and Daoud) (Reply). 2001;185:1275-6
One or two hours postprandial glucose measurements: are they the same? (Sivan et al). 2001;185:604-7

Diabetes mellitus

- Dysmorphogenesis and oxidative stress in diabetic rats (Kalter) (Letter); (Poston and Holemans) (Reply). 2001;185:772
Vaginally administered misoprostol for outpatient cervical ripening in pregnancies complicated by diabetes mellitus (Incerpi et al). 2001;185:916-9

Diabetic retinopathy

- Insulin lispro and the development of proliferative diabetic retinopathy during pregnancy (Kitzmilller) (Letter); (Buchbinder et al) (Reply). 2001;185:774-5

Diaphragmatic hernia; see Hernia, diaphragmatic

Diastole

- Left ventricular diastolic filling response to stationary bicycle exercise during pregnancy and the postpartum period (Veille et al). 2001;185:822-7
Reversed end-diastolic flow in first-trimester umbilical artery: an ominous new sign for fetal outcome (Borrell et al). 2001; 185:204-7

Diathermy

- Complicated monochorionic twin pregnancies: experience with bipolar cord coagulation (Nicolini et al). 2001;185:703-7

Dietary supplement; see Herbs; Vitamins

Diethylstilbestrol

- Altered immune response in adult women exposed to diethylstilbestrol in utero (Burke et al). 2001;185:78-81

DNA

- Microsatellite alterations in exfoliated cervical epithelia deoxyribonucleic acid as a marker for high-grade dysplasia (Chang et al). 2001;185:108-15

Donors, sperm; see Insemination, artificial

Doppler ultrasonography, prenatal; see Ultrasonography, prenatal

Doppler velocimetry; see Rheology

Dose-response relationship, drug

- Adverse effects of repeated administration of antenatal corticosteroids in nonhuman primates (Novy). 2001;185:1276-7 (Letter)
A comparison of various routes and dosages of misoprostol for cervical ripening and the induction of labor (How et al). 2001;185:911-5
Effectiveness of a rescue dose of antenatal betamethasone after an initial single course (Vermillion et al). 2001;185:1086-9
Multiple courses of antenatal corticosteroids: a systematic review and meta-analysis (Aghajafari et al). 2001;185:1073-80
Optimal dosing of penicillin G in the third trimester of pregnancy for prophylaxis against group B *Streptococcus* (Johnson et al). 2001;185:850-3

Down syndrome

- The impact of the use of the isolated echogenic intracardiac focus as a screen for Down syndrome in women under the age of 35 years (Caughey et al). 2001; 185:1021-7
Role of ultrasound for Down syndrome screening in advanced maternal age (Egan et al). 2001;185:1028-31

Dysplasia, cervix; see Cervix dysplasia

Dystocia

- Correlation of head-to-body delivery intervals in shoulder dystocia and umbilical artery acidosis (Stallings et al). 2001; 185:268-74
Disuse osteoporosis as evidence of brachial plexus palsy due to intrauterine fetal maladaptation (Jennett and Tarby). 2001; 185:236-7

E

Eating

- Early postoperative feeding after major gynecologic surgery: evidence-based scientific medicine (Fanning and Andrews). 2001;185:1-4 (Clin. opinion)
One or two hours postprandial glucose measurements: are they the same? (Sivan et al). 2001;185:604-7
Prolonged periods without food intake during pregnancy increase risk for elevated maternal corticotropin-releasing hormone concentrations (Herrmann et al). 2001;185:403-12

Echocardiography, intracardiac

- The impact of the use of the isolated echogenic intracardiac focus as a screen for Down syndrome in women under the age of 35 years (Caughey et al). 2001; 185:1021-7

Echogenic bowel; see Colonic diseases**Education, medical**

Clinical experience reported by candidates for the American Board of Obstetrics and Gynecology 1995 and 1997 oral examinations (Chez et al). 2001;185:1429-32

Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice (Spitzer et al). 2001;185:507-13

A survey of medical students' opinions about complementary and alternative medicine (Chez et al). 2001;185:754-7

Electrocardiography

Fetal sinus bradycardia and the long QT syndrome (Beinder et al). 2001;185:743-7

Electromyography

Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy (Kenton et al). 2001;185:51-5

Embolization, therapeutic

Endovascular treatment of acutely ruptured intracranial aneurysms in pregnancy (Piotin et al). 2001;185:1261-2

Kynurenine production and catabolism in fetal sheep with embolized or nonembolized placentas (Nicholls et al). 2001;185:988-95

Pelvic embolization for treatment of hemorrhage related to spontaneous and induced abortion (Borgatta et al). 2001;185:530-6 (Clin. opinion)

Endometriosis

Increased invasion activity of endometrial stromal cells and elevated expression of matrix metalloproteinase messenger RNA in the uterine tissues of mice with experimentally induced adenomyosis (Matsuda et al). 2001;185:1374-80

Endometrium

Factors associated with endometrial thickness and uterine size in a random sample of postmenopausal women (Gull et al). 2001;185:386-91

Successful planned pregnancy following endometrial ablation with the YAG laser (Pinette et al). 2001;185:242-3

Endothelium

The role of endothelium-derived hyperpolarizing factor in the regulation of the uterine circulation in pregnant rats (Fulep et al). 2001;185:638-42

Endotoxins

The interactive effects of endotoxin with prenatal glucocorticoids on short-term lung function in sheep (Newnham et al). 2001;185:190-7

Energy

High intake of energy, sucrose, and polyunsaturated fatty acids is associated with increased risk of preeclampsia (Clausen et al). 2001;185:451-8

Enoxaparin

Enoxaparin treatment in women with mechanical heart valves during pregnancy (Rowan et al). 2001;185:633-7

Enterocoele; see Hernia**Enzymes**

Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001;185:166-72

Epidemiology

Understanding evidence-based medicine: a primer (Williams). 2001;185:275-8

Epidermal cyst

Epidermal clitoral inclusion cyst after type I female genital mutilation (Rouzi et al). 2001;185:569-71

Epidural analgesia; see Analgesia, epidural**Episiotomy**

Episiotomy increases perineal laceration length in primiparous women (Nager and Helliwell). 2001;185:444-50

Epithelium

Microsatellite alterations in exfoliated cervical epithelia deoxyribonucleic acid as a marker for high-grade dysplasia (Chang et al). 2001;185:108-15

Erythroblastosis, fetal

Management of isoimmunization in the presence of multiple maternal antibodies (Spong et al). 2001;185:481-4

Erythrocyte transfusion; see Blood component transfusion**Erythrocytes**

Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization (Detti et al). 2001;185:1048-51

Erythrocyte and erythropoietin responses to hemorrhage in the immature and near term ovine fetus (Hull and Brace). 2001;185:501-6

Erythropoietin

Are women who are Jehovah's Witnesses at risk of maternal death? (Singla et al). 2001;185:893-5

Erythrocyte and erythropoietin responses to hemorrhage in the immature and near term ovine fetus (Hull and Brace). 2001;185:501-6

Estradiol

Inhibition of cyclooxygenase but not nitric oxide synthase influences effects on the human omental artery of the thromboxane A₂ mimetic U46619 and 17 β -estradiol (Vedernikov et al). 2001;185:182-9

Estrogen replacement therapy

Alternatives for women through menopause (Gass and Taylor). 2001;185:S47-56 (Symposium)

Combined oral hormone replacement therapy formulations (Mattox and Shulman). 2001;185:S38-46 (Symposium)

Current perspectives on benefits and risks of hormone replacement therapy (Burkman et al). 2001;185:S13-23 (Symposium)

Effects of low-dose continuous combined conjugated estrogens and medroxyprogesterone acetate on menopausal symptoms, body weight, bone density, and metabolism in postmenopausal women (Gambacciani et al). 2001;185:1180-5

Hormone replacement therapy in postmenopausal women: utilization of health care resources by new users (Thorpe et al). 2001;185:318-26

Preclinical profiles of progestins used in formulations of oral contraceptives and hormone replacement therapy (Hammond et al). 2001;185:S24-31 (Symposium)

Raloxifene reduces impedance to flow within the uterine artery in early postmenopausal women: a 2-year randomized, placebo-controlled, comparative study (Post et al). 2001;185:557-62

Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues (La Valleur and Wysocki). 2001;185:S57-64 (Symposium)

Ethics

Gamete retrieval in terminal conditions (Finnerty et al). 2001;185:300-7

Ethnic groups

Ethnicity, nutrition, and birth outcomes in nulliparous women (Cohen et al). 2001;185:660-7

Etiology

Vasopressin as an etiologic factor for infection in gynecologic surgery: a randomized double-blind placebo-controlled trial (Kammerer-Doak et al). 2001;185:1344-8

Evidence-based medicine

Understanding evidence-based medicine: a primer (Williams). 2001;185:275-8

Exercise

Left ventricular diastolic filling response to stationary bicycle exercise during pregnancy and the postpartum period (Veille et al). 2001;185:822-7

Exposure, prenatal; see Prenatal exposure delayed effects**F****Family practice**

Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice (Spitzer et al). 2001;185:507-13 (Education)

Fascia lata

Harvesting autologous fascia lata for pelvic reconstructive surgery: techniques and morbidity (Walter et al). 2001;185:1354-9

Fatty acids, unsaturated

High intake of energy, sucrose, and polyunsaturated fatty acids is associated with increased risk of preeclampsia (Clausen et al). 2001;185:451-8

Fecal incontinence

Anal function: effect of pregnancy and delivery (Chaliha et al). 2001;185:427-32

Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders (Barber et al). 2001;185:1388-95

Feeding; see Eating

Fentanyl

A randomized controlled trial of fentanyl for abortion pain (Rawling and Wiebe). 2001;185:103-7

Fertility

Assessing fertility in women of advanced reproductive age (Klein and Sauer). 2001;185:758-70 (AJOG reviews)

The initial fertility consultation: recommendations concerning cigarette smoking, body mass index, and alcohol and caffeine consumption (Barbieri). 2001;185:1168-73 (Clin. opinion)

Fertilization

Conjoined twins, conception, pregnancy, and delivery: a reproductive history of the pygopagus Blažek sisters (1878-1922). 2001;185:1396-1402

Microsatellite analysis reveals a high incidence of maternal cell contamination in 46,XX products of conception consisting of villi or a combination of villi and membranous material (Jarett et al). 2001;185:198-203

Fertilization in vitro

Cornual heterotopic pregnancy: contemporary management options (van der Weiden and Brandenburg). 2001;185:522 (Letter)

Evaluation of the prognosis of in vitro fertilization pregnancies with initially low serum human chorionic gonadotropin levels (Frishman et al). 2001;185:392-5

Fetal alcohol syndrome

The impact of prenatal alcohol exposure on frontal cortex development in utero (Wass et al). 2001;185:737-42

Fetal blood

Effect of preeclampsia on umbilical cord blood hematopoietic progenitor-stem cells (Surbek et al). 2001;185:725-9

Fetal cardiac activity; see Heart rate, fetal

Fetal death

Factors that are associated with fetal demise in fetal echogenic bowel (Al-Kouatly et al). 2001;185:1039-43

Immunoglobulin A anti- β_2 -glycoprotein antibodies in women who experience unexplained recurrent spontaneous abortion and unexplained fetal death (Lee et al). 2001;185:748-53

The role of cephalocentesis in modern obstetrics (Chasen et al). 2001;185:734-6

Fetal development

Cross-correlation of fetal cardiac and somatic activity as an indicator of antenatal neural development (DiPietro et al). 2001;185:1421-8

Factors associated with fetal growth and body composition as measured by ultrasound (Rohl et al). 2001;185:1416-20

The impact of prenatal alcohol exposure on frontal cortex development in utero (Wass et al). 2001;185:737-42

Leptin in the ovine fetus correlates with fetal and placental size (Buchbinder et al). 2001;185:786-91

Placental transport rather than maternal concentration of amino acids regulates fetal growth in monochorionic twins: implications for fetal origin hypothesis (Bajoria et al). 2001;185:1239-46

Fetal diseases

In utero erythrocyte transfusion for fetal xerocytosis associated with severe anemia and non-immune hydrops fetalis (Ogburn et al). 2001;185:238-9

Fetal growth retardation

Biparental contribution to fetal thrombophilia in discordant twin intrauterine growth restriction (Khong and Hague). 2001;185:244-5

Early and persistent reduction in umbilical vein blood flow in the growth-restricted fetus: a longitudinal study (Rigano et al). 2001;185:834-8

Factors that are associated with fetal demise in fetal echogenic bowel (Al-Kouatly et al). 2001;185:1039-43

Impairment of growth in fetuses destined to deliver preterm (Bukowski et al). 2001;185:463-7

Selective photocoagulation of communicating vessels in the treatment of monochorionic twins with selective growth retardation (Quintero et al). 2001;185:689-96

Fetal heart rate; see Heart rate, fetal

Fetal hydrops; see Hydrops fetalis

Fetal macrosomia

One or two hours postprandial glucose measurements: are they the same? (Sivan et al). 2001;185:604-7

Fetal medicine specialists; see Specialties, medical

Fetal membranes

Amnioreduction versus septostomy in twin-twin transfusion syndrome (Johnson et al). 2001;185:1044-7

Amniotic fluid matrix metalloproteinase-8 in preterm labor with intact membranes (Maymon et al). 2001;185:1149-55

Clinical significance of intra-amniotic inflammation in patients with preterm labor and intact membranes (Yoon et al). 2001;185:1130-6

Expression of aquaporin-8 in human placenta and chorioamniotic membranes: evidence of molecular mechanism for intramembranous amniotic fluid resorption (Wang et al). 2001;185:1226-31

Microsatellite analysis reveals a high incidence of maternal cell contamination in 46,XX products of conception consisting of villi or a combination of villi and membranous material (Jarett et al). 2001;185:198-203

Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes (Gervasi et al). 2001;185:1124-9

Fetal membranes, premature rupture

In vitro sealing of punctured fetal membranes: potential treatment for midtrimester premature rupture of membranes (Reddy et al). 2001;185:1090-3

An in vitro model and case report that used gelatin sponge to restore amniotic fluid volume after spontaneous premature rupture of the membranes (O'Brien et al). 2001;185:1094-7

Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes (Maymon et al). 2001;185:1143-8

Vitamins C and E: missing links in preventing preterm premature rupture of membranes? (Woods et al). 2001;185:5-10 (Clin. opinion)

Fetal movement

Computerized analysis of acute and chronic changes in fetal heart rate variation and fetal activity in association with maternal smoking (Coppens et al). 2001;185:421-6

Fetal organ maturity

Chorioamnionitis and inflammation of the fetal lung (Schmidt et al). 2001;185:173-7

The interactive effects of endotoxin with prenatal glucocorticoids on short-term lung function in sheep (Newnham et al). 2001;185:190-7

Fetal outcome; see Pregnancy outcome

Fetofetal transfusion

Amnioreduction versus septostomy in twin-twin transfusion syndrome (Johnson et al). 2001;185:1044-7

Fetal urine and amniotic fluid in monochorionic twins with twin-twin transfusion syndrome: simulations of therapy (Umur et al). 2001;185:996-1003

Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry (Mari et al). 2001;185:708-15

Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome (Luks et al). 2001;185:216-9

Selective photocoagulation of communicating vessels in the treatment of monochorionic twins with selective growth retardation (Quintero et al). 2001;185:689-96

Fetoscopy

Fetoscopic temporary tracheal occlusion by means of detachable balloon for congenital diaphragmatic hernia (Harrison et al). 2001;185:730-3

Fetus

Detection of a biorhythm of human fetal autonomic nervous activity by a power spectral analysis (Suzuki et al). 2001;185:1247-52

Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization (Detti et al). 2001;185:1048-51

Effects of branched-chain amino acids on placental amino acid transfer and insulin and glucagon release in the ovine fetus (Józwik et al). 2001;185:487-95

Effects of central angiotensin II receptor antagonism on fetal swallowing and cardiovascular activity (El-Haddad et al). 2001;185:828-33

The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production (Pierce et al). 2001;185:1068-72

Erythrocyte and erythropoietin responses to hemorrhage in the immature and near term ovine fetus (Hull and Brace). 2001;185:501-6

Fetal pulse oximetry in intrapartum management of nonreassuring fetal heart rate patterns (Chauhan et al) (Letter); (Garite) (Reply). 2001;185:771-2

Fetal serum concentrations of cystatin C and β_2 -microglobulin as predictors of postnatal kidney function (Bödenkamp et al). 2001;185:468-75

Fetal sinus bradycardia and the long QT syndrome (Beinder et al). 2001;185:743-7

Fetal transmission pulse oximetry: is it accurate? (Nijland et al) (Letter); (Ross et al) (Reply). 2001;185:776-7

Fetal umbilical cord oxygen values and birth to placental weight ratio in relation to size at birth (Lackman et al). 2001;185:674-82

Fetal urine and amniotic fluid in monochorionic twins with twin-twin transfusion syndrome: simulations of therapy (Umur et al). 2001;185:996-1003

Influence of labor on fetoplacental adrenomedullin concentrations (Di Iorio et al). 2001;185:697-702

Initial fetal platelet counts predict the response to intravenous gammaglobulin therapy in fetuses that are affected by PLAI incompatibility (Gaddipati et al). 2001;185:976-80

Kynurenine production and catabolism in fetal sheep with embolized or nonembolized placentas (Nicholls et al). 2001;185:988-95

A less invasive treatment strategy to prevent intracranial hemorrhage in fetal and neonatal alloimmune thrombocytopenia (Radder et al). 2001;185:683-8

Metabolic information from the human fetal brain obtained with proton magnetic resonance spectroscopy (Kok et al). 2001;185:1011-5

Reduction of subcutaneous mass, but not lean mass, in normal fetuses in Denver, Colorado (Galan et al). 2001;185:839-44

Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response (Kim et al). 2001;185:496-500

Fetus, abnormalities

Can prenatal ultrasound findings predict ambulatory status in fetuses with open spina bifida? (Biggio et al). 2001;185:1016-20

The clinical significance of fetal echogenic bowel (Al-Kouatly et al). 2001;185:1035-8

Factors that are associated with fetal demise in fetal echogenic bowel (Al-Kouatly et al). 2001;185:1039-43

Fetus, drug effects

Adverse effects of repeated administration of antenatal corticosteroids in nonhuman primates (Novy). 2001;185:1276-7 (Letter)

Fetus, large for gestational age; see Infant, large for gestational age

Fibronectins

The frequency and clinical significance of intra-amniotic inflammation in patients with a positive cervical fibronectin (Yoon et al). 2001;185:1137-42

Metronidazole treatment of women with a positive fetal fibronectin test result (Goldenberg et al). 2001;185:485-6

First stage of labor; see Labor stage, first

First trimester of pregnancy; see Pregnancy trimester, first

Flow velocity; see Blood flow velocity

Fluconazole

Treatment of complicated *Candida* vaginitis: comparison of single and sequential doses of fluconazole (Sobel et al). 2001;185:363-9

Fluorescence in situ hybridization; see In situ hybridization, fluorescence

Food intake; see Eating

Forceps, obstetrical; see Obstetrical forceps

Forearm, blood supply

Nitric oxide signaling mechanisms in the forearm vasculature of pregnant women (Anumba et al). 2001;185:420

Free radical scavengers

Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001;185:166-72

Frontal cortex; see Brain

Funisitis; see Umbilical cord

G

G spot; see Vagina

Gamete intrafallopian transfer

Gamete retrieval in terminal conditions (Finnerty et al). 2001;185:300-7

Gammaglobulins; see Globin

Gardnerella vaginalis

Bacteriocin susceptibility of *Gardnerella vaginalis* and its relationship to biotype, genotype, and metronidazole susceptibility (Simoes et al). 2001;185:1186-90

Defense factors of vaginal lactobacilli (Aroutcheva et al). 2001;185:375-9

Gases

De novo adhesions due to dry laparoscopy gas (Turner and Ott) (Letter); (Querleu and Occelli) (Reply). 2001;185:775-6

Gelatin sponge, absorbable

An in vitro model and case report that used gelatin sponge to restore amniotic fluid volume after spontaneous premature rupture of the membranes (O'Brien et al). 2001;185:1094-7

Gene expression

A high-throughput study of gene expression in preterm labor with a subtractive microarray approach (Muhle et al). 2001;185:716-24

Genes

Insertion-deletion polymorphism in the gene for angiotensin-converting enzyme is associated with obstetric cholestasis but not with preeclampsia (Heiskanen et al). 2001;185:600-3

Genetic counseling

Assessing genetic risk: comparison between the referring obstetrician and genetic counselor (Koscica et al). 2001;185:1032-4

Genetics

A novel X chromosome-linked genetic cause of recurrent spontaneous abortion (Lanasa et al). 2001;185:563-8

A single physician's experience with four thousand six hundred genetic amniocenteses (Horger et al). 2001;185:279-88

Genital diseases, female

Hormonal and barrier contraception and risk of upper genital tract disease in the PID Evaluation and Clinical Health (PEACH) study (Ness et al). 2001;185:121-7

Genitalia, female

- Epidermal clitoral inclusion cyst after type I female genital mutilation (Rouzi et al). 2001;185:569-71
Prevalence and predictors of chronic lower genital tract discomfort (Harlow et al). 2001;185:545-50

Genotype

- Bacteriocin susceptibility of *Gardnerella vaginalis* and its relationship to biotype, genotype, and metronidazole susceptibility (Simoes et al). 2001;185:1186-90

Gestational age

- Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation (Creinin et al). 2001;185:966-9
Erythrocyte and erythropoietin responses to hemorrhage in the immature and near term ovine fetus (Hull and Brace). 2001;185:501-6
A longitudinal study of quantitative uterine blood flow with the use of color power angiography in appropriate for gestational age pregnancies (Konje et al). 2001;185:608-13
Survival, morbidity, and resource use of infants at 25 weeks' gestational age or less (Chan et al). 2001;185:220-6

Gestational diabetes; see Diabetes, gestational

Gestational hypertension; see Hypertension

Globin

- Initial fetal platelet counts predict the response to intravenous gammaglobulin therapy in fetuses that are affected by PLAI incompatibility (Gaddipati et al). 2001;185:976-80

Globulins

- Fetal serum concentrations of cystatin C and β_2 -microglobulin as predictors of postnatal kidney function (Bödenkamp et al). 2001;185:468-75

Glucagon

- Effects of branched-chain amino acids on placental amino acid transfer and insulin and glucagon release in the ovine fetus (Józwik et al). 2001;185:487-95

Glucocorticoids

- The interactive effects of endotoxin with prenatal glucocorticoids on short-term lung function in sheep (Newnham et al). 2001;185:190-7

Glucokinase

- Influence of maternal and fetal glucokinase mutations in gestational diabetes (Spyer et al). 2001;185:240-1

Glucose

- One or two hours postprandial glucose measurements: are they the same? (Sivan et al). 2001;185:604-7

Gluteal region; see Buttocks

Glycoproteins

- Immunoglobulin A anti- β_2 -glycoprotein antibodies in women who experience unexplained recurrent spontaneous abortion and unexplained fetal death (Lee et al). 2001;185:748-53

Gonadotropins, chorionic

- Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation (Creinin et al). 2001;185:966-9
Evaluation of the prognosis of in vitro fertilization pregnancies with initially low serum human chorionic gonadotropin levels (Frishman et al). 2001;185:392-5

Gonorrhea

- A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy (Ramus et al). 2001;185:629-32

Granulocytes

- Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes (Gervasi et al). 2001;185:1124-9
Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection (Naccasha et al). 2001;185:1118-23
Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia (Gervasi et al). 2001;185:792-7

Grief

- Perinatal hospice (Hoeldtke and Calhoun). 2001;185:525-9 (Clin. opinion)

Group B *Streptococcus*; see *Streptococcus agalactiae*

Growth

- Placental transport rather than maternal concentration of amino acids regulates fetal growth in monochorionic twins: implications for fetal origin hypothesis (Bajoria et al). 2001;185:1239-46

Growth hormone, pituitary; see Somatotropin

Growth retardation, fetal; see Fetal growth retardation

Guanylate cyclase

- Contractility of late pregnant rat myometrium is refractory to activation of soluble but not particulate guanylate cyclase (Fulep et al). 2001;185:158-62

Guidelines

- Management of women with atypical Papanicolaou tests of undetermined significance by board-certified gynecologists: discrepancies with published guidelines (Smith-McCune et al). 2001;185:551-6

Gynecologic surgery; see Surgery, gynecologic

Gynecology

- Clinical experience reported by candidates for the American Board of Obstetrics and Gynecology 1995 and 1997 oral examinations (Chez et al). 2001;185:1429-32
The G-spot: a modern gynecologic myth (Hines). 2001;185:359-62 (Clin. opinion)
Management of women with atypical Papanicolaou tests of undetermined significance by board-certified gynecologists: discrepancies with published guidelines (Smith-McCune et al). 2001;185:551-6
The millennial mark (Johnson). 2001;185:261-7 (Pres. address)
Patients with psychiatric disorders in gynecologic practice (Bixo et al). 2001;185:396-402
Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice (Spitzer et al). 2001;185:507-13 (Education)

H

Head

- Correlation of head-to-body delivery intervals in shoulder dystocia and umbilical artery acidosis (Stallings et al). 2001;185:268-74

Health resources

- Hormone replacement therapy in postmenopausal women: utilization of health care resources by new users (Thorp et al). 2001;185:318-26

Heart rate, fetal

- Abnormal fetal heart rate tracing patterns during the first stage of labor: effect on perinatal outcome (Hadar et al). 2001;185:863-8
Computerized analysis of acute and chronic changes in fetal heart rate variation and fetal activity in association with maternal smoking (Coppens et al). 2001;185:421-6
Cross-correlation of fetal cardiac and somatic activity as an indicator of antenatal neural development (DiPietro et al). 2001;185:1421-8
Fetal pulse oximetry in intrapartum management of nonreassuring fetal heart rate patterns (Chauhan et al) (Letter); (Garite) (Reply). 2001;185:771-2

Heart valve prosthesis

- Enoxaparin treatment in women with mechanical heart valves during pregnancy (Rowan et al). 2001;185:633-7

HELLP syndrome

- Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001;185:166-72

Hematometra

Hematometra of the rudimentary horn of a unicornuate uterus resulting from cesarean section (Chang et al). 2001; 185:1263-4

Hematopoiesis

Effect of preeclampsia on umbilical cord blood hematopoietic progenitor-stem cells (Surbek et al). 2001;185:725-9

Hemolysis

Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001; 185:166-72

Hemolytic uremic syndrome

Pregnancy-associated recurrent hemolytic uremic syndrome with fetal thrombotic vasculopathy in the placenta (Hebisch et al). 2001;185:1265-6

Hemorrhage

Erythrocyte and erythropoietin responses to hemorrhage in the immature and near term ovine fetus (Hull and Brace). 2001;185:501-6

Hemorrhage, intracranial

A less invasive treatment strategy to prevent intracranial hemorrhage in fetal and neonatal alloimmune thrombocytopenia (Radder et al). 2001;185:683-8

Perinatal factors associated with severe intracranial hemorrhage (Thorp et al). 2001;185:859-62

Hemorrhage, postpartum; see Postpartum hemorrhage**Heparin**

Heparin-induced thrombocytopenia is rare in pregnancy (Fausett et al). 2001;185:148-52

Hepatic abnormalities; see Liver, abnormalities**Hepatitis B vaccines**

Hepatitis B immunization in postpartum women (Jurema et al). 2001;185:355-8 (Clin. opinion)

Hepatitis B virus

Role of placental tissues in the intrauterine transmission of hepatitis B virus (Xu et al). 2001;185:981-7

Herbs

A survey of dietary supplement use during pregnancy at an academic medical center (Tsui et al). 2001;185:433-7

Hernia

High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse (Karram et al). 2001;185:1339-43

Hernia, diaphragmatic

Fetoscopic temporary tracheal occlusion by means of detachable balloon for congenital diaphragmatic hernia (Harrison et al). 2001;185:730-3

HIV

Maternal-fetal transfer of saquinavir studied in the ex vivo placental perfusion model (Forestier et al). 2001; 185:178-81

The millennial mark (Johnson). 2001;185:261-7 (Pres. address)

Posthumous reproduction in a human immunodeficiency virus-discordant couple (Sauer and Chang). 2001;185:252-3

Scheduled cesarean delivery and the prevention of human immunodeficiency virus transmission: a survey of practicing obstetricians (Rowland et al). 2001; 185:327-31

HIV-1

Semen processing for HIV-discordant couples (Jamieson et al) (Letter); (Nahvi et al) (Reply). 2001; 185:1433-4

HLA antigens

A study of human leukocyte antigen G expression in hydatidiform moles (Goldman-Wohl et al). 2001; 185:476-80

Homocysteine

Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Cotter et al). 2001;185:781-5

Hormonal contraception; see Contraceptives, oral**Hormone replacement therapy; see Estrogen replacement therapy****Hospice care**

Perinatal hospice (Hoeldtke and Calhoun). 2001; 185:525-9 (Clin. opinion)

Human chorionic gonadotropins; see Gonadotropins, chorionic**Hydatidiform mole**

A study of human leukocyte antigen G expression in hydatidiform moles (Goldman-Wohl et al). 2001; 185:476-80

Hydrocephalus

The role of cephalocentesis in modern obstetrics (Chasen et al). 2001;185:734-6

Hydrops fetalis

Noninvasive diagnosis of anemia in hydrops fetalis with the use of middle cerebral artery Doppler velocity (Abdel-Fattah et al). 2001;185:1411-5

The severity of immune fetal hydrops is predictive of fetal outcome after intrauterine treatment (van Kamp et al). 2001;185:668-73

In utero erythrocyte transfusion for fetal xerocytosis associated with severe anemia and non-immune hydrops fetalis (Ogburn et al). 2001;185:238-9

Hydroxytryptamine

A randomized, double-blind placebo-controlled trial of the effects of the 5-hydroxytryptamine(4) agonist cisapride on the female urinary bladder (Steele et al). 2001;185:62-4

Hygroma

Prenatal diagnosis from cystic hygroma fluid: the value of fluorescence in situ hybridization (Donnenfeld et al). 2001; 185:1004-8

Hyperoxia

The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production (Pierce et al). 2001;185:1068-72

Hypertension

Nitric oxide synthase gene knockout mice do not become hypertensive during pregnancy (Shesely et al). 2001;185:1198-203

Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational hypertension (Gofton et al). 2001;185:798-803

A randomized trial of labor analgesia in women with pregnancy-induced hypertension (Lucas et al). 2001;185:970-5

Hypogastric arteries; see Arteries**Hysterectomy**

Assessing symptoms before hysterectomy: is the medical record accurate? (Broder et al). 2001;185:97-102

Infundibulopelvic colpopexy with partial resection of vagina for repair of posthysterectomy vault prolapse (Papp) (Letter); (Barber) (Reply). 2001;185:1009

Pseudoaneurysm of the uterine artery after abdominal hysterectomy: radiologic diagnosis and management (Lee et al). 2001;185:1269-72

I**IgA**

Biodegradable microspheres containing group B *Streptococcus* vaccine: immune response in mice (Hunter et al). 2001;185: 1174-9

Immunoglobulin A anti- β_2 -glycoprotein antibodies in women who experience unexplained recurrent spontaneous abortion and unexplained fetal death (Lee et al). 2001;185:748-53

IgG

Biodegradable microspheres containing group B *Streptococcus* vaccine: immune response in mice (Hunter et al). 2001; 185:1174-9

Illness, terminal

Gamete retrieval in terminal conditions (Finnerty et al). 2001; 185:300-7

Immunocompetence

Altered immune response in adult women exposed to diethylstilbestrol in utero (Burke et al). 2001;185:78-81

Immunoglobulins, intravenous

Initial fetal platelet counts predict the response to intravenous gammaglobulin therapy in fetuses that are affected by PLAI incompatibility (Gaddipati et al). 2001;185:976-80

Immunohistochemistry

Leiomyoma in the Space of Retzius: a report of 2 cases (Stuterecker et al). 2001;185:248-9

Impairment of fetal growth; see Fetal growth retardation

In situ hybridization, fluorescence

Prenatal diagnosis from cystic hygroma fluid: the value of fluorescence in situ hybridization (Donnenfeld et al). 2001;185:1004-8

In vitro fertilization; see Fertilization in vitro

Incompatibility, blood group; see Blood group incompatibility

Incontinence, urinary; see Urinary incontinence

Incontinence Impact Questionnaire

The Incontinence Impact Questionnaire and the Urogenital Distress Inventory: a revisit of their validity in women without a urodynamic diagnosis (Harvey et al). 2001;185:25-31

Responsiveness of quality of life measurements to change after reconstructive pelvic surgery (FitzGerald et al). 2001;185:20-4. Correction 2001;185:1278

Induced abortion; see Abortion

Induction of labor; see Labor, induced

Infant, large for gestational age

Outcomes of trial of labor following previous cesarean delivery among women with fetuses weighing >4000 g (Zelop et al). 2001;185:903-5

Infant, low birth weight

Does the combined antenatal use of corticosteroids and antibiotics increase late-onset neonatal sepsis in the very low birth weight infant? (How et al). 2001;185:1081-5

Perinatal care regionalization and low birth weight infant mortality rates in Alaska (Gessner and Muth). 2001;185:623-8

Infant, newborn

Antenatal magnesium exposure and neonatal demise (Farkouh et al). 2001;185:869-72

Is it time to move on? (Goodlin) (Letter); (Low) (Reply). 2001;185:1275

Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational hypertension (Gofton et al). 2001;185:798-803

Perinatal correlates and neonatal outcomes of small for gestational age infants born at term gestation (Doctor et al). 2001;185:652-9

Infant, newborn, diseases

Does the combined antenatal use of corticosteroids and antibiotics increase late-onset neonatal sepsis in the very low birth weight infant? (How et al). 2001;185:1081-5

Effectiveness of a rescue dose of antenatal betamethasone after an initial single course (Vermillion et al). 2001;185:1086-9

A less invasive treatment strategy to prevent intracranial hemorrhage in fetal and neonatal alloimmune thrombocytopenia (Radder et al). 2001;185:683-8

No increase in rates of early-onset neonatal sepsis by non-group B *Streptococcus* or ampicillin-resistant organisms (Chen et al). 2001;185:854-8

Infant, premature

Are risk factors the same for small for gestational age versus other preterm births? (Zeitlin et al). 2001;185:208-15

Impairment of growth in fetuses destined to deliver preterm (Bukowski et al). 2001;185:463-7

Midtrimester vaginal *Mycoplasma genitalium* in women with subsequent spontaneous preterm birth (Lu et al). 2001;185:163-5

The Preterm Prediction Study: toward a multiple-marker test for spontaneous preterm birth (Goldenberg et al). 2001;185:643-51

Twin birth weight discordance and the risk of preterm birth (Jakobovits) (Letter); (Cooperstock) (Reply). 2001;185:256

Infant, premature, diseases

Survival, morbidity, and resource use of infants at 25 weeks' gestational age or less (Chan et al). 2001;185:220-6

Infant, small for gestational age

Are risk factors the same for small for gestational age versus other preterm births? (Zeitlin et al). 2001;185:208-15

Perinatal correlates and neonatal outcomes of small for gestational age infants born at term gestation (Doctor et al). 2001;185:652-9

Infant mortality

Antenatal magnesium exposure and neonatal demise (Farkouh et al). 2001;185:869-72

The millennial mark (Johnson). 2001;185:261-7 (Pres. address)

Perinatal care regionalization and low birth weight infant mortality rates in Alaska (Gessner and Muth). 2001;185:623-8

Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry (Mari et al). 2001;185:708-15

Infection

Amniotic fluid matrix metalloproteinase-8 indicates intra-amniotic infection (Angus et al). 2001;185:1232-8

In vitro study of antibacterial properties of the cervical mucus plug in pregnancy (Hein et al). 2001;185:586-92

Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation (Amory et al). 2001;185:1064-7

The millennial mark (Johnson). 2001;185:261-7 (Pres. address)

Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection (Naccasha et al). 2001;185:1118-23

Severe meconium aspiration syndrome is not caused by aspiration of meconium (Ghidini and Spong). 2001;185:931-8 (Clin. opinion)

Vasopressin as an etiologic factor for infection in gynecologic surgery: a randomized double-blind placebo-controlled trial (Kammerer-Doak et al). 2001;185:1344-8

Infertility, female

Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above (Sheiner et al). 2001;185:888-92

Inflammation

Chorioamnionitis and inflammation of the fetal lung (Schmidt et al). 2001;185:173-7

Clinical significance of intra-amniotic inflammation in patients with preterm labor and intact membranes (Yoon et al). 2001;185:1130-6

The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production (Pierce et al). 2001;185:1068-72

The frequency and clinical significance of intra-amniotic inflammation in patients with a positive cervical fibronectin (Yoon et al). 2001;185:1137-42

Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation (Amory et al). 2001;185:1064-7

Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response (Kim et al). 2001;185:496-500

Infundibulopelvic colpopexy; see Vagina, surgery

Injections, intramuscular

A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy (Ramus et al). 2001;185:629-32

Insemination, artificial

Platelet activating factor does not improve intrauterine insemination outcome (Claman) (Letter); (Roudebush) (Reply). 2001;185:1277-8

Posthumous reproduction in a human immunodeficiency virus-discordant couple (Sauer and Chang). 2001;185:252-3

Predictors of success with the use of donor sperm (Williams and Alderman). 2001;185:332-7

Insulin

Effects of branched-chain amino acids on placental amino acid transfer and insulin and glucagon release in the ovine fetus (Józwik et al). 2001;185:487-95

Insulin lispro and the development of proliferative diabetic retinopathy during pregnancy (Kitzmiller) (Letter); (Buchbinder et al) (Reply). 2001;185:774-5

Intact fetal membranes; *see* Fetal membranes

Intensive care units, neonatal

Survival, morbidity, and resource use of infants at 25 weeks' gestational age or less (Chan et al). 2001; 185:220-6

International Amnioreduction Registry

Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry (Mari et al). 2001; 185:708-15

Internship and residency

Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice (Spitzer et al). 2001; 185:507-13 (Education)

Interval between pregnancies; *see* Birth intervals

Intracranial aneurysm; *see* Cerebral aneurysm

Intrauterine fetal maladaptation; *see* Labor presentation

Intrauterine growth restriction; *see* Fetal growth retardation

Intrauterine transfusion; *see* Blood transfusion, intrauterine

Intrauterine transmission; *see* Maternal-fetal exchange

Intravaginal administration; *see* Administration, intravaginal

Isoenzymes

Functional divergences of PKC isoforms in the human myometrium? (Breuiller-Fouché et al) (Letter); (Hurd et al) (Reply). 2001; 185:778-9

Isoimmunization; *see* Rh isoimmunization

J

Jehovah's Witnesses; *see* Christianity

Job satisfaction

The distribution, practice, and attitudes of maternal-fetal medicine specialists (Coustan et al). 2001; 185:1218-25

K

Kidney

Fetal serum concentrations of cystatin C and β_2 -microglobulin as predictors of postnatal kidney function (Bödenkamp et al). 2001; 185:468-75

Kinase II

Insertion-deletion polymorphism in the gene for angiotensin-converting enzyme is associated with obstetric cholestasis but not with preeclampsia (Heiskanen et al). 2001; 185:600-3

Kynurenine

Kynurenine production and catabolism in fetal sheep with embolized or nonembolized placentas (Nicholls et al). 2001; 185:988-95

L

Labor

Does epidural analgesia prolong labor and increase risk of cesarean delivery? A natural experiment (Zhang et al). 2001; 185:128-34

Fetal umbilical cord oxygen values and birth to placental weight ratio in relation to size at birth (Lackman et al). 2001; 185:674-82

Influence of labor on fetoplacental adrenomedullin concentrations (Di Iorio et al). 2001; 185:697-702

A pregnant woman with previous anaphylactic reaction to local anesthetics: a case report (Browne and Birnbach). 2001; 185:1253-4

Labor, induced

A comparison of various routes and dosages of misoprostol for cervical ripening and the induction of labor (How et al). 2001; 185:911-5

Oral versus vaginal misoprostol for induction of labor: a double-blind randomized controlled trial (Fisher et al). 2001; 185:906-10

Labor, injuries

Disuse osteoporosis as evidence of brachial plexus palsy due to intrauterine fetal maladaptation (Jennett and Tarby). 2001; 185:236-7

Labor, premature

Amniotic fluid matrix metalloproteinase-8 in preterm labor with intact membranes (Maymon et al). 2001; 185:1149-55

Clinical significance of intra-amniotic inflammation in patients with preterm labor and intact membranes (Yoon et al). 2001; 185:1130-6

An elevated amniotic fluid matrix metalloproteinase-8 level at the time of mid-trimester genetic amniocentesis identifies patients at risk for spontaneous preterm delivery (Yoon et al). 2001; 185:1162-7

A high-throughput study of gene expression in preterm labor with a subtractive microarray approach (Muhle et al). 2001; 185:716-24

Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation (Amory et al). 2001; 185:1064-7

Multiple courses of antenatal corticosteroids: a systematic review and meta-analysis (Aghajafari et al). 2001; 185:1073-80

Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes (Gervasi et al). 2001; 185:1124-9

The role of thrombin in preterm parturition (Elovitz et al). 2001; 185:1059-63

Labor complications

Maternal age and uterine dysfunction (Rosenthal) (Letter); (Main and Main) (Reply). 2001; 185:258-9

Labor onset

Reduced binding of progesterone receptor to its nuclear response element after human labor onset (Henderson and Wilson). 2001; 185:579-85

Labor presentation

Disuse osteoporosis as evidence of brachial plexus palsy due to intrauterine fetal maladaptation (Jennett and Tarby). 2001; 185:236-7

Labor stage, first

Abnormal fetal heart rate tracing patterns during the first stage of labor: effect on perinatal outcome (Hadar et al). 2001; 185:863-8

A comparison of various routes and dosages of misoprostol for cervical ripening and the induction of labor (How et al). 2001; 185:911-5

Vaginally administered misoprostol for outpatient cervical ripening in pregnancies complicated by diabetes mellitus (Incerpi et al). 2001; 185:916-9

Labor stage, third

Rectal misoprostol versus intravenous oxytocin for the prevention of postpartum hemorrhage after vaginal delivery (Gertenfeld and Wing). 2001; 185:878-82

Laceration

Episiotomy increases perineal laceration length in primiparous women (Nager and Helliwell). 2001; 185:444-50

Lactobacillus

Defense factors of vaginal lactobacilli (Aroutcheva et al). 2001; 185:375-9

Laparoscopy

De novo adhesions due to dry laparoscopy gas (Turner and Ott) (Letter); (Querleu and Occeci) (Reply). 2001; 185:775-6

Lasers

Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome (Luks et al). 2001; 185:216-9

Successful planned pregnancy following endometrial ablation with the YAG laser (Pinette et al). 2001; 185:242-3

Late pregnancy; *see* Pregnancy trimester, third

Leadership

A mentoring society (Weinstein). 2001; 185:1294-8 (Pres. address)

Left ventricular function; *see* Ventricular function, left

Leiomyoma

Leiomyoma in the Space of Retzius: a report of 2 cases (Stuterecker et al). 2001; 185:248-9

Leptin

Leptin in the ovine fetus correlates with fetal and placental size (Buchbinder et al). 2001;185:786-91

Letters to the editors

- Adverse effects of repeated administration of antenatal corticosteroids in nonhuman primates (Novy). 2001; 185:1276-7 (Letter)
- Appendicitis during pregnancy (Viktrup and Hee) (Letter); (Mourad and Elliott) (Reply). 2001;185:259-60
- Aspirin to treat obstetric manifestations of the antiphospholipid syndrome (Ruiz-Irastorza et al) (Letter); (Pattison and Chamley) (Reply). 2001;185:523-4
- Computed tomography and locating ureters in relation to the uterine cervix (Huddleston) (Letter); (Hurd et al) (Reply). 2001;185:1009-10
- Cornual heterotopic pregnancy: contemporary management options (van der Weiden and Brandenburg). 2001;185:522 (Letter)
- De novo adhesions due to dry laparoscopy gas (Turner and Ott) (Letter); (Querleu and Ocelli) (Reply). 2001;185:775-6
- Disappointment with maternal-fetal outcome model (Yancey and Nielsen) (Letter); (Novicoff) (Reply). 2001;185:257-8
- Doppler velocimetry: is it useful in preeclampsia? (Ceres et al) (Letter); (Lindheimer and Sibai) (Reply). 2001;185:522-3
- Dubious validity of novel maternal-fetal outcome model (Hoeldtke) (Letter); (Novicoff) (Reply). 2001; 185:256-8
- Dysmorphogenesis and oxidative stress in diabetic rats (Kalter) (Letter); (Poston and Holemans) (Reply). 2001;185:772
- Fetal pulse oximetry in intrapartum management of nonreassuring fetal heart rate patterns (Chauhan et al) (Letter); (Garite) (Reply). 2001;185:771-2
- Fetal transmission pulse oximetry: is it accurate? (Nijland et al) (Letter); (Ross et al) (Reply). 2001;185:776-7
- Functional divergences of PKC isoforms in the human myometrium? (Breuiller-Fouché et al) (Letter); (Hurd et al) (Reply). 2001;185:778-9
- Infundibulopelvic colpopexy with partial resection of vagina for repair of posthysterectomy vault prolapse (Papp) (Letter); (Barber) (Reply). 2001;185:1009
- Insulin lispro and the development of proliferative diabetic retinopathy during pregnancy (Kitzmilller) (Letter); (Buchbinder et al) (Reply). 2001;185:774-5
- Is a multiple birth pregnancy a risk factor for gestational diabetes? (Egeland and Irgens) (Letter); (Schwartz and Daoud) (Reply). 2001;185:1275-6
- Is it time to move on? (Goodlin) (Letter); (Low) (Reply). 2001; 185:1275
- Maternal age and uterine dysfunction (Rosenthal) (Letter); (Main and Main) (Reply). 2001;185:258-9
- Multifetal pregnancy reduction (Maymon and Herman) (Letter); (Eddleman et al) (Reply). 2001; 185:772-4
- Neurobiology of decreased sensitivity to stress as pregnancy advances (Friedman) (Letter); (Glynn et al) (Reply). 2001; 185:779-80
- Neurobiology of maternal asthma and pregnancy outcomes (Friedman). 2001;185:523 (Letter)
- PCOS and OCPs? (Sherwin and Quinn) (Letter); (Barbieri) (Reply). 2001;185:777-8
- Platelet activating factor does not improve intrauterine insemination outcome (Claman) (Letter); (Roudebush) (Reply). 2001;185:1277-8
- Semen processing for HIV-discordant couples (Jamieson et al) (Letter); (Nahvi et al) (Reply). 2001; 185:1433-4
- Twin birth weight discordance and the risk of preterm birth (Jakobovits) (Letter); (Cooperstock) (Reply). 2001;185:256

Leukocytes

Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes (Gervasi et al). 2001;185:1124-9

Levator ani; see Pelvis

Lidocaine

A pregnant woman with previous anaphylactic reaction to local anesthetics: a case report (Browne and Birnbach). 2001;185:1253-4

Light coagulation

Selective photocoagulation of communicating vessels in the treatment of monochorionic twins with selective growth retardation (Quintero et al). 2001;185:689-96

Lipid peroxidation

Dysmorphogenesis and oxidative stress in diabetic rats (Kalter) (Letter); (Poston and Holemans) (Reply). 2001;185:772

Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001; 185:166-72

No evidence for lipid peroxidation in severe preeclampsia (Regan et al). 2001;185:572-8

Lipopolysaccharides

Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation (Amory et al). 2001;185:1064-7

Liquid-based cervix smear; see Vaginal smears

Liver

Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001; 185: 166-72

Liver, abnormalities

Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8

Local anesthesia; see Anesthesia, local

Low birth weight infant; see Infant, low birth weight

Low-income women; see Social class

Lung

Chorioamnionitis and inflammation of the fetal lung (Schmidt et al). 2001;185:173-7

The interactive effects of endotoxin with prenatal glucocorticoids on short-term lung function in sheep (Newnham et al). 2001;185:190-7

Lymph node excision

Radical abdominal trachelectomy and pelvic lymphadenectomy with uterine conservation and subsequent pregnancy in the treatment of early invasive cervical cancer (Rodriguez et al). 2001;185:370-4

Lymphocytes

Altered expression of TCR-CD3 ζ induced by sera from women with preeclampsia (Whitaker et al). 2001; 185:812-8

M

Magnesium

Antenatal magnesium exposure and neonatal demise (Farkouh et al). 2001;185:869-72

Population pharmacokinetics of magnesium in preeclampsia (Chuan et al). 2001;185:593-9

Magnetic resonance imaging

Assessment and grading of pelvic organ prolapse by use of dynamic magnetic resonance imaging (Singh et al). 2001; 185:71-7

Linear measurements in 2-dimensional pelvic floor imaging: the impact of slice tilt angles on measurement reproducibility (Hoyte and Ratinu). 2001; 185:537-44

Metabolic information from the human fetal brain obtained with proton magnetic resonance spectroscopy (Kok et al). 2001;185:1011-5

Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome (Luks et al). 2001; 185:216-9

A structured system to evaluate urethral support anatomy in magnetic resonance images (Chou and DeLancey). 2001; 185:44-50

- Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse (Hoyte et al). 2001;185:11-9
- Mass screening**
Maternal serum screening for fetal trisomy 18: benefits of patient-specific risk protocol (Hogge et al). 2001;185:289-93
- Maternal age**
The impact of the use of the isolated echogenic intracardiac focus as a screen for Down syndrome in women under the age of 35 years (Caughey et al). 2001;185:1021-7
Maternal age and uterine dysfunction (Rosenthal) (Letter); (Main and Main) (Reply). 2001;185:258-9
Predictors of success with the use of donor sperm (Williams and Alderman). 2001;185:332-7
- Maternal age 35 and over**
Assessing fertility in women of advanced reproductive age (Klein and Sauer). 2001;185:758-70 (AJOG reviews)
Increased risk of cesarean delivery with advancing maternal age: indications and associated factors in nulliparous women (Ecker et al). 2001;185:883-7
Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above (Sheiner et al). 2001;185:888-92
Role of ultrasound for Down syndrome screening in advanced maternal age (Egan et al). 2001;185:1028-31
- Maternal behavior**
Computerized analysis of acute and chronic changes in fetal heart rate variation and fetal activity in association with maternal smoking (Coppens et al). 2001;185:421-6
- Maternal death**
Are women who are Jehovah's Witnesses at risk of maternal death? (Singla et al). 2001;185:893-5
- Maternal-fetal exchange**
Biodegradable microspheres containing group B *Streptococcus* vaccine: immune response in mice (Hunter et al). 2001;185:1174-9
The impact of prenatal alcohol exposure on frontal cortex development in utero (Wass et al). 2001;185:737-42
Maternal-fetal transfer of saquinavir studied in the ex vivo placental perfusion model (Forestier et al). 2001;185:178-81
Role of placental tissues in the intrauterine transmission of hepatitis B virus (Xu et al). 2001;185:981-7
- Maternal-fetal outcome; see Pregnancy outcome**
Maternal-fetal specialists; see Specialties, medical
Mechanical heart valve; see Heart valve prosthesis
Meconium aspiration
Severe meconium aspiration syndrome is not caused by aspiration of meconium (Ghidini and Spong). 2001;185:931-8 (Clin. opinion)
- Medical directors**
Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice (Spitzer et al). 2001;185:507-13 (Education)
- Medical records**
Assessing symptoms before hysterectomy: is the medical record accurate? (Broder et al). 2001;185:97-102
- Medical students; see Students, medical**
Medroxyprogesterone
Effects of low-dose continuous combined conjugated estrogens and medroxyprogesterone acetate on menopause symptoms, body weight, bone density, and metabolism in postmenopausal women (Gambacciani et al). 2001;185:1180-5
- Menopause**
Alternatives for women through menopause (Gass and Taylor). 2001;185:547-56 (Symposium)
Combined oral hormone replacement therapy formulations (Mattox and Shulman). 2001;185:538-46 (Symposium)
Current perspectives on benefits and risks of hormone replacement therapy (Burkman et al). 2001;185:513-23 (Symposium)
Current perspectives on oral contraceptive use (Burkman et al). 2001;185:54-12 (Symposium)
- Effects of low-dose continuous combined conjugated estrogens and medroxyprogesterone acetate on menopause symptoms, body weight, bone density, and metabolism in postmenopausal women (Gambacciani et al). 2001;185:1180-5
Expression of estrogen receptor isoforms α and β messenger RNA in vaginal tissue of premenopausal and postmenopausal women (Gebhart et al). 2001;185:1325-31
Factors associated with endometrial thickness and uterine size in a random sample of postmenopausal women (Gull et al). 2001;185:386-91
The hormone continuum: accrual of women's health benefits—introduction (Burkman). 2001;185:51-3 (Symposium)
Hormone replacement therapy in postmenopausal women: utilization of health care resources by new users (Thorp et al). 2001;185:318-26
Oral contraceptive use in perimenopause (Kaunitz). 2001;185:532-7 (Symposium)
Preclinical profiles of progestins used in formulations of oral contraceptives and hormone replacement therapy (Hammond et al). 2001;185:524-31 (Symposium)
Raloxifene reduces impedance to flow within the uterine artery in early postmenopausal women: a 2-year randomized, placebo-controlled, comparative study (Post et al). 2001;185:557-62
- Menstrual cycle**
Vascular reactivity in men and women of reproductive age (Bowyer et al). 2001;185:88-96
- Mental disorders**
Patients with psychiatric disorders in gynecologic practice (Bixo et al). 2001;185:396-402
- Mental health**
A comparison of the psychologic impact and client satisfaction of surgical treatment with medical treatment of spontaneous abortion: a randomized controlled trial (Lee et al). 2001;185:953-8
- Mental retardation**
Maternal serum screening for fetal trisomy 18: benefits of patient-specific risk protocol (Hogge et al). 2001;185:289-93
- Mentors**
A mentoring society (Weinstein). 2001;185:1294-8 (Pres. address)
- Mersilene mesh sling; see Surgical mesh**
Messenger RNA; see RNA, messenger
Metabolism
Effects of low-dose continuous combined conjugated estrogens and medroxyprogesterone acetate on menopause symptoms, body weight, bone density, and metabolism in postmenopausal women (Gambacciani et al). 2001;185:1180-5
Metabolic information from the human fetal brain obtained with proton magnetic resonance spectroscopy (Kok et al). 2001;185:1011-5
Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes (Gervasi et al). 2001;185:1124-9
Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection (Naccasha et al). 2001;185:1118-23
Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia (Gervasi et al). 2001;185:792-7
- Metalloproteinases**
Amniotic fluid matrix metalloproteinase-8 indicates intra-amniotic infection (Angus et al). 2001;185:1232-8
Amniotic fluid matrix metalloproteinase-8 in preterm labor with intact membranes (Maymon et al). 2001;185:1149-55
An elevated amniotic fluid matrix metalloproteinase-8 level at the time of mid-trimester genetic amniocentesis identifies patients at risk for spontaneous preterm delivery (Yoon et al). 2001;185:1162-7
Increased invasion activity of endometrial stromal cells and elevated expression of matrix metalloproteinase messenger RNA in the uterine tissues of mice with experimentally induced adenomyosis (Matsuda et al). 2001;185:1374-80

The relationship between amniotic fluid matrix metalloproteinase-8 and funisitis (Park et al). 2001; 185:1156-61

Methotrexate

Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation (Creinin et al). 2001; 185:966-9

Metronidazole

Bacteriocin susceptibility of *Gardnerella vaginalis* and its relationship to biotype, genotype, and metronidazole susceptibility (Simoes et al). 2001; 185:1186-90

Metronidazole treatment of women with a positive fetal fibronectin test result (Goldenberg et al). 2001; 185:485-6

Microarray

A high-throughput study of gene expression in preterm labor with a subtractive microarray approach (Muhle et al). 2001; 185:716-24

Microglobulins; see Globulins

Microsatellites; see Satellites

Microspheres

Biodegradable microspheres containing group B *Streptococcus* vaccine: immune response in mice (Hunter et al). 2001; 185:1174-9

Midtrimester of pregnancy; see Pregnancy trimester, second

Mifepristone

Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation (Creinin et al). 2001; 185:966-9

Misoprostol

Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation (Creinin et al). 2001; 185:966-9

A comparison of the psychologic impact and client satisfaction of surgical treatment with medical treatment of spontaneous abortion: a randomized controlled trial (Lee et al). 2001; 185:953-8

A comparison of various routes and dosages of misoprostol for cervical ripening and the induction of labor (How et al). 2001; 185:911-5

Oral versus vaginal misoprostol for induction of labor: a double-blind randomized controlled trial (Fisher et al). 2001; 185:906-10

Rectal misoprostol versus intravenous oxytocin for the prevention of postpartum hemorrhage after vaginal delivery (Gerstenfeld and Wing). 2001; 185:878-82

Vaginally administered misoprostol for outpatient cervical ripening in pregnancies complicated by diabetes mellitus (Incerpi et al). 2001; 185:916-9

Monochorionic twins; see Twins

Monocytes

Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes (Gervasi et al). 2001; 185:1124-9

Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection (Naccasha et al). 2001; 185:1118-23

Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia (Gervasi et al). 2001; 185:792-7

Morbidity

The effect of the increasing prevalence of maternal obesity on perinatal morbidity (Lu et al). 2001; 185:845-9

Harvesting autologous fascia lata for pelvic reconstructive surgery: techniques and morbidity (Walter et al). 2001; 185:1354-9

Perinatal correlates and neonatal outcomes of small for gestational age infants born at term gestation (Doctor et al). 2001; 185:652-9

Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry (Mari et al). 2001; 185:708-15

Survival, morbidity, and resource use of infants at 25 weeks' gestational age or less (Chan et al). 2001; 185:220-6

Morbidly obese; see Obesity, morbid

Mortality, infant; see Infant mortality

Mucus

An in vitro study of antibacterial properties of the cervical mucus plug in pregnancy (Hein et al). 2001; 185:586-92

Müllerian ducts, abnormalities

Obstructive Müllerian anomalies: case report, diagnosis, and management (Burgis). 2001; 185:338-44

Vaginal creation for müllerian agenesis (Roberts et al). 2001; 185:1349-53

Multifetal pregnancy reduction; see Abortion

Multiple gestations; see Pregnancy, multiple

Muscle, smooth

Smooth muscle myosin heavy chain and caldesmon expression in the anterior vaginal wall of women with and without pelvic organ prolapse (Boreham et al). 2001; 185:944-52

Mutation

Influence of maternal and fetal glucokinase mutations in gestational diabetes (Spyer et al). 2001; 185:240-1

Maternal and fetal inherited thrombophilias are not related to the development of severe preeclampsia (Livingston et al). 2001; 185:153-7

Mycoplasma genitalium

Midtrimester vaginal *Mycoplasma genitalium* in women with subsequent spontaneous preterm birth (Lu et al). 2001; 185:163-5

Myofascitis

Gluteal necrotizing myofascitis: an unusual delayed complication of abdominal sacrocolpopexy (Goldberg et al). 2001; 185:1273-4

Myometrium

Contractility of late pregnant rat myometrium is refractory to activation of soluble but not particulate guanylate cyclase (Fulep et al). 2001; 185:158-62

Functional divergences of PKC isoforms in the human myometrium? (Breuille-Fouché et al) (Letter); (Hurd et al) (Reply). 2001; 185:778-9

Myosin

Smooth muscle myosin heavy chain and caldesmon expression in the anterior vaginal wall of women with and without pelvic organ prolapse (Boreham et al). 2001; 185:944-52

N

Neonatal outcome; see Pregnancy outcome

Neonate; see Infant, newborn

Neoplasm metastasis

An update on vulvar cancer (Ghurani and Penahver). 2001; 185:294-9

Neovascularization

Three-dimensional color power Doppler imaging in the assessment of uteroplacental neovascularization in placenta previa increta/percreta (Chou et al). 2001; 185:1257-60

Nervous system

Cross-correlation of fetal cardiac and somatic activity as an indicator of antenatal neural development (DiPietro et al). 2001; 185:1421-8

Neural tube defects

Can prenatal ultrasound findings predict ambulatory status in fetuses with open spina bifida? (Biggio et al). 2001; 185:1016-20

Neurobiology

Neurobiology of decreased sensitivity to stress as pregnancy advances (Friedman) (Letter); (Glynn et al) (Reply). 2001; 185:779-80

Neurobiology of maternal asthma and pregnancy outcomes (Friedman). 2001; 185:523 (Letter)

Neutrophils

Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes (Maymon et al). 2001; 185:1143-8

Nitric oxide

The effects of cervical application of inhibitors of inducible nitric oxide synthase, cyclooxygenase-1, and cyclooxygenase-2 on delivery in rats (Bukowski et al). 2001; 185:959-65

Inhibition of cyclooxygenase but not nitric oxide synthase influences effects on the human omental artery of the thromboxane A₂ mimetic U46619 and 17 β -estradiol (Vedernikov et al). 2001;185:182-9

Nitric oxide signaling mechanisms in the forearm vasculature of pregnant women (Anumba et al). 2001;185:420

Nitric oxide synthase gene knockout mice do not become hypertensive during pregnancy (Shesely et al). 2001;185:1198-203

Nocturia; *see* Urologic diseases

Non-immune hydrops fetalis; *see* Hydrops fetalis

Nonvertex presentation; *see* Breech presentation

Nulliparity; *see* Parity

Nutrition

Ethnicity, nutrition, and birth outcomes in nulliparous women (Cohen et al). 2001;185:660-7

Nystatin

Severe vulvovaginitis associated with intravaginal nystatin therapy (Dan). 2001;185:254-5

O

Obesity

The effect of the increasing prevalence of maternal obesity on perinatal morbidity (Lu et al). 2001;185:845-9

Obesity, morbid

Mode of delivery for the morbidly obese with prior cesarean delivery: vaginal versus repeat cesarean section (Chauhan et al). 2001;185:349-54

Obstetrical forceps

The effect of sequential use of vacuum and forceps for assisted vaginal delivery on neonatal and maternal outcomes (Gardella et al). 2001;185:896-902

Risk of new-onset urinary incontinence after forceps and vacuum delivery in primiparous women (Arya et al). 2001;185:1318-24

Obstetrics

Aspirin to treat obstetric manifestations of the antiphospholipid syndrome (Ruiz-Irastorza et al) (Letter); (Pattison and Chamley) (Reply). 2001;185:523-4

Assessing genetic risk: comparison between the referring obstetrician and genetic counselor (Koscica et al). 2001;185:1032-4

Clinical experience reported by candidates for the American Board of Obstetrics and Gynecology 1995 and 1997 oral examinations (Chez et al). 2001;185:1429-32

Defining the relationship between obstetricians and maternal-fetal medicine specialists (Vintzileos et al). 2001;185:925-30

The millennial mark (Johnson). 2001;185:261-7 (Pres. address)

Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational hypertension (Gofton et al). 2001;185:798-803

Residency training in colposcopy: a survey of program directors in obstetrics and gynecology and family practice (Spitzer et al). 2001;185:507-13 (Education)

The role of cephalocentesis in modern obstetrics (Chasen et al). 2001;185:734-6

OCP; *see* Contraceptives, oral

Oligohydramnios

Factors that are associated with fetal demise in fetal echogenic bowel (Al-Kouatly et al). 2001;185:1039-43

Omentum

Inhibition of cyclooxygenase but not nitric oxide synthase influences effects on the human omental artery of the thromboxane A₂ mimetic U46619 and 17 β -estradiol (Vedernikov et al). 2001;185:182-9

Open spina bifida; *see* Spina bifida cystica

Oral administration; *see* Administration, oral

Oral contraceptives; *see* Contraceptives, oral

Oral examinations; *see* Education, medical

Orgasm

The G-spot: a modern gynecologic myth (Hines). 2001;185:359-62 (Clin. opinion)

Osteoporosis

Changes in biochemical parameters of bone turnover and bone mineral density in post-pregnancy osteoporosis (Honjo and Mizunuma). 2001;185:246-7

Disuse osteoporosis as evidence of brachial plexus palsy due to intrauterine fetal maladaptation (Jennett and Tarby). 2001;185:236-7

Outcome of pregnancy; *see* Pregnancy outcome

Outpatients

Vaginally administered misoprostol for outpatient cervical ripening in pregnancies complicated by diabetes mellitus (Incerpi et al). 2001;185:916-9

Ovarian neoplasms

Effect of carbon dioxide on human ovarian carcinoma cell growth (Smidt et al). 2001;185:1314-17

Ovary

Steroidogenic acute regulatory protein (StAR) in the ovaries of healthy women and those with polycystic ovary syndrome (Kahsar-Miller et al). 2001;185:1381-7

Oximetry

Fetal pulse oximetry in intrapartum management of nonreassuring fetal heart rate patterns (Chauhan et al) (Letter); (Garite) (Reply). 2001;185:771-2

Fetal transmission pulse oximetry: is it accurate? (Nijland et al) (Letter); (Ross et al) (Reply). 2001;185:776-7

Oxybutynin

Tolterodine versus oxybutynin in the treatment of urge urinary incontinence: a meta-analysis (Harvey et al). 2001;185:56-61

Oxygen

Dysmorphogenesis and oxidative stress in diabetic rats (Kalter) (Letter); (Poston and Holemans) (Reply). 2001;185:772

Fetal transmission pulse oximetry: is it accurate? (Nijland et al) (Letter); (Ross et al) (Reply). 2001;185:776-7

Fetal umbilical cord oxygen values and birth to placental weight ratio in relation to size at birth (Lackman et al). 2001;185:674-82

Oxytocin

A randomized controlled trial comparing oxytocin administration before and after placental delivery in the prevention of postpartum hemorrhage (Jackson et al). 2001;185:873-7

Rectal misoprostol versus intravenous oxytocin for the prevention of postpartum hemorrhage after vaginal delivery (Gerstenfeld and Wing). 2001;185:878-82

P

Pain

A randomized controlled trial of fentanyl for abortion pain (Rawling and Wiebe). 2001;185:103-7

Papanicolaou smears; *see* Vaginal smears

Parity

Episiotomy increases perineal laceration length in primiparous women (Nager and Helliwell). 2001;185:444-50

Ethnicity, nutrition, and birth outcomes in nulliparous women (Cohen et al). 2001;185:660-7

Increased risk of cesarean delivery with advancing maternal age: indications and associated factors in nulliparous women (Ecker et al). 2001;185:883-7

Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above (Sheiner et al). 2001;185:888-92

Relationship of twin zygosity and risk of preeclampsia (Maxwell et al). 2001;185:819-21

Risk of new-onset urinary incontinence after forceps and vacuum delivery in primiparous women (Arya et al). 2001;185:1318-24

The risk of stress incontinence 5 years after first delivery (Viktrup and Lose). 2001;185:82-7

Patient compliance

Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues (La Valleur and Wysocki). 2001;185:S57-64 (Symposium)

Patient satisfaction

A comparison of the psychologic impact and client satisfaction of surgical treatment with medical treatment of spontaneous abortion: a randomized controlled trial (Lee et al). 2001; 185:953-8

Patients

Patient perceptions of multiple gestations: an assessment of knowledge and risk aversion (Grobman et al). 2001; 185:920-4

PCOS; see Polycystic ovary syndrome

Pelvic organ prolapse; see Uterine prolapse

Pelvis

Assessment and grading of pelvic organ prolapse by use of dynamic magnetic resonance imaging (Singh et al). 2001; 185:71-7

Linear measurements in 2-dimensional pelvic floor imaging: the impact of slice tilt angles on measurement reproducibility (Hoyte and Ratiu). 2001; 185:944-52

Pelvic embolization for treatment of hemorrhage related to spontaneous and induced abortion (Borgatta et al). 2001; 185:530-6 (Clin. opinion)

Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders (Barber et al). 2001; 185:1388-95

Smooth muscle myosin heavy chain and caldesmon expression in the anterior vaginal wall of women with and without pelvic organ prolapse (Boreham et al). 2001; 185:944-52

A structured system to evaluate urethral support anatomy in magnetic resonance images (Chou and DeLancey). 2001; 185:44-50

Two-and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse (Hoyte et al). 2001; 185:11-9

Pelvis, surgery

Attachment of the rectovaginal septum to the pelvic sidewall (Leffler et al). 2001; 185:41-3

Harvesting autologous fascia lata for pelvic reconstructive surgery: techniques and morbidity (Walter et al). 2001; 185:135-9

Protective effect of suburethral slings on postoperative cystocele recurrence after reconstructive pelvic operation (Goldberg et al). 2001; 185:1307-13

Radical abdominal trachelectomy and pelvic lymphadenectomy with uterine conservation and subsequent pregnancy in the treatment of early invasive cervical cancer (Rodriguez et al). 2001; 185:370-4

Responsiveness of quality of life measurements to change after reconstructive pelvic surgery (FitzGerald et al). 2001; 185:20-4. Correction 2001; 185:1278

Penicillin G

Optimal dosing of penicillin G in the third trimester of pregnancy for prophylaxis against group B *Streptococcus* (Johnson et al). 2001; 185:850-3

Perception

Patient perceptions of multiple gestations: an assessment of knowledge and risk aversion (Grobman et al). 2001; 185:920-4

Perfusion

Maternal-fetal transfer of saquinavir studied in the ex vivo placental perfusion model (Forestier et al). 2001; 185:178-81

Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001; 185:135-9

Perineum

Episiotomy increases perineal laceration length in primiparous women (Nager and Helliwell). 2001; 185:444-50

Periodicity

Detection of a biorhythm of human fetal autonomic nervous activity by a power spectral analysis (Suzuki et al). 2001; 185:1247-52

Pharmacokinetics

Population pharmacokinetics of magnesium in preeclampsia (Chuan et al). 2001; 185:593-9

Phenotype

Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes (Gervasi et al). 2001; 185:1124-9

Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection (Naccasha et al). 2001; 185:1118-23

Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia (Gervasi et al). 2001; 185:792-7

Phenytoin

Antenatal magnesium exposure and neonatal demise (Farkouh et al). 2001; 185:869-72

Phlebitis

Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response (Kim et al). 2001; 185:496-500

Phospholipase C

Protein expression of phospholipase C in pregnant and non-pregnant rat uterine tissue (Kim et al). 2001; 185:1191-7

Photocoagulation; see Light coagulation

Physician-patient relations

Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues (La Valleur and Wysocki). 2001; 185:S57-64 (Symposium)

Physician's practice patterns

Assessing symptoms before hysterectomy: is the medical record accurate? (Broder et al). 2001; 185:97-102

PID Evaluation and Clinical Health Study

Hormonal and barrier contraception and risk of upper genital tract disease in the PID Evaluation and Clinical Health (PEACH) study (Ness et al). 2001; 185:121-7

PKC; see Protein kinase C

PLA-1; see Antigens, human platelet

Placenta

Effects of branched-chain amino acids on placental amino acid transfer and insulin and glucagon release in the ovine fetus (Józwik et al). 2001; 185:487-95

The effects of hypoxia and hyperoxia on fetal-placental vascular tone and inflammatory cytokine production (Pierce et al). 2001; 185:1068-72

Expression of aquaporin-8 in human placenta and chorionic membranes: evidence of molecular mechanism for intramembranous amniotic fluid resorption (Wang et al). 2001; 185:1226-31

Fetal umbilical cord oxygen values and birth to placental weight ratio in relation to size at birth (Lackman et al). 2001; 185:674-82

Influence of labor on fetoplacental adrenomedullin concentrations (Di Iorio et al). 2001; 185:697-702

Kynurenine production and catabolism in fetal sheep with embolized or nonembolized placentas (Nicholls et al). 2001; 185:988-95

Leptin in the ovine fetus correlates with fetal and placental size (Buchbinder et al). 2001; 185:786-91

Maternal-fetal transfer of saquinavir studied in the ex vivo placental perfusion model (Forestier et al). 2001; 185:178-81

Placental transport rather than maternal concentration of amino acids regulates fetal growth in monozygotic twins: implications for fetal origin hypothesis (Bajoria et al). 2001; 185:1239-46

Pregnancy-associated recurrent hemolytic uremic syndrome with fetal thrombotic vasculopathy in the placenta (Hebisch et al). 2001; 185:1265-6

A randomized controlled trial comparing oxytocin administration before and after placental delivery in the prevention of postpartum hemorrhage (Jackson et al). 2001; 185:873-7

Role of placental tissues in the intrauterine transmission of hepatitis B virus (Xu et al). 2001; 185:981-7

A study of human leukocyte antigen G expression in hydatidiform moles (Goldman-Wohl et al). 2001; 185:476-80

Three-dimensional color power Doppler imaging in the assessment of uteroplacental neovascularization in placenta previa increta/percreta (Chou et al). 2001; 185:1257-60

Placenta previa

Three-dimensional color power Doppler imaging in the assessment of uteroplacental neovascularization in placenta previa increta/percreta (Chou et al). 2001; 185:1257-60

Plasma

Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Cotter et al). 2001;185:781-5

Platelet activating factor

Platelet activating factor does not improve intrauterine insemination outcome (Claman) (Letter); (Roudebush) (Reply). 2001;185:1277-8

Platelet count

Initial fetal platelet counts predict the response to intravenous gammaglobulin therapy in fetuses that are affected by PLAI incompatibility (Gaddipati et al). 2001;185:976-80

Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001; 185:166-72

Polycystic ovary syndrome

PCOS and OCPs? (Sherwin and Quinn) (Letter); (Barbieri) (Reply). 2001;185:777-8

Steroidogenic acute regulatory protein (StAR) in the ovaries of healthy women and those with polycystic ovary syndrome (Kahsar-Miller et al). 2001;185:1381-7

Polymorphism

Insertion-deletion polymorphism in the gene for angiotensin-converting enzyme is associated with obstetric cholestasis but not with preeclampsia (Heiskanen et al). 2001;185:600-3

Polysaturated fatty acids; see Fatty acids, unsaturated**Posthumous reproduction; see Reproduction techniques****Posthysterectomy; see Hysterectomy****Postmenopause; see Menopause****Postoperative care**

Early postoperative feeding after major gynecologic surgery: evidence-based scientific medicine (Fanning and Andrews). 2001;185:1-4 (Clin. opinion)

Postoperative complications

Gluteal necrotizing myofascitis: an unusual delayed complication of abdominal sacrocolpopexy (Goldberg et al). 2001; 185:1273-4

Protective effect of suburethral slings on postoperative cystocele recurrence after reconstructive pelvic operation (Goldberg et al). 2001;185:1307-13

Treatment of postoperative urinary retention by elongation of tension-free vaginal tape (Koelle et al). 2001; 185:250-1

Postpartum hemorrhage

Arterial balloon occlusion of the hypogastric arteries: a life-saving procedure for severe obstetric hemorrhage (Oei et al). 2001;185:1255-6

A randomized controlled trial comparing oxytocin administration before and after placental delivery in the prevention of postpartum hemorrhage (Jackson et al). 2001;185:873-7

Rectal misoprostol versus intravenous oxytocin for the prevention of postpartum hemorrhage after vaginal delivery (Gershenfeld and Wing). 2001;185:878-82

Predictive value of tests

Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001; 185:135-9

Preeclampsia; see also Pregnancy complications, cardiovascular

Altered expression of TCR-CD3 ζ induced by sera from women with preeclampsia (Whitcar et al). 2001; 185:812-8

Correlation of quantitative protein measurements in 8-, 12-, and 24-hour urine samples for the diagnosis of preeclampsia (Adelberg et al). 2001;185:804-7

Doppler velocimetry: is it useful in preeclampsia? (Ceres et al) (Letter); (Lindheimer and Sibai) (Reply). 2001;185:522-3

Effect of preeclampsia on umbilical cord blood hema-topoietic progenitor-stem cells (Surbek et al). 2001; 185:725-9

Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Cotter et al). 2001;185:781-5

High intake of energy, sucrose, and polyunsaturated fatty acids is associated with increased risk of preeclampsia (Clausen et al). 2001;185:451-8

Insertion-deletion polymorphism in the gene for angiotensin-converting enzyme is associated with obstetric cholestasis but not with preeclampsia (Heiskanen et al). 2001;185:600-3

Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation (Diedrich et al). 2001; 185:166-72

Maternal and fetal inherited thrombophilias are not related to the development of severe preeclampsia (Livingston et al). 2001;185:153-7

No evidence for lipid peroxidation in severe preeclampsia (Regan et al). 2001;185:572-8

Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia (Gervasi et al). 2001;185:792-7

Population pharmacokinetics of magnesium in preeclampsia (Chuan et al). 2001;185:593-9

Relationship of twin zygosity and risk of preeclampsia (Maxwell et al). 2001;185:819-21

Twenty-four-hour automated blood pressure monitoring as a predictor of preeclampsia (Brown et al). 2001; 185:618-22

Pregnancy

Anal function: effect of pregnancy and delivery (Chalilha et al). 2001;185:427-32

Prolonged periods without food intake during pregnancy increase risk for elevated maternal corticotropin-releasing hormone concentrations (Herrmann et al). 2001;185:403-12

Successful planned pregnancy following endometrial ablation with the YAG laser (Pinette et al). 2001; 185:242-3

A survey of dietary supplement use during pregnancy at an academic medical center (Tsui et al). 2001;185:433-7

Pregnancy, ectopic

Cornual heterotopic pregnancy: contemporary management options (van der Weiden and Brandenburg). 2001;185:522 (Letter)

Pregnancy, multiple

Amnioreduction versus septostomy in twin-twin transfusion syndrome (Johnson et al). 2001;185:1044-7

Biparental contribution to fetal thrombophilia in discordant twin intrauterine growth restriction (Khong and Hague). 2001;185:244-5

Cervical length after multifetal pregnancy reduction in remaining twin gestations (Rebarber et al). 2001; 185:1113-7

Complicated monochorionic twin pregnancies: experience with bipolar cord coagulation (Nicolini et al). 2001;185:703-7

Conjoined twins, conception, pregnancy, and delivery: a reproductive history of the pygopagus Blazek sisters (1878-1922). 2001;185:1396-1402

Fetal urine and amniotic fluid in monochorionic twins with twin-twin transfusion syndrome: simulations of therapy (Umur et al). 2001;185:996-1003

Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8

Intrapartum management of nonvertex second-born twins: a critical analysis (Winn et al). 2001;185:1204-8

Is a multiple birth pregnancy a risk factor for gestational diabetes? (Egeland and Irgens) (Letter); (Schwartz and Daoud) (Reply). 2001;185:1275-6

Patient perceptions of multiple gestations: an assessment of knowledge and risk aversion (Grobman et al). 2001;185:920-4

Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry (Mari et al). 2001;185:708-15

Placental transport rather than maternal concentration of amino acids regulates fetal growth in monochorionic twins: implications for fetal origin hypothesis (Bajoria et al). 2001;185:1239-46

- Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome (Luks et al). 2001; 185:216-9
- Relationship of twin zygosity and risk of preeclampsia (Maxwell et al). 2001; 185:819-21
- Selective photocoagulation of communicating vessels in the treatment of monochorionic twins with selective growth retardation (Quintero et al). 2001; 185:689-96
- Twin birth weight discordance and the risk of preterm birth (Jakobovits) (Letter); (Cooperstock) (Reply). 2001; 185:256
- Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001; 185:135-9
- Pregnancy, physiology**
- An in vitro study of antibacterial properties of the cervical mucus plug in pregnancy (Hein et al). 2001; 185:586-92
- A longitudinal study of quantitative uterine blood flow with the use of color power angiography in appropriate for gestational age pregnancies (Konje et al). 2001; 185:608-13
- Neurobiology of decreased sensitivity to stress as pregnancy advances (Friedman) (Letter); (Glynn et al) (Reply). 2001; 185:779-80
- Nitric oxide signaling mechanisms in the forearm vasculature of pregnant women (Anumba et al). 2001; 185:420
- Protein expression of phospholipase C in pregnant and non-pregnant rat uterine tissue (Kim et al). 2001; 185:1191-7
- The role of endothelium-derived hyperpolarizing factor in the regulation of the uterine circulation in pregnant rats (Fulep et al). 2001; 185:638-42
- Pregnancy complications**
- Appendicitis during pregnancy (Viktrup and Hee) (Letter); (Mourad and Elliott) (Reply). 2001; 185:259-60
- Clinical impact of mild carbohydrate intolerance in pregnancy: a study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus (Jensen et al). 2001; 185:413-9
- Dysmorphogenesis and oxidative stress in diabetic rats (Kalter) (Letter); (Poston and Holemans) (Reply). 2001; 185:772
- The effect of the increasing prevalence of maternal obesity on perinatal morbidity (Lu et al). 2001; 185:845-9
- Final results of the Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): therapeutic cerclage with bed rest versus bed rest alone (Althuisius et al). 2001; 185:1106-12
- In vitro sealing of punctured fetal membranes: potential treatment for midtrimester premature rupture of membranes (Reddy et al). 2001; 185:1090-3
- Influence of maternal and fetal glucokinase mutations in gestational diabetes (Spyer et al). 2001; 185:240-1
- Insulin lispro and the development of proliferative diabetic retinopathy during pregnancy (Kitzmiller) (Letter); (Buchbinder et al) (Reply). 2001; 185:774-5
- Is a multiple birth pregnancy a risk factor for gestational diabetes? (Egeland and Irgens) (Letter); (Schwartz and Daoud) (Reply). 2001; 185:1275-6
- Management of isoimmunization in the presence of multiple maternal antibodies (Spong et al). 2001; 185:481-4
- Mode of delivery for the morbidly obese with prior cesarean delivery: vaginal versus repeat cesarean section (Chauhan et al). 2001; 185:349-54
- One or two hours postprandial glucose measurements: are they the same? (Sivan et al). 2001; 185:604-7
- The relationship between amniotic fluid matrix metalloproteinase-8 and funisitis (Park et al). 2001; 185:1156-61
- Revisiting the short cervix detected by transvaginal ultrasound in the second trimester: why cerclage therapy may not help (Rust et al). 2001; 185:1098-105
- Vaginally administered misoprostol for outpatient cervical ripening in pregnancies complicated by diabetes mellitus (Incerpi et al). 2001; 185:916-9
- Pregnancy complications, cardiovascular**
- Nitric oxide synthase gene knockout mice do not become hypertensive during pregnancy (Shesely et al). 2001; 185:1198-203

- Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational hypertension (Gofton et al). 2001; 185:798-803
- A randomized trial of labor analgesia in women with pregnancy-induced hypertension (Lucas et al). 2001; 185:970-5
- Use of a random urinary protein-to-creatinine ratio for the diagnosis of significant proteinuria during pregnancy (Rodriguez-Thompson and Lieberman). 2001; 185:808-11
- Pregnancy complications, hematologic**
- Endovascular treatment of acutely ruptured intracranial aneurysms in pregnancy (Piotin et al). 2001; 185:1261-2
- Enoxaparin treatment in women with mechanical heart valves during pregnancy (Rowan et al). 2001; 185:633-7
- Heparin-induced thrombocytopenia is rare in pregnancy (Fausett et al). 2001; 185:148-52
- A less invasive treatment strategy to prevent intracranial hemorrhage in fetal and neonatal alloimmune thrombocytopenia (Radder et al). 2001; 185:683-8
- Pregnancy-associated recurrent hemolytic uremic syndrome with fetal thrombotic vasculopathy in the placenta (Hebisch et al). 2001; 185:1265-6
- The severity of immune fetal hydrops is predictive of fetal outcome after intrauterine treatment (van Kamp et al). 2001; 185:668-73
- Pregnancy complications, infectious**
- Amniotic fluid matrix metalloproteinase-8 indicates intra-amniotic infection (Angus et al). 2001; 185:1232-8
- Amniotic fluid matrix metalloproteinase-8 in preterm labor with intact membranes (Maymon et al). 2001; 185:1149-55
- Clinical significance of intra-amniotic inflammation in patients with preterm labor and intact membranes (Yoon et al). 2001; 185:1130-6
- The frequency and clinical significance of intra-amniotic inflammation in patients with a positive cervical fibronectin (Yoon et al). 2001; 185:1137-42
- Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation (Amory et al). 2001; 185:1064-7
- Metronidazole treatment of women with a positive fetal fibronectin test result (Goldenberg et al). 2001; 185:485-6
- Midtrimester vaginal *Mycoplasma genitalium* in women with subsequent spontaneous preterm birth (Lu et al). 2001; 185:163-5
- Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection (Naccasha et al). 2001; 185:1118-23
- A population-based case-control teratologic study of ampicillin treatment during pregnancy (Czeizel et al). 2001; 185:140-7
- Randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda (Gray et al). 2001; 185:1209-17
- A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy (Ramus et al). 2001; 185:629-32
- Role of placental tissues in the intrauterine transmission of hepatitis B virus (Xu et al). 2001; 185:981-7
- Scheduled cesarean delivery and the prevention of human immunodeficiency virus transmission: a survey of practicing obstetricians (Rowland et al). 2001; 185:327-31
- Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes (Maymon et al). 2001; 185:1143-8
- Pregnancy complications, neoplastic**
- Radical abdominal trachelectomy and pelvic lymphadenectomy with uterine conservation and subsequent pregnancy in the treatment of early invasive cervical cancer (Rodriguez et al). 2001; 185:370-4
- Pregnancy maintenance**
- Evaluation of the prognosis of in vitro fertilization pregnancies with initially low serum human chorionic gonadotropin levels (Frishman et al). 2001; 185:392-5
- Pregnancy outcome**
- Abnormal fetal heart rate tracing patterns during the first stage of labor: effect on perinatal outcome (Hadar et al). 2001; 185:863-8

- Disappointment with maternal-fetal outcome model (Yancey and Nielsen) (Letter); (Novicoff) (Reply). 2001;185:257-8
- Does the combined antenatal use of corticosteroids and antibiotics increase late-onset neonatal sepsis in the very low birth weight infant? (How et al). 2001; 185:1081-5
- Dubious validity of novel maternal-fetal outcome model (Hoeldtke) (Letter); (Novicoff) (Reply). 2001; 185:256-8
- The effect of sequential use of vacuum and forceps for assisted vaginal delivery on neonatal and maternal outcomes (Gardella et al). 2001;185:896-902
- The effect of the increasing prevalence of maternal obesity on perinatal morbidity (Lu et al). 2001;185:845-9
- Effect of the interval between pregnancies on perinatal outcomes among white and black women (Zhu et al). 2001;185: 1403-10
- Ethnicity, nutrition, and birth outcomes in nulliparous women (Cohen et al). 2001;185:660-7
- Mode of delivery for the morbidly obese with prior cesarean delivery: vaginal versus repeat cesarean section (Chauhan et al). 2001;185:349-54
- Multiple courses of antenatal corticosteroids: a systematic review and meta-analysis (Aghajafari et al). 2001; 185:1073-80
- Neurobiology of maternal asthma and pregnancy outcomes (Friedman). 2001;185:523 (Letter)
- Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational hypertension (Goffon et al). 2001;185:798-803
- Platelet activating factor does not improve intrauterine insemination outcome (Claman) (Letter); (Roudebush) (Reply). 2001;185:1277-8
- Randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda (Gray et al). 2001;185:1209-17
- Reversed end-diastolic flow in first-trimester umbilical artery: an ominous new sign for fetal outcome (Borrell et al). 2001; 185:204-7
- A single physician's experience with four thousand six hundred genetic amniocenteses (Horger et al). 2001;185:279-88
- Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response (Kim et al). 2001; 185:496-500
- Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001; 185:135-9

Pregnancy trimester, first

- Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation (Creinin et al). 2001;185: 966-9
- A randomized controlled trial of fentanyl for abortion pain (Rawling and Wiebe). 2001;185:103-7
- Reversed end-diastolic flow in first-trimester umbilical artery: an ominous new sign for fetal outcome (Borrell et al). 2001; 185:204-7

Pregnancy trimester, second

- The clinical significance of fetal echogenic bowel (Al-Kouatly et al). 2001;185:1035-8
- An elevated amniotic fluid matrix metalloproteinase-8 level at the time of mid-trimester genetic amniocentesis identifies patients at risk for spontaneous preterm delivery (Yoon et al). 2001;185:1162-7
- Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8
- In vitro sealing of punctured fetal membranes: potential treatment for midtrimester premature rupture of membranes (Reddy et al). 2001;185:1090-3
- The impact of the use of the isolated echogenic intracardiac focus as a screen for Down syndrome in women under the age of 35 years (Caughy et al). 2001; 185:1021-7
- Midtrimester vaginal *Mycoplasma genitalium* in women with subsequent spontaneous preterm birth (Lu et al). 2001;185:163-5
- Revisiting the short cervix detected by transvaginal ultrasound in the second trimester: why cerclage therapy may not help (Rust et al). 2001;185:1098-105

Pregnancy trimester, third

- Contractility of late pregnant rat myometrium is refractory to activation of soluble but not particulate guanylate cyclase (Fulep et al). 2001;185:158-62
- Neurobiology of decreased sensitivity to stress as pregnancy advances (Friedman) (Letter); (Glynn et al) (Reply). 2001; 185:779-80
- Optimal dosing of penicillin G in the third trimester of pregnancy for prophylaxis against group B *Streptococcus* (Johnson et al). 2001;185:850-3

Premenopause; see Menopause

Premenstrual syndrome

- Complementary/alternative therapies for premenstrual syndrome: a systematic review of randomized controlled trials (Stevenson and Ernst). 2001;185:227-35 (AJOG reviews)

Prenatal alcohol exposure; see Fetal alcohol syndrome

Prenatal care

- Perinatal hospice (Hoeldtke and Calhoun). 2001; 185:525-9 (Clin. opinion)
- The Preterm Prediction Study: toward a multiple-marker test for spontaneous preterm birth (Goldenberg et al). 2001;185: 643-51

Prenatal diagnosis

- Assessing genetic risk: comparison between the referring obstetrician and genetic counselor (Koscica et al). 2001;185: 1032-4
- Can prenatal ultrasound findings predict ambulatory status in fetuses with open spina bifida? (Biggio et al). 2001;185:1016-20
- Fetal sinus bradycardia and the long QT syndrome (Beinder et al). 2001;185:743-7
- Fetoscopic temporary tracheal occlusion by means of detachable balloon for congenital diaphragmatic hernia (Harrison et al). 2001;185:730-3
- Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8
- The impact of the use of the isolated echogenic intracardiac focus as a screen for Down syndrome in women under the age of 35 years (Caughy et al). 2001; 185:1021-7
- Maternal serum screening for fetal trisomy 18: benefits of patient-specific risk protocol (Hogge et al). 2001; 185:289-93
- Noninvasive diagnosis of anemia in hydrops fetalis with the use of middle cerebral artery Doppler velocity (Abdel-Fattah et al). 2001;185:1411-5
- Perinatal hospice (Hoeldtke and Calhoun). 2001; 185:525-9 (Clin. opinion)
- Prenatal diagnosis from cystic hygroma fluid: the value of fluorescence in situ hybridization (Donnenfeld et al). 2001; 185:1004-8
- Role of ultrasound for Down syndrome screening in advanced maternal age (Egan et al). 2001;185:1028-31
- The severity of immune fetal hydrops is predictive of fetal outcome after intrauterine treatment (van Kamp et al). 2001; 185:668-73
- A single physician's experience with four thousand six hundred genetic amniocenteses (Horger et al). 2001; 85:279-88

Prenatal exposure delayed effects

- Altered immune response in adult women exposed to diethylstilbestrol in utero (Burke et al). 2001;185:78-81

Preoperative care

- Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome (Luks et al). 2001; 185: 216-9

Presidential address

- Presidential address. 2001;185:261-7, 1294-8

Preterm birth; see Infant, premature

Preterm labor; see Labor, premature

Preterm Prediction Study

- The Preterm Prediction Study: toward a multiple-marker test for spontaneous preterm birth (Goldenberg et al). 2001; 185:643-51

Preterm premature rupture of fetal membranes; *see* Fetal membranes, premature rupture

Primiparity; *see* Parity

Progenitor stem cells; *see* Stem cells

Progestational hormones

Preclinical profiles of progestins used in formulations of oral contraceptives and hormone replacement therapy (Hammond et al). 2001;185:S24-31 (Symposium)

Progesterone receptors; *see* Receptors, progesterone

Program directors; *see* Medical directors

Prolapse, uterine; *see* Uterine prolapse

Prophylaxis

Optimal dosing of penicillin G in the third trimester of pregnancy for prophylaxis against group B *Streptococcus* (Johnson et al). 2001;185:850-3

Prostaglandin-endoperoxide synthase

Inhibition of cyclooxygenase but not nitric oxide synthase influences effects on the human omental artery of the thromboxane A₂ mimetic U46619 and 17 β -estradiol (Vedernikov et al). 2001;185:182-9

Protein kinase C

Functional divergences of PKC isoforms in the human myometrium? (Breuiller-Fouché et al) (Letter); (Hurd et al) (Reply). 2001;185:778-9

Proteins

Correlation of quantitative protein measurements in 8-, 12-, and 24-hour urine samples for the diagnosis of preeclampsia (Adelberg et al). 2001;185:804-7

Protein expression of phospholipase C in pregnant and non-pregnant rat uterine tissue (Kim et al). 2001; 185:1191-7

Steroidogenic acute regulatory protein (StAR) in the ovaries of healthy women and those with polycystic ovary syndrome (Kahsar-Miller et al). 2001;185:1381-7

Use of a random urinary protein-to-creatinine ratio for the diagnosis of significant proteinuria during pregnancy (Rodríguez-Thompson and Lieberman). 2001;185:808-11

Proteinuria

Use of a random urinary protein-to-creatinine ratio for the diagnosis of significant proteinuria during pregnancy (Rodríguez-Thompson and Lieberman). 2001; 185:808-11

Protocol; *see* Clinical protocols

Proton

Metabolic information from the human fetal brain obtained with proton magnetic resonance spectroscopy (Kok et al). 2001;185:1011-5

Pseudoaneurysm; *see* Aneurysm

Psychiatric disorders; *see* Mental disorders

Psychologic impact; *see* Mental health

Psychometrics

Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders (Barber et al). 2001;185:1388-95

Pubic bone

On-screen vector-based ultrasound assessment of vesical neck movement (Reddy et al). 2001;185:65-70

Puerperium

Changes in biochemical parameters of bone turnover and bone mineral density in post-pregnancy osteoporosis (Honjo and Mizunuma). 2001;185:246-7

Hepatitis B immunization in postpartum women (Jurema et al). 2001;185:355-8 (Clin. opinion)

High prevalence of postpartum anemia among low-income women in the United States (Bodnar et al). 2001;185:438-43

Left ventricular diastolic filling response to stationary bicycle exercise during pregnancy and the postpartum period (Veille et al). 2001;185:822-7

Pulsatile flow

Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001; 185:135-9

Pulse oximetry; *see* Oximetry

Q

QT interval; *see* Electrocardiography

Quality of health care

Disappointment with maternal-fetal outcome model (Yancey and Nielsen) (Letter); (Novicoff) (Reply). 2001;185:257-8

Dubious validity of novel maternal-fetal outcome model (Hoeldtke) (Letter); (Novicoff) (Reply). 2001; 185:256-8

Quality of life

Nocturia in women (Lose et al). 2001;185:514-21 (AJOG reviews)

Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders (Barber et al). 2001;185:1388-95

Responsiveness of quality of life measurements to change after reconstructive pelvic surgery (FitzGerald et al). 2001;185:20-4. Correction 2001;185:1278

R

Race factors

Race as a predictor of urinary incontinence and pelvic organ prolapse (Graham and Mallett). 2001;185:116-20

Radiology

Pseudoaneurysm of the uterine artery after abdominal hysterectomy: radiologic diagnosis and management (Lee et al). 2001;185:1269-72

Raloxifene

Raloxifene reduces impedance to flow within the uterine artery in early postmenopausal women: a 2-year randomized, placebo-controlled, comparative study (Post et al). 2001; 185:557-62

Receptors, angiotensin

Effects of central angiotensin II receptor antagonism on fetal swallowing and cardiovascular activity (El-Haddad et al). 2001;185:828-33

Receptors, estrogen

Expression of estrogen receptor isoforms α and β messenger RNA in vaginal tissue of premenopausal and postmenopausal women (Gebhart et al). 2001; 185:1325-31

Receptors, progesterone

Reduced binding of progesterone receptor to its nuclear response element after human labor onset (Henderson and Wilson). 2001;185:579-85

Rectal administration; *see* Administration, rectal

Rectum, surgery

Attachment of the rectovaginal septum to the pelvic sidewall (Leffler et al). 2001;185:41-3

Red blood cells; *see* Erythrocytes

Reproducibility of results

Linear measurements in 2-dimensional pelvic floor imaging: the impact of slice tilt angles on measurement reproducibility (Hoyte and Ratiu). 2001; 185:537-44

Reproduction techniques

Assessing fertility in women of advanced reproductive age (Klein and Sauer). 2001;185:758-70 (AJOG reviews)

Gamete retrieval in terminal conditions (Finnerty et al). 2001;185:300-7

The millennial mark (Johnson). 2001;185:261-7 (Pres. address)

Patient perceptions of multiple gestations: an assessment of knowledge and risk aversion (Grobman et al). 2001;185:920-4

Platelet activating factor does not improve intrauterine insemination outcome (Claman) (Letter); (Roudebush) (Reply). 2001;185:1277-8

Posthumous reproduction in a human immunodeficiency virus-discordant couple (Sauer and Chang). 2001;185:252-3

Predictors of success with the use of donor sperm (Williams and Alderman). 2001;185:332-7

Reproductive age; *see* Age factors

Residency; *see* Internship and residency

Respiration disorders

Severe meconium aspiration syndrome is not caused by aspiration of meconium (Ghidini and Spong). 2001; 185:931-8 (Clin. opinion)

Respiratory distress syndrome

Effectiveness of a rescue dose of antenatal betamethasone after an initial single course (Vermillion et al). 2001; 185:1086-9
Multiple courses of antenatal corticosteroids: a systematic review and meta-analysis (Aghajafari et al). 2001; 185:1073-80

Rh isoimmunization

Management of isoimmunization in the presence of multiple maternal antibodies (Spong et al). 2001; 185:481-4

Rheology

Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization (Detti et al). 2001; 185:1048-51
Doppler velocimetry: is it useful in preeclampsia? (Ceres et al) (Letter); (Lindheimer and Sibai) (Reply). 2001; 185:522-3
Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001; 185:135-9

Risk factors

Are risk factors the same for small for gestational age versus other preterm births? (Zeitlin et al). 2001; 185:208-15
Clinical impact of mild carbohydrate intolerance in pregnancy: a study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus (Jensen et al). 2001; 185:413-9
Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Cotter et al). 2001; 185:781-5
Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above (Sheiner et al). 2001; 185:888-92
Is a multiple birth pregnancy a risk factor for gestational diabetes? (Egeland and Irgens) (Letter); (Schwartz and Daoud) (Reply). 2001; 185:1275-6

RNA, messenger

Expression of estrogen receptor isoforms α and β messenger RNA in vaginal tissue of premenopausal and postmenopausal women (Gebhart et al). 2001; 185:1325-31
Increased invasion activity of endometrial stromal cells and elevated expression of matrix metalloproteinase messenger RNA in the uterine tissues of mice with experimentally induced adenomyosis (Matsuda et al). 2001; 185:1374-80

S**Sacrocolpopexy; see Vagina, surgery****Saquinavir**

Maternal-fetal transfer of saquinavir studied in the ex vivo placental perfusion model (Forestier et al). 2001; 185:178-81

Satellites

Microsatellite alterations in exfoliated cervical epithelia deoxyribonucleic acid as a marker for high-grade dysplasia (Chang et al). 2001; 185:108-15
Microsatellite analysis reveals a high incidence of maternal cell contamination in 46,XX products of conception consisting of villi or a combination of villi and membranous material (Jarrett et al). 2001; 185:198-203

Scalp

Fetal transmission pulse oximetry: is it accurate? (Nijland et al) (Letter); (Ross et al) (Reply). 2001; 185:776-7

Scar; see Cicatrix**Screening; see Mass screening****Second trimester of pregnancy; see Pregnancy trimester, second****Semen**

Semen processing for HIV-discordant couples (Jamieson et al) (Letter); (Nahvi et al) (Reply). 2001; 185:1433-4

Septicemia

Does the combined antenatal use of corticosteroids and antibiotics increase late-onset neonatal sepsis in the very low birth weight infant? (How et al). 2001; 185:1081-5

No increase in rates of early-onset neonatal sepsis by non-group B *Streptococcus* or ampicillin-resistant organisms (Chen et al). 2001; 185:854-8

Septostomy; see Fetal membranes**Sexually transmitted diseases**

Hormonal contraception and risk of sexually transmitted disease acquisition: results from a prospective study (Baeten et al). 2001; 185:380-5
Randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda (Gray et al). 2001; 185:1209-17
A randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhea in pregnancy (Ramus et al). 2001; 185:629-32

Shoulder

Correlation of head-to-body delivery intervals in shoulder dystocia and umbilical artery acidosis (Stallings et al). 2001; 185:268-74
Disuse osteoporosis as evidence of brachial plexus palsy due to intrauterine fetal maladaptation (Jennett and Tarby). 2001; 185:236-7

Sinus bradycardia; see Bradycardia**Small for gestational age infant; see Infant, small for gestational age****Smoking**

Computerized analysis of acute and chronic changes in fetal heart rate variation and fetal activity in association with maternal smoking (Coppens et al). 2001; 185:421-6
The initial fertility consultation: recommendations concerning cigarette smoking, body mass index, and alcohol and caffeine consumption (Barbieri). 2001; 185:1168-73 (Clin. opinion)

Smooth muscle; see Muscle, smooth**Social class**

High prevalence of postpartum anemia among low-income women in the United States (Bodnar et al). 2001; 185:438-43

Society for Maternal-Fetal Medicine

Transactions of the twenty-first annual meeting of the Society for Maternal-Fetal Medicine. 2001; 185:781-930
Transactions of the twenty-first annual meeting of the Society for Maternal-Fetal Medicine. 2001; 185:1011-167

Society of Gynecologic Surgeons

Transactions of the twenty-seventh scientific meeting of the Society of Gynecologic Surgeons. 2001; 185:1294-8-1368-73

Somatotropin

Growth hormone treatment after cesarean delivery in rats increases the strength of the uterine scar (Bowers et al). 2001; 185:614-7

Sonography, prenatal; see Ultrasonography, prenatal**The South Atlantic Association of Obstetricians and Gynecologists**

Transactions of the sixty-third annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 2001; 185:261-354

Space of Retzius tumor; see Bladder neoplasms**Specialties, medical**

Attitudes of maternal-fetal specialists concerning maternal-fetal surgery (Lylerly et al). 2001; 185:1052-8
Defining the relationship between obstetricians and maternal-fetal medicine specialists (Vintzileos et al). 2001; 185:925-30
The distribution, practice, and attitudes of maternal-fetal medicine specialists (Coustan et al). 2001; 185:1218-25

Spectrum analysis

Detection of a biorhythm of human fetal autonomic nervous activity by a power spectral analysis (Suzuki et al). 2001; 185:1247-52
Metabolic information from the human fetal brain obtained with proton magnetic resonance spectroscopy (Kok et al). 2001; 185:1011-5

Spermatozoa

Predictors of success with the use of donor sperm (Williams and Alderman). 2001; 185:332-7

Spina bifida cystica

Can prenatal ultrasound findings predict ambulatory status in fetuses with open spina bifida? (Biggio et al). 2001;185:1016-20

Spontaneous abortion; see Abortion, spontaneous

Stationary bicycle exercise; see Exercise

Stem cells

Effect of preeclampsia on umbilical cord blood hema-topoietic progenitor-stem cells (Surbek et al). 2001; 85:725-9

Steroids

Steroidogenic acute regulatory protein (StAR) in the ovaries of healthy women and those with polycystic ovary syndrome (Kahsar-Miller et al). 2001;185:1381-7

Streptococcus agalactiae

Biodegradable microspheres containing group B *Streptococcus* vaccine: immune response in mice (Hunter et al). 2001;185:1174-9

No increase in rates of early-onset neonatal sepsis by non-group B *Streptococcus* or ampicillin-resistant organisms (Chen et al). 2001;185:854-8

Optimal dosing of penicillin G in the third trimester of pregnancy for prophylaxis against group B *Streptococcus* (Johnson et al). 2001;185:850-3

Stress

Neurobiology of decreased sensitivity to stress as pregnancy advances (Friedman) (Letter); (Glynn et al) (Reply). 2001;185:779-80

Stress incontinence; see Urinary incontinence, stress

Stromal cells

Increased invasion activity of endometrial stromal cells and elevated expression of matrix metalloproteinase messenger RNA in the uterine tissues of mice with experimentally induced adenomyosis (Matsuda et al). 2001;185:1374-80

Students, medical

A survey of medical students' opinions about complementary and alternative medicine (Chez et al). 2001;185:754-7 (Education)

Sucrose

High intake of energy, sucrose, and polyunsaturated fatty acids is associated with increased risk of preeclampsia (Clausen et al). 2001;185:451-8

Sudden infant death

Fetal sinus bradycardia and the long QT syndrome (Beinder et al). 2001;185:743-7

Surgery, gynecologic

Attitudes of maternal-fetal specialists concerning maternal-fetal surgery (Lylerly et al). 2001;185:1052-8

A comparison of the psychologic impact and client satisfaction of surgical treatment with medical treatment of spontaneous abortion: a randomized controlled trial (Lee et al). 2001; 185:953-8

Early postoperative feeding after major gynecologic surgery: evidence-based scientific medicine (Fanning and Andrews). 2001;185:1-4 (Clin. opinion)

Vasopressin as an etiologic factor for infection in gynecologic surgery: a randomized double-blind placebo-controlled trial (Kammerer-Doak et al). 2001; 185:1344-8

Surgical equipment

Fetoscopic temporary tracheal occlusion by means of detachable balloon for congenital diaphragmatic hernia (Harrison et al). 2001;185:730-3

Protective effect of suburethral slings on postoperative cystocele recurrence after reconstructive pelvic operation (Goldberg et al). 2001;185:1307-13

Surgical mesh

Anterior colporrhaphy: a randomized trial of three surgical techniques (Weber et al). 2001;185:1299-1306

Gluteal necrotizing myofascitis: an unusual delayed complication of abdominal sacrocolpopexy (Goldberg et al). 2001; 185:1273-4

Mersilene mesh sling: short-and long-term clinical and urodynamic outcomes (Young et al). 2001;185:32-40

Treatment of postoperative urinary retention by elongation of tension-free vaginal tape (Koelle et al). 2001;185:250-1

Survival

Survival, morbidity, and resource use of infants at 25 weeks' gestational age or less (Chan et al). 2001; 185:220-6

Swallowing; see Deglutition

Symposium

Alternatives for women through menopause (Cass and Taylor). 2001;185:S47-56 (Symposium)

Combined oral hormone replacement therapy formulations (Mattox and Shulman). 2001;185:S38-46 (Symposium)

Current perspectives on benefits and risks of hormone replacement therapy (Burkman et al). 2001;185:S13-23 (Symposium)

Current perspectives on oral contraceptive use (Burkman et al). 2001;185:S4-12 (Symposium)

The hormone continuum: accrual of women's health benefits—introduction (Burkman). 2001;185:S1-3 (Symposium)

Oral contraceptive use in perimenopause (Kaunitz). 2001;185:S32-7 (Symposium)

Preclinical profiles of progestins used in formulations of oral contraceptives and hormone replacement therapy (Hammond et al). 2001;185:S24-31 (Symposium)

Selection of oral contraceptives or hormone replacement therapy: patient communication and counseling issues (La Valleur and Wysocki). 2001;185:S57-64 (Symposium)

T

TCR-CD3

Altered expression of TCR-CD3 ζ induced by sera from women with preeclampsia (Whitcar et al). 2001; 185:812-8

Tea

A survey of dietary supplement use during pregnancy at an academic medical center (Tsui et al). 2001;185:433-7

Teratology

A population-based case-control teratologic study of ampicillin treatment during pregnancy (Czeizel et al). 2001;185:140-7

Terminal illness; see Illness, terminal

Third trimester of pregnancy; see Pregnancy trimester, third

Thrombin

The role of thrombin in preterm parturition (Elovitz et al). 2001;185:1059-63

Thrombocytopenia

Heparin-induced thrombocytopenia is rare in pregnancy (Fausett et al). 2001;185:148-52

A less invasive treatment strategy to prevent intracranial hemorrhage in fetal and neonatal alloimmune thrombocytopenia (Radder et al). 2001;185:683-8

Thrombosis

Biparental contribution to fetal thrombophilia in discordant twin intrauterine growth restriction (Khong and Hague). 2001;185:244-5

Maternal and fetal inherited thrombophilias are not related to the development of severe preeclampsia (Livingston et al). 2001;185:153-7

Pregnancy-associated recurrent hemolytic uremic syndrome with fetal thrombotic vasculopathy in the placenta (Hebisch et al). 2001;185:1265-6

Thromboxane A₂

Inhibition of cyclooxygenase but not nitric oxide synthase influences effects on the human omental artery of the thromboxane A₂ mimetic U46619 and 17 β -estradiol (Vedernikov et al). 2001;185:182-9

Time

Tolterodine

Tolterodine versus oxybutynin in the treatment of urge urinary incontinence: a meta-analysis (Harvey et al). 2001;185:56-61

Tomography, x-ray computed

Computed tomography and locating ureters in relation to the uterine cervix (Huddleston) (Letter); (Hurd et al) (Reply). 2001;185:1009-10

Trachea

Fetoscopic temporary tracheal occlusion by means of detachable balloon for congenital diaphragmatic hernia (Harrison et al). 2001;185:730-3

Transactions

Transactions of the sixty-third annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 2001; 185:261-354

Transactions of the twenty-first annual meeting of the Society for Maternal-Fetal Medicine. 2001;185:781-930

Transactions of the twenty-first annual meeting of the Society for Maternal-Fetal Medicine. 2001;185:1011-167

Transactions of the twenty-seventh scientific meeting of the Society of Gynecologic Surgeons. 2001;185:1294-8-1368-73

Transplantation, autologous

Harvesting autologous fascia lata for pelvic reconstructive surgery: techniques and morbidity (Walter et al). 2001; 185:1354-9

Triage

Cervicography for triage of women with mildly abnormal cervical cytology results (Ferris et al). 2001;185:939-43

Trial of labor

Outcomes of trial of labor following previous cesarean delivery among women with fetuses weighing >4000 g (Zelop et al). 2001;185:903-5

A randomized trial of labor analgesia in women with pregnancy-induced hypertension (Lucas et al). 2001; 185:970-5

Trisomy

Maternal serum screening for fetal trisomy 18: benefits of patient-specific risk protocol (Hogge et al). 2001;185:289-93

Tumor necrosis factor

Increased tumor necrosis factor- α production after lipopolysaccharide stimulation of whole blood in patients with previous preterm delivery complicated by intra-amniotic infection or inflammation (Amory et al). 2001;185:1064-7

Twin-twin transfusion syndrome; see Fetofetal transfusion**Twins**

Amnioreduction versus septostomy in twin-twin transfusion syndrome (Johnson et al). 2001;185:1044-7

Biparental contribution to fetal thrombophilia in discordant twin intrauterine growth restriction (Khong and Hague). 2001;185:244-5

Cervical length after multifetal pregnancy reduction in remaining twin gestations (Rebarber et al). 2001; 185:1113-7

Complicated monochorionic twin pregnancies: experience with bipolar cord coagulation (Nicolini et al). 2001;185:703-7

Fetal urine and amniotic fluid in monochorionic twins with twin-twin transfusion syndrome: simulations of therapy (Umur et al). 2001;185:996-1003

Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8

Intrapartum management of nonvertex second-born twins: a critical analysis (Winn et al). 2001;185:1204-8

Is a multiple birth pregnancy a risk factor for gestational diabetes? (Egeland and Irgens) (Letter); (Schwartz and Daoud) (Reply). 2001;185:1275-6

Patient perceptions of multiple gestations: an assessment of knowledge and risk aversion (Grobman et al). 2001;185:920-4

Perinatal morbidity and mortality rates in severe twin-twin transfusion syndrome: results of the International Amnioreduction Registry (Mari et al). 2001;185:708-15

Placental transport rather than maternal concentration of amino acids regulates fetal growth in monochorionic twins: implications for fetal origin hypothesis (Bajoria et al). 2001; 185:1239-46

Preoperative planning with magnetic resonance imaging and computerized volume rendering in twin-to-twin transfusion syndrome (Luks et al). 2001; 185:216-9

Relationship of twin zygosity and risk of preeclampsia (Maxwell et al). 2001;185:819-21

Selective photocoagulation of communicating vessels in the treatment of monochorionic twins with selective growth retardation (Quintero et al). 2001;185:689-96

Twin birth weight discordance and the risk of preterm birth (Jakobovits) (Letter); (Cooperstock) (Reply). 2001;185:256

Utility of Doppler velocimetry in predicting outcome in twin reversed-arterial perfusion sequence (Dashe et al). 2001;185:135-9

Twins, conjoined

Conjoined twins, conception, pregnancy, and delivery: a reproductive history of the pygopagus Blažek sisters (1878-1922). 2001;185:1396-1402

U**Uganda**

Randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda (Gray et al). 2001;185:1209-17

Ultrasonography

On-screen vector-based ultrasound assessment of vesical neck movement (Reddy et al). 2001;185:65-70

Pseudoaneurysm of the uterine artery after abdominal hysterectomy: radiologic diagnosis and management (Lee et al). 2001;185:1269-72

Ultrasonography, prenatal

Can prenatal ultrasound findings predict ambulatory status in fetuses with open spina bifida? (Biggio et al). 2001;185:1016-20

Doppler ultrasound velocimetry for timing the second intrauterine transfusion in fetuses with anemia from red cell alloimmunization (Detti et al). 2001;185:1048-51

Factors associated with fetal growth and body composition as measured by ultrasound (Rohl et al). 2001; 185:1416-20

Hepatic vascular calcification: an early second trimester sonographic feature of idiopathic infantile arterial calcinosis (Wax et al). 2001;185:1267-8

Noninvasive diagnosis of anemia in hydrops fetalis with the use of middle cerebral artery Doppler velocity (Abdel-Fattah et al). 2001;185:1411-5

Revisiting the short cervix detected by transvaginal ultrasound in the second trimester: why cerclage therapy may not help (Rust et al). 2001;185:1098-105

Role of ultrasound for Down syndrome screening in advanced maternal age (Egan et al). 2001;185:1028-31

Three-dimensional color power Doppler imaging in the assessment of uteroplacental neovascularization in placenta previa increta/percreta (Chou et al). 2001; 185:1257-60

Umbilical arteries

Correlation of head-to-body delivery intervals in shoulder dystocia and umbilical artery acidosis (Stallings et al). 2001;185:268-74

Reversed end-diastolic flow in first-trimester umbilical artery: an ominous new sign for fetal outcome (Borrell et al). 2001; 185:204-7

Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response (Kim et al). 2001; 185:496-500

Umbilical cord

Complicated monochorionic twin pregnancies: experience with bipolar cord coagulation (Nicolini et al). 2001;185:703-7

Effect of preeclampsia on umbilical cord blood hematopoietic progenitor-stem cells (Surbek et al). 2001;185:725-9

Fetal umbilical cord oxygen values and birth to placental weight ratio in relation to size at birth (Lackman et al). 2001;185:674-82

The relationship between amniotic fluid matrix metalloproteinase-8 and funisitis (Park et al). 2001; 185:1156-61

Umbilical arteritis and phlebitis mark different stages of the fetal inflammatory response (Kim et al). 2001;185:496-500

Umbilical veins

Early and persistent reduction in umbilical vein blood flow in the growth-restricted fetus: a longitudinal study (Rigano et al). 2001;185:834-8

Ureter

Computed tomography and locating ureters in relation to the uterine cervix (Huddleston) (Letter); (Hurd et al) (Reply). 2001;185:1009-10

Urethra

On-screen vector-based ultrasound assessment of vesical neck movement (Reddy et al). 2001;185:65-70

A structured system to evaluate urethral support anatomy in magnetic resonance images (Chou and DeLancey). 2001;185:44-50

Urethra, surgery

Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy (Kenton et al). 2001;185:51-5

The routine use of cystoscopy with the Burch procedure (Gill et al). 2001;185:345-8

Urinary bladder; see Bladder

Urinary incontinence

Correlation of symptoms with location and severity of pelvic organ prolapse (Ellerkmann et al). 2001;185:1332-8

Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders (Barber et al). 2001;185:1388-95

Risk of new-onset urinary incontinence after forceps and vacuum delivery in primiparous women (Arya et al). 2001;185:1318-24

The role of intraoperative cystoscopy in prolapse and incontinence surgery (Jabs and Drutz). 2001;185:1368-73

Tolterodine versus oxybutynin in the treatment of urge urinary incontinence: a meta-analysis (Harvey et al). 2001;185:56-61

Urinary incontinence, stress

The Incontinence Impact Questionnaire and the Urogenital Distress Inventory: a revisit of their validity in women without a urodynamic diagnosis (Harvey et al). 2001;185:25-31

Mersilene mesh sling: short- and long-term clinical and urodynamic outcomes (Young et al). 2001;185:32-40

On-screen vector-based ultrasound assessment of vesical neck movement (Reddy et al). 2001;185:65-70

Race as a predictor of urinary incontinence and pelvic organ prolapse (Graham and Mallett). 2001;185:116-20

Responsiveness of quality of life measurements to change after reconstructive pelvic surgery (FitzGerald et al). 2001;185:20-4. Correction 2001;185:1278

The risk of stress incontinence 5 years after first delivery (Viktrup and Lose). 2001;185:82-7

Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy (Kenton et al). 2001;185:51-5

Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse (Hoyte et al). 2001;185:11-9

Urinary retention

Treatment of postoperative urinary retention by elongation of tension-free vaginal tape (Koelle et al). 2001;185:250-1

Urinary tract

The routine use of cystoscopy with the Burch procedure (Gill et al). 2001;185:345-8

Urine

Correlation of quantitative protein measurements in 8-, 12-, and 24-hour urine samples for the diagnosis of preeclampsia (Adelberg et al). 2001;185:804-7

Fetal urine and amniotic fluid in monochorionic twins with twin-twin transfusion syndrome: simulations of therapy (Umur et al). 2001;185:996-1003

Use of a random urinary protein-to-creatinine ratio for the diagnosis of significant proteinuria during pregnancy (Rodriguez-Thompson and Lieberman). 2001;185:808-11

Urodynamics

The Incontinence Impact Questionnaire and the Urogenital Distress Inventory: a revisit of their validity in women without a urodynamic diagnosis (Harvey et al). 2001;185:25-31

Mersilene mesh sling: short- and long-term clinical and urodynamic outcomes (Young et al). 2001;185:32-40

Urogenital Distress Inventory

The Incontinence Impact Questionnaire and the Urogenital Distress Inventory: a revisit of their validity in women without a urodynamic diagnosis (Harvey et al). 2001;185:25-31

Responsiveness of quality of life measurements to change after reconstructive pelvic surgery (FitzGerald et al). 2001;185:20-4. Correction 2001;185:1278

Urologic diseases

Nocturia in women (Lose et al). 2001;185:514-21 (AJOG reviews)

Uterine arteries

Pseudoaneurysm of the uterine artery after abdominal hysterectomy: radiologic diagnosis and management (Lee et al). 2001;185:1269-72

Raloxifene reduces impedance to flow within the uterine artery in early postmenopausal women: a 2-year randomized, placebo-controlled, comparative study (Post et al). 2001;185:557-62

Uterine contraction

Contractility of late pregnant rat myometrium is refractory to activation of soluble but not particulate guanylate cyclase (Fulep et al). 2001;185:158-62

Uterine hemorrhage

Are women who are Jehovah's Witnesses at risk of maternal death? (Singla et al). 2001;185:893-5

Pelvic embolization for treatment of hemorrhage related to spontaneous and induced abortion (Borgatta et al). 2001;185:530-6 (Clin. opinion)

Uterine prolapse

Anterior colporrhaphy: a randomized trial of three surgical techniques (Weber et al). 2001;185:1299-1306

Assessment and grading of pelvic organ prolapse by use of dynamic magnetic resonance imaging (Singh et al). 2001;185:71-7

Attachment of the rectovaginal septum to the pelvic sidewall (Leffler et al). 2001;185:41-3

Correlation of symptoms with location and severity of pelvic organ prolapse (Ellerkmann et al). 2001;185:1332-8

High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse (Karram et al). 2001;185:1339-43

Infundibulopelvic colpopexy with partial resection of vagina for repair of posthysterectomy vault prolapse (Papp) (Letter); (Barber) (Reply). 2001;185:1009

Race as a predictor of urinary incontinence and pelvic organ prolapse (Graham and Mallett). 2001;185:116-20

The role of intraoperative cystoscopy in prolapse and incontinence surgery (Jabs and Drutz). 2001;185:1368-73

Smooth muscle myosin heavy chain and caldesmon expression in the anterior vaginal wall of women with and without pelvic organ prolapse (Boreham et al). 2001;185:944-52

Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse (Hoyte et al). 2001;185:11-9

Uterine rupture

Outcomes of trial of labor following previous cesarean delivery among women with fetuses weighing >4000 g (Zelop et al). 2001;185:903-5

Uterus

Computed tomography and locating ureters in relation to the uterine cervix (Huddleston) (Letter); (Hurd et al) (Reply). 2001;185:1009-10

Factors associated with endometrial thickness and uterine size in a random sample of postmenopausal women (Gull et al). 2001;185:386-91

Growth hormone treatment after cesarean delivery in rats increases the strength of the uterine scar (Bowers et al). 2001;185:614-7

Hematometra of the rudimentary horn of a unicornuate uterus resulting from cesarean section (Chang et al). 2001;185:1263-4

Increased invasion activity of endometrial stromal cells and elevated expression of matrix metalloproteinase messenger RNA in the uterine tissues of mice with experimentally induced adenomyosis (Matsuda et al). 2001;185:1374-80

A longitudinal study of quantitative uterine blood flow with the use of color power angiography in appropriate for gestational age pregnancies (Konje et al). 2001;185:608-13

- Maternal age and uterine dysfunction (Rosenthal) (Letter); (Main and Main) (Reply). 2001;185:258-9
- Obstructive Müllerian anomalies: case report, diagnosis, and management (Burgis). 2001;185:338-44
- Protein expression of phospholipase C in pregnant and non-pregnant rat uterine tissue (Kim et al). 2001; 185:1191-7
- The role of endothelium-derived hyperpolarizing factor in the regulation of the uterine circulation in pregnant rats (Fulep et al). 2001;185:638-42
- Three-dimensional color power Doppler imaging in the assessment of uteroplacental neovascularization in placenta previa increta/percreta (Chou et al). 2001; 185:1257-60
- Uterus neoplasms**
- Radical abdominal trachelectomy and pelvic lymphadenectomy with uterine conservation and subsequent pregnancy in the treatment of early invasive cervical cancer (Rodriguez et al). 2001;185:370-4
- V**
- Vaccines**
- Biodegradable microspheres containing group B *Streptococcus* vaccine: immune response in mice (Hunter et al). 2001; 185:1174-9
- Vacuum extraction, obstetrical**
- The effect of sequential use of vacuum and forceps for assisted vaginal delivery on neonatal and maternal outcomes (Gardella et al). 2001;185:896-902
- Risk of new-onset urinary incontinence after forceps and vacuum delivery in primiparous women (Arya et al). 2001; 185:1318-24
- Vagina**
- Expression of estrogen receptor isoforms α and β messenger RNA in vaginal tissue of premenopausal and postmenopausal women (Gebhart et al). 2001; 185:1325-31
- The G-spot: a modern gynecologic myth (Hines). 2001;185: 359-62 (Clin. opinion)
- Obstructive Müllerian anomalies: case report, diagnosis, and management (Burgis). 2001;185:338-44
- Smooth muscle myosin heavy chain and caldesmon expression in the anterior vaginal wall of women with and without pelvic organ prolapse (Boreham et al). 2001;185:944-52
- Vagina, surgery**
- Anterior colporrhaphy: a randomized trial of three surgical techniques (Weber et al). 2001;185:1299-1306
- Attachment of the rectovaginal septum to the pelvic sidewall (Leffler et al). 2001;185:41-3
- Gluteal necrotizing myofascitis: an unusual delayed complication of abdominal sacrocolpopexy (Goldberg et al). 2001; 185:1273-4
- High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse (Karram et al). 2001;185:1339-43
- Infundibulopelvic colpopexy with partial resection of vagina for repair of posthysterectomy vault prolapse (Papp) (Letter); (Barber) (Reply). 2001;185:1009
- The routine use of cystoscopy with the Burch procedure (Gill et al). 2001;185:345-8
- Treatment of postoperative urinary retention by elongation of tension-free vaginal tape (Koelle et al). 2001; 185:250-1
- Vaginal creation for müllerian agenesis (Roberts et al). 2001; 185:1349-53
- Vaginal paravaginal repair: one-year outcomes (Young et al). 2001;185:1360-7
- Vaginal administration; see Administration, intravaginal**
- Vaginal delivery; see Delivery**
- Vaginal smears**
- Cervicography for triage of women with mildly abnormal cervical cytology results (Ferris et al). 2001; 185:939-43
- Liquid-based cervical cytologic smear study and conventional Papanicolaou smears: a metaanalysis of prospective studies comparing cytologic diagnosis and sample adequacy (Bernstein et al). 2001;185:308-17
- Management of women with atypical Papanicolaou tests of undetermined significance by board-certified gynecologists: discrepancies with published guidelines (Smith-McCune et al). 2001;185:551-6
- Vaginal tape, surgical; see Surgical mesh**
- Vaginal vault prolapse; see Uterine prolapse**
- Vaginitis**
- Treatment of complicated *Candida* vaginitis: comparison of single and sequential doses of fluconazole (Sobel et al). 2001; 185:363-9
- Vaginosis, bacterial**
- Bacteriocin susceptibility of *Gardnerella vaginalis* and its relationship to biotype, genotype, and metronidazole susceptibility (Simoes et al). 2001;185:1186-90
- Defense factors of vaginal lactobacilli (Aroutcheva et al). 2001; 185:375-9
- Hormonal contraception and risk of sexually transmitted disease acquisition: results from a prospective study (Baeten et al). 2001;185:380-5
- Metronidazole treatment of women with a positive fetal fibronectin test result (Goldenberg et al). 2001; 185:485-6
- Vascular reactivity**
- Vascular reactivity in men and women of reproductive age (Bowyer et al). 2001;185:88-96
- Vasopressins**
- Vasopressin as an etiologic factor for infection in gynecologic surgery: a randomized double-blind placebo-controlled trial (Kammerer-Doak et al). 2001; 185:1344-8
- Vault prolapse; see Uterine prolapse**
- Ventricular function, left**
- Left ventricular diastolic filling response to stationary bicycle exercise during pregnancy and the postpartum period (Veille et al). 2001;185:822-7
- Vesical neck; see Pubic bone**
- Villi, chorionic; see Chorionic villi**
- Vitamin C; see Ascorbic acid**
- Vitamin E**
- Vitamins C and E: missing links in preventing preterm premature rupture of membranes? (Woods et al). 2001;185:5-10 (Clin. opinion)
- Vitamins**
- A survey of dietary supplement use during pregnancy at an academic medical center (Tsui et al). 2001;185:433-7
- Vulvar diseases**
- Prevalence and predictors of chronic lower genital tract discomfort (Harlow et al). 2001;185:545-50
- Vulvar neoplasms**
- An update on vulvar cancer (Ghurani and Penhalver). 2001; 185:294-9
- Vulvovaginitis**
- Severe vulvovaginitis associated with intravaginal nystatin therapy (Dan). 2001;185:254-5
- W**
- White women**
- Effect of the interval between pregnancies on perinatal outcomes among white and black women (Zhu et al). 2001; 185:1403-10
- Women aged 40 and above; see Maternal age 35 and over**
- X**
- X chromosome**
- A novel X chromosome-linked genetic cause of recurrent spontaneous abortion (Lanasa et al). 2001; 185:563-8
- Xerocytosis**
- In utero erythrocyte transfusion for fetal xerocytosis associated with severe anemia and non-immune hydrops fetalis (Ogburn et al). 2001;185:238-9
- Z**
- Zygote**
- Relationship of twin zygosity and risk of preeclampsia (Maxwell et al). 2001;185:819-21

